



Globally Proven
Construction Solutions


Pool, Spa and Fountain Tiling Systems



EXTERIOR



COMMERCIAL




RESIDENTIAL



INTERIOR



Snap for more
information.



CONTENTS

LATICRETE Swimming Pool System Warranty	1
LATICRETE Pool, Spa and Fountain System	2
Pool and Drain Details	3
Mortars and Waterproofing	4
Adhesives and Grouts	5
Warranties and Certifications	6
LATICRETE Pool Installation Project References	7

LATICRETE offers the best warranties IN THE INDUSTRY

With a LATICRETE® System Warranty you can enjoy peace of mind with high-quality, world renowned LATICRETE products. When selecting the installation system for your project, consider the value and peace of mind that a LATICRETE warranty can bring.

LATICRETE provides comprehensive warranties covering commercial, residential, and industrial projects around the world. However, our best guarantee is over 60 years of experience with industrial, commercial and residential installations in every imaginable climate.

LATICRETE Australia warrants that LATICRETE products will be free from manufacturing defects and will not break down or deteriorate when installed in accordance with LATICRETE written specification and guidelines.

Our warranty for a defect or failure of a system under this system warranty is limited to the cost of replacing the specific portion of the System that has been proven to be defective, including the cost of the System, finishing materials and labour. Proof of purchase will be required. Warranties are not transferable or assignable.

This warranty does not cover any defects caused by an accident, misuse, abuse, improper installation, lack of reasonable care, unauthorised modification, tampering or attempt to repair by a person not authorised by the original applicator; or any product that has been used for purpose other than its intended use.

For these limited warranties to apply, the applications that comprise the installation must be performed with the products listed in the particular document for each application (refer to the charts on this page). LATICRETE Swimming Pool System Warranties are to be registered with LATICRETE at warranty@laticrete.com.au. It is a condition of this warranty that the date of tiling completion is provided prior to filling the pool and an accredited and trained LATICRETE epoxy grouter is used.



Photo credit: Rock Solid Tile, Calabasas, CA.



LATICRETE 10 Year Residential Swimming Pool Warranty

APPLICATION	PRODUCTS
Slurry Bond Coat	335 Premium Flexible Adhesive 254 Adhesive
Render/Mortar Beds/Levelling Coat	3701 Fortified Mortar Bed 3701 Mortar Admix mixed with ▪ 226 Thick Bed Mortar
Moisture Shield	LATAPOXY® Moisture Shield HYDRO BAN® SLURRY
Waterproofing	HYDRO BAN HYDRO BAN Fillet & Sealant
Thin Bed Method	335 Adhesive 254 Adhesive 4237 Latex Additive mixed with PERMACOLOR® Grout*
Grouting	PERMACOLOR Grout PERMACOLOR Select

LATICRETE 15 Year Swimming Pool System Warranty

APPLICATION	PRODUCTS
Slurry Bond Coat	254 Adhesive 4237 Latex Admix mixed with either: ▪ 211 or ▪ 315 Super Floor & Wall Adhesive
Render/Mortar Beds/Levelling Coat	3701 Mortar Admix mixed with ▪ 226 Thick Bed Mortar
Moisture Shield	LATAPOXY Moisture Shield HYDRO BAN SLURRY
Waterproofing	HYDRO BAN HYDRO BAN Fillet & Sealant
Thin Bed Method	254 Adhesive 4237 Latex Admix mixed with either: ▪ 211 or ▪ 315 Super Floor & Wall Adhesive
Grouting	SPECTRALOCK® PRO Premium Grout* LATAPOXY SP-100

LATICRETE 25 Year Swimming Pool System Warranty

APPLICATION	PRODUCTS
Slurry Bond Coat	254 Adhesive 4237 Latex Admix mixed with either: ▪ 211 or ▪ 315 Super Floor & Wall Adhesive
Render/Mortar Beds/Levelling Coat	3701 Mortar Admix mixed with ▪ 226 Thick Bed Mortar
Moisture Shield	LATAPOXY Moisture Shield HYDRO BAN SLURRY
Waterproofing	HYDRO BAN HYDRO BAN Fillet & Sealant
Thin Bed Method	LATAPOXY 300 Adhesive LATAPOXY SP-100
Grouting	SPECTRALOCK PRO Premium Grout* LATAPOXY SP-100

For consumers defined by the Australian Consumer Law, the benefits conferred by this warranty are in addition to all rights and remedies in respect of the product that the consumer has under the Competition and Consumer Act 2010 and similar state and territory laws. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

*United States Invention Patent No.: 6881768 (and other Patents).

*United States Invention Patent No.: 6,784,229 (and other Patents)

See www.laticrete.com.au/warranty for complete warranty information.

The **LATICRETE Pool, Spa and Fountain System** is composed of time and job proven LATICRETE tile installation products which have been successfully installed around the world for over 60 years. It provides single source responsibility for these demanding, high performance applications.

The LATICRETE System delivers superior performance with the latest technology in construction materials and methods.

The LATICRETE Pool, Spa and Fountain System with epoxy grouts, delivers greater chemical resistance, higher strengths, more flexibility.

Single source systems approach for pools and spas


- LATICRETE® polymer fortified and epoxy adhesives provide $\geq 150\%$ greater bond strength than Australian Standard requirements.
- LATICRETE epoxy grouts provide greater chemical resistance than cementitious grouts.
- Single source supply of key system materials such as underlayments, waterproof membranes, tile adhesive and grouts.
- Safe, easy-to-install, water-cleanable products which reduce labour and improve productivity.



In addition, the LATICRETE System provides:


- Permanent installations.
- Technical services – We will help your architectural staff with proper specifications and details.
- Job site assistance – Our technical network assures that you will have on-site assistance when and where you need it.
- Guaranteed – Written labour and materials warranty.





For over half a century architects, engineers and developers have trusted LATICRETE® with their tile and stone installation needs. Let our global experience, product quality and technical support assist you on your next project — no matter where it is.

SWIMMING POOL GUTTER AND POOL DECK



†United States Invention Patent No.: 688176 (and other Patents)

Choose from the widest product selection of installation systems in the industry. LATICRETE offers a complete line of tile and stone installation materials that meet and exceed applicable Australian / ANSI / ISO / EuroNorm standards.

MORTARS



Refer to Data Sheet DS-1000

3701 Fortified Mortar Bed

3701 Fortified Mortar Bed is a one-step polymer fortified blend of carefully selected raw materials, Portland cement and graded aggregates.



Refer to Data Sheets DS-1063 and DS-1046DS-1259

226 Thick Bed Mortar and 3701 Mortar Admix

When mixed together, 226 Thick Bed Mortar and 3701 Mortar Admix is a thick-bed mortar that is exceptionally strong and resistant to weather, frost, thermal, and physical shock.

WATERPROOFING / ANTI-FRACTURE & MOISTURE SHIELD



Refer to Data Sheet DS-1196

HYDRO BAN® Fillet & Sealant

A one component, fast curing, hybrid elastomeric adhesive and sealant. Specifically formulated to meet today's Green Building Standards. Excellent adhesion on a wide variety of substrates. Use under HYDRO BAN Waterproof Membrane as a transition fillet and crack filler.



Refer to Data Sheet DS-1259

HYDRO BAN® SLURRY

HYDRO BAN® SLURRY is a cement based, one component, polymer fortified material that mixes with water and easily applies with brush, roller or trowel. Use under HYDRO BAN where you need to reduce moisture vapour emissions and negative hydrostatic pressure up to 2.5 BARS.



Refer to Data Sheet DS-1036

HYDRO BAN®

HYDRO BAN Waterproofing Membrane meets and exceeds the requirements of AS4858, AS4654.1, IAPMO & ICC. Antifracture and crack suppression protection up to 3mm cracks. Cleans up easily with water.



Refer to Data Sheet DS-1176

LATAPOXY® MOISTURE SHIELD

A 2 component, roller applied epoxy coating specifically designed to reduce moisture vapour emissions in concrete and other substrates.

ADHESIVES



LATAPOXY® 300 Adhesive

A high-strength, three-part, 100% solids epoxy adhesive formulated for improved chemical resistance and the ability to bond to specialised surfaces such as steel and aluminum.

Refer to Data Sheet DS-1047



254 Adhesive

The ultimate polymer fortified, thin-set adhesive for interior and exterior installation of ceramic tile, reduced thickness porcelain, stone tile, pavers and brick. Great for immersed installations.

Refer to Data Sheet DS-1166



Refer to Data Sheet DS-1064 and DS-1079

4237 Latex Additive and 211

Designed for use with 211, 4237 Latex Additive is ideal for installing ceramic tiles, porcelain tiles, and submerged applications.



335 Adhesive

A high performance Polymer Fortified adhesive. For the installation of all types of ceramic, glass and stone tiles using the thin bed method of installation.

Refer to Data Sheet DS-1037

GROUTS



LATAPOXY® SP-100

Recommended where greater levels of chemical resistance is required in swimming pool grout installation. Can be used as a coloured tile adhesive for thin tile. Ideal for polyester pool shells.

Refer to Data Sheet DS-1070



SPECTRALOCK® PRO Premium Grout†

SPECTRALOCK PRO Premium is an easy to use grout that locks in colour and resist staining. An ideal grout for swimming pool interiors.

†United States Invention Patent No.: 688176 (and other Patents)

Refer to Data Sheet DS-1191



PERMACOLOR® Grout^

The maximum performance available in a cement-based grout.

^ United States Patent No.: 6,784,229 B2 (and other Patents).

Refer to Data Sheet DS-1041



PERMACOLOR® Select Grout

PERMACOLOR Select is an advanced high performance cement grout that offers the industry's first dispersible dry pigment solution.

Refer to Data Sheet DS-1162

COMPLETE SYSTEM WARRANTIES

With a LATICRETE® System Warranty you will enjoy peace of mind with high quality, globally proven LATICRETE products. When selecting the installation system for your tile or stone project consider the value and peace of mind that LATICRETE experience, expertise and warranty will bring.

LATICRETE provides comprehensive warranties covering commercial, residential, and industrial projects around the world. However, our best guarantee is over 60 years of experience with industrial, commercial and residential installations in every imaginable climate around the world.


Consult LATICRETE for complete warranty information for your particular project.



GREENGUARD Certified & LOW VOC LEED COMPLIANT

Many companies might say their products are low VOC, only one independently certifies it – LATICRETE.

- UL GREENGUARD® Environment Certification, Certified to Meet Stringent Indoor Air Quality Standards
- Certified to UL GREENGUARD Gold Standards
- Helps Contribute Toward LEED Certification
- Product Certifications Readily Available at www.laticrete.com/green



2017 – WAUCHOPE AQUATIC CENTRE IN WAUCHOPE, NSW



PROJECT INFO: Consisted of 1200m² of ceramic tiles throughout.
BUILDERS: Beaucorp Projects and Allan Worril & team.
GROUTING: The Grouting Girls.

TILES SUPPLIED BY: The Pool Tile Company.
WARRANTY: LATICRETE 15 Year Pool Installation Warranty.

2002 – SYDNEY AQUATIC CENTRE, NSW



PROJECT INFO: In 2002, LATICRETE was involved in the re-tiling of the leisure pools at Sydney Aquatic Centre, Olympic Park Homebush Bay NSW. The tiling work had a warranty of 10 years, but has lasted and is expected to do so for many decades more.

ARCHITECT: Cox Richardson.
PROJECT MANAGER: Sydney Olympic Park Authority.
TILING CONTRACTOR: Pete Stevens.
LATICRETE WARRANTY: LATICRETE 10 Year Pool Installation Warranty.

2018 – GUNGAHLIN INFINITY TOWERS POOL, ACT



PROJECT INFO: Canberra's highest residential development, with two towers standing 20 and 22 storeys high. Connecting the two towers is an incredible 25m infinity pool.
ARCHITECT: Peckvonhartel.

BUILDERS: Geocon Development Holdings Pty Ltd.
POOL BUILDER AND TILING: Prestige Pools.
LATICRETE WARRANTY: LATICRETE 10 Year Pool Installation Warranty.

LATICRETE Pool Installation Project References


2017 – GRENFELL POOL, NSW



PROJECT INFO: A 50m², 6x lane commercial pool.
BUILDERS & CONTRACTORS: Icon Building group.

ARCHITECT: Facilities Design Group.
LATICRETE WARRANTY: LATICRETE 10 Year Pool Installation Warranty.

2015 – TAURAMA AQUATIC CENTRE, PNG



TOTAL CONCOURSE AREA COVERED: 2500m².
ARCHITECT: Peddle Thorp Architects NZ.
CONTRACTOR: General Contractor Fletcher Morobe Constructions Ltd. PNG.


TILES USED: 200 x 200 Porcelain.
LATICRETE WARRANTY: LATICRETE 25 Year Pool Installation Warranty

2013 – MAROUBRA SEALS RETILE PROJECT, NSW



CONTRACTOR: Wright Pools.
LATICRETE WARRANTY: LATICRETE 15 Year Installation Warranty

2013 – GRAYTHWAITE REHABILITATION CENTRE, HYDROTHERAPY POOL, NSW



SUBCONTRACTORS: Wright Pools for Richard Crookes Builders
ARCHITECT: Nettleton Tribe

LATICRETE WARRANTY: LATICRETE 15 Year Pool Installation Warranty.


2019 – BARCALDINE, QLD COMMERCIAL REFURBISHMENT



PROJECT INFO: A 300m² commercial pool refurb project in Barcaldine, QLD. The refurbishment of an existing 25m concrete pool shell tiled with ceramic gloss tiles.

CONTRACTOR: TP Aquatics/Phill Nicholls

2011 – MARINA BAY SANDS POOL, POOL IN THE SKY, SINGAPORE



LOCATION: Marina Bay Sands Singapore.
ARCHITECT: Moshe Safdie.
INSTALLER: Sangyoong Engineering Construction Co Ltd.

ARCHITECT: Aeda, Pte Ltd, Singapore.
POOL TILES: Tiles of Spain.



LATICRETE Australia Pty Ltd | 29 Telford Street, Virginia, QLD 4014 Australia | 1800 331 012 | www.laticrete.com.au

05-1132-1020 ©2020 LATICRETE Australia Pty Ltd | All trademarks shown are the intellectual properties of their respective owners.