# LATICRETE® SPECTRALOCK® 2000 IG by LATICRETE International

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00

PRODUCT DESCRIPTION: A highly chemical resistant, industrial grade epoxy grout for ceramic tile, pavers, floor brick, packing house tile, and stone. LATICRETE SPECTRALOCK 2000 IG is supplied as factory proportioned kits consisting of epoxy resin, hardener, and silica filler.



# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

Inventory Reporting Format
Nested Materials Method
Basic Method

Threshold Disclosed	Per
Material	
Product	

Threshold level	
<b>⊙</b> 100 ppm	

C 1,000 ppm Per GHS SDS

Per OSHA MSDS

C Other

## Residuals/Impurities

Considered

C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

**Screened** 

○ Yes Ex/SC Yes No.

All substances screened using Priority Hazard Lists with results disclosed

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

LATICRETE SPECTRALOCK 2000 IG [ QUARTZ LT-1 | CAN FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL FATTY ACIDS, TALL-OIL, REACTION PRODUCTS WITH TETRAETHYLENEPENTAMINE LT-P1 | MUL SODIUM SILICATE (SODIUM SILICATE) LT-P1 | END EPICHLOROHYDRIN-BISPHENOL A RESIN LT-P1 | AQU | SKI | EYE | MUL TETRAETHYLENEPENTAMINE LT-P1 | AQU | SKI | MUL UNDISCLOSED LT-UNK | SKI | EYE ISOPHORONE DIAMINE LT-P1 | SKI | MUL BENZYL ALCOHOL BM-2 STODDARD SOLVENT LT-1 | MAM | GEN | CAN | MUL AROMATIC NAPHTHA, TYPE 1 LT-1 | MAM | GEN | CAN | MUL | END UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | SKI | END | MUL | REP TITANIUM DIOXIDE LT-1 | CAN | END CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK AMINOETHYLPIPERAZINE LT-P1 | SKI | MUL 4-NONYLPHENOL (BRANCHED) LT-1 | PBT | END | MUL | AQU | SKI | REP | DEL UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL

EPICHLOROHYDRIN-BISPHENOL A RESIN LT-P1 | AQU | SKI | EYE | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.80 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

#### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (2000 IG) VOC content: TDS 251 "Low VOC LATICRETE® Products"

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2018-12-21 PUBLISHED DATE: 2018-12-21 EXPIRY DATE: 2021-12-21



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### **LATICRETE SPECTRALOCK 2000 IG**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ				ID: <b>14808-6</b>
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREI	ENING DATE: 201	8-12-21
%: <b>65.0000 - 75.0000</b>	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Aggregate and Color
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
CANCER	IARC	Gro	up 1 - Agent is (	Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occ	upational Carci	nogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rou		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled fro		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Car mar	-	1 - Substances that cause cancer in
CANCER	New Zealand - GHS	6.7	A - Known or pre	esumed human carcinogens
CANCER	Japan - GHS	Car	cinogenicity - Ca	ategory 1A
CANCER	Australia - GHS	H35	0i - May cause	cancer by inhalation

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

#### FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL

ID: 9003-36-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-12-21 %: 9.0000 - 16.0000 GS: LT-P1 ROLE: Resin RC: None NANO: **No** 

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

# FATTY ACIDS, TALL-OIL, REACTION PRODUCTS WITH TETRAETHYLENEPENTAMINE

ID: 68953-36-6

HAZARD SCREENING METHOD: Pharos C	HAZARD SCREENING DATE: 2018-12-21			
%: 6.0000 - 10.0000	GS: LT-P1	RC: None	NANO: <b>No</b>	ROLE: Curing Agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## SODIUM SILICATE (SODIUM SILICATE)

ID: 1344-09-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-12-21		
%: <b>0.5000 - 2.0000</b>	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## **EPICHLOROHYDRIN-BISPHENOL A RESIN**

ID: 25068-38-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: 0.5000 - 3.0000	GS: LT-P1	RC: None NANO: No ROLE: Resin		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes	serious eye irritatio	n
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

TETRAETHYLENEPENTAMINE ID: 112-57-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: 0.3000 - 1.5000	GS: LT-P1	RC: None NANO: No ROLE: Curing Age		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - To	oxic to aquatic life	e with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - M	ay cause an allerç	gic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 -	Hazard to Waters	5

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## UNDISCLOSED

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2018-12-21		
%: 0.2000 - 0.5000	GS: LT-UNK	RC: None NANO: No ROLE: Epoxy Modifie	er	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

ISOPHORONE DIAMINE ID: 2855-13-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: <b>0.1000 - 0.5000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Curing Agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Ca	auses severe skin	burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - Ma	ay cause an allerg	ic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 -	Hazard to Waters	

MAK

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

BENZYL ALCOHOL ID: 100-51-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-12-21		
%: 0.1000 - 0.5000	GS: <b>BM-2</b>	RC: None	NANO: <b>No</b>	ROLE: Curing Agent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

STODDARD SOLVENT ID: 8052-41-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2018-12-21
%: 0.0500 - 0.3000	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Air Release Agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Malaysia - GHS	H340 - May cause genetic defects
CANCER	Malaysia - GHS	H350 - May cause cancer
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

AROMATIC NAPHTHA, TYPE 1 ID: 64742-95-6

HAZADO SODEENINO METHOD. PI	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2018-12-21
HAZARD SCREENING METHOD: FI	ialos Chemicai and Materiais Library	HAZARD SCREENING DATE: 2010-12-21
%: 0.0500 - 0.3000	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

AGENCY AND LIST TITLES

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2018	-12-21
%: <b>0.0500 - 0.2500</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS.	
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Library	HAZARD SCREEN	NING DATE: <b>2018-</b> 1	2-21
%: 0.0200 - 0.0500	gs: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: UV Stabilizer

WARNINGS

#### No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

%: 0.0050 - 0.0100 GS: BM-1 RC: None NANO: NO ROLE: Anti-Microb	HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	NING DATE: <b>2018-</b>	12-21
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	%: 0.0050 - 0.0100	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Anti-Microbial
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE German FEA - Substances Hazardous to Class 3 - Severe Hazard to Waters Waters	MULTIPLE		Class 3 -	Severe Hazard t	o Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2018	3-12-21
%: <b>0.0010 - 0.0100</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Air Release Agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	s	
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2018-12-	21
%: 0.0010 - 0.0050	GS: <b>BM-1</b>	RC: None	ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREEN	IING DATE: <b>2018-12</b>	-21
%: 0.0000 - 6.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure ro		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	•	Group 4 - Non-gen IAK/BAT levels	otoxic carcinogen with low

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2018	3-12-21
%: Impurity/Residual	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or less than 100 ppm.

## LIMESTONE; CALCIUM CARBONATE

ID: **1317-65-3** 

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: <b>2018</b>	3-12-21
%: Impurity/Residual	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
	No hazards found			

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

AMINOETHYLPIPERAZINE ID: 140-31-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-12-21

%: 0.0000 - 1.0000 GS: LT-P1 RC: None NANO: NO ROLE: Curing Agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## 4-NONYLPHENOL (BRANCHED)

ID: 84852-15-3

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2018-12-21
%: 0.0000 - 0.1000	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Cure Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	t PBT - Substance of Possible Concern
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	t Endocrine Disruptor - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
REPRODUCTIVE	EU - GHS (H-Statements)	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
PBT	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
CHRON AQUATIC	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{The\ amount\ of\ this\ component\ may\ vary\ based\ on\ plant\ of\ manufacture.}$ 

UNDISCLOSED						
HAZARD SCREENING METHOD: PI	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: <b>2018-1</b>	2-21		
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Thickener		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	No hazards found					

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: 0.0000 - 0.0500	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: Thickener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### **EPICHLOROHYDRIN-BISPHENOL A RESIN**

ID: **25068-38-6** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21			
%: Impurity/Residual	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS		
CHRON AQUATIC	EU - GHS (H-Statements)	H411	- Toxic to aquati	ic life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-Statements)	H315	- Causes skin irr	itation	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317	- May cause an	allergic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)	H319	H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to W	aters	

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **UL GreenGuard Gold (2000 IG)**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities.

07-07

12-09

Environment

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=9553&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2-2017 in an office and classroom environment.

#### **VOC CONTENT**

#### TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

12-18 APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-

and-downloads/technical-

datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

LATICRETE® SPECTRALOCK® 2000 IG does not meet Living Building Challenge requirements because it does contain a component which is found on the Red Listed Materials or Chemicals. Specifically, LATICRETE SPECTRALOCK 2000 IG contains Epichlorohydrin-Bisphenol A Resin as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203.393.4619

EMAIL: wmhawkins@laticrete.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

CAN Cancer

**DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Other Terms**

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.