

----- 1. PRODUCT IDENTIFICATION -----

TRADE NAME (as labeled): **LATICRETE 101 Rapid Set Latex Admix**

Chemical Family: Latex

USE: Fast setting Latex Additive for Mortars

MANUFACTURER'S NAME: LATICRETE PTY LTD
29 Telford Street
Virginia. QLD. 4014

For additional information: 1800 331 012, 07 38651599
Web address: www.laticrete.com.au
Poisons Information Number: 131126
Date prepared or revised: 25th April 2012

----- 2. HAZARDS IDENTIFICATION -----

Classification: Not Hazardous according to the criteria of the NOHSC. All components are listed on the AICS. Not classified as a Dangerous Goods substance according to the ADG code. Not classified as a scheduled poison according to the SUSDP. Not classified as a flammable or combustible liquid according to the criteria of AS 1940.

Risk Phrases: Xi Irritant.R36

Safety Phrases: S24 Avoid contact with the skin. S25 Avoid contact with eyes.

----- 3. COMPOSITION / INFORMATION ON INGREDIENTS-----

CHEMICAL NAMES	CAS NUMBERS	PERCENT
SBR copolymer	9003-55-8	10-50
Other ingredients determined as non-hazardous		To 100%

----- 4. FIRST AID MEASURES-----

FIRST AID or EMERGENCY PROCEDURES

Eye Contact: Wash the eyes with large amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Seek medical attention promptly.

Skin Contact: Remove contaminated clothing. Promptly wash contaminated skin with water for 3-5 minutes and then soap or mild detergent and water. If symptoms persist seek medical attention promptly.

Inhaled: Safely move the exposed person to fresh air at once and allow to rest. Provide artificial respiration if breathing stops. Seek medical attention unless recovery is immediate.

Swallowed: If the person is conscious, give large amounts of water. Do not induce vomiting. Get medical attention immediately.

SYMPTOMS OF OVEREXPOSURE for each potential route of exposure.

Inhaled: Inhalation may result in slight respiratory irritation.

Contact with eyes: Eye contact may cause slight, temporary eye irritation seek medical attention.

Suitable Containers

Check all containers are clearly labeled and free from leaks.

Storage Requirement

Store in a cool, dry ventilated place between 1 -35 °C. Protect containers against physical damage and check regularly for leaks. Observe manufacturers storing and handling recommendations.

----- 8. EXPOSURE CONTROLS & PERSONAL PROTECTION-----

-

All listed ingredients of this product are below occupational exposure levels (OEL):

Ventilation and engineering controls: If used externally natural ventilation is generally adequate. Ventilate confined small spaces where mists or airborne particle levels are excessive or uncomfortable.

Respiratory protection (type): No respiratory protection is should be required if good ventilation is maintained. Use respirators fitted with organic vapour filters to AS1715 & AS1716 in areas with high vapour concentrations.

Eye protection (type): Use a chemical goggle or safety glasses with side shields or safety glass to AS1337.

Gloves (specify material): Use impervious gloves, vinyl or rubber to AS2161.2

Other clothing and equipment: Wear clean, long-sleeved, body covering clothing.

Work practices, hygienic practices: Familiarize the employees with the handling procedures in this section; also encourage prompt removal of contaminated clothing and clearing of contaminated areas.

----- 9. PHYSICAL PROPERTIES-----

Vapor density (air=1): N/A

Melting point or range, °C: N/A

Specific gravity: 1.07

Boiling point or range, °C: 100

Solubility in water: Emulsion

Evaporation rate (butyl acetate = 1): N/A

Vapor pressure, mmHg at 20 ° C: 0mm

Appearance and odour: White liquid, slight odour

----- 10. REACTIVITY DATA -----

Stability: X Stable Unstable

Conditions to avoid: May coagulate if frozen at 0 °C

Incompatibility (materials to avoid): N/A

Hazardous decomposition products (including combustion products): (from burning, heating or reaction with other material): None

Hazardous polymerization: May occur X Will not occur

----- 11 . TOXICOLOGICAL INFORMATION -----

No relevant product data found

----- 12. ECOLOGICAL CONSIDERATIONS-----

May have an adverse effect on aquatic organisms if large amounts are released to waterways.

----- 13. DISPOSAL CONSIDERATIONS-----

-

Dispose of all wastes in accordance with federal, state and local regulations for non-hazardous chemical wastes

----- 14. TRANSPORT CONSIDERATIONS-----

Requirements under the ADG code, IMDG code, or the IATA DG code do not apply to this product

----- 15. REGULATORY INFORMATION-----

Label in accordance with the National Code of Practice for the Labeling of Workplace Substance (NOHSC: 2012 (1994)); Labeling under the SUSDP or the ADG Code is not required.

----- 16. OTHER INFORMATION-----

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate. Persons dealing with the products referred to in this MSDS do so at their own risk since their actions are beyond our control. Laticrete Pty Ltd accepts no liability whatsoever for damage or injury arising from the use of the information contained in this document. This document should be made available to all operators who may come into contact with this product.