



SAFETY DATA SHEET

1. Identification

Product identifier LATICRETE Spectralock Pro Premium Part B

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Grout.

Restrictions on use Not available.

Details of manufacturer or importer

Company name LATICRETE International

Address 1 Laticrete Park, N
Bethany, CT 06524

Telephone (203)-393-0010

Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night
USA/Canada - 1.800.424.9300
Mexico - 1.800.681.9531
Outside USA/Canada
1.703.527.3887

Supplier

Company name LATICRETE Australia

Address P.O. Box 508
Virginia Business Mail Centre
29 Telford Street
VIRGINIA QLD 4014
Australia

Telephone (61) (7) 3865-1599

Website www.laticrete.com

Emergency phone number 1.703.527.3887

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1

Environmental hazards Hazardous to the aquatic environment, acute hazard Category 2
Hazardous to the aquatic environment, long-term hazard Category 2

Label elements, including precautionary statements

Hazard symbol(s)



Exclamation mark Environment

Signal word Warning

Hazard Statement(s)	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	
Prevention	Avoid breathing mist or vapour. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and eye/face protection. Avoid release to the environment.
Response	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers	25085-99-8	44 - 52
Bisphenol F epoxy resin	9003-36-5	9 - 18
Alkyl(C12-14) glycidyl ether	68609-97-2	6 - 10
Dialkylaminobenzoic ester	57834-33-0	0.8 - 2.4
Ethylene glycol	107-21-1	1 - 2
Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	0.6 - 1.8
Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	82919-37-7	0.1 - 0.95

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash contaminated clothing before reuse.
Symptoms caused by exposure	Rash. Irritant effects.
Medical attention and special treatment	Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Hazchem Code	3 Z
General fire hazards	This product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Environmental manager must be informed of all releases.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Other issues relating to spills and releases Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling Do not breathe mist or vapour. Do not get in eyes, on skin, on clothing. Persons susceptible for allergic reactions should not handle this product. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (See Section 10).

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m ³
	TWA	40 ppm
		10 mg/m ³
		20 ppm

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m ³	Vapour.
	TWA	40 ppm	Vapour.
		52 mg/m ³	Vapour.
		10 mg/m ³	Particulate.
		20 ppm	Vapour.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m ³	Aerosol

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m ³	Vapour.
		40 ppm	Vapour.
	TWA	52 mg/m ³	Vapour.
		10 mg/m ³	Particulate.
		20 ppm	Vapour.

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Ethylene glycol (CAS 107-21-1)	TWA	26 mg/m ³	Vapor and aerosol.
		10 ppm	Vapor and aerosol.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Australia OELs: Skin designation

Ethylene glycol (CAS 107-21-1) Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas. Provide eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid.

Colour White.

Odour Not available.

Odour threshold Not available.

pH Not available.

Melting point/freezing point 0 °C (32 °F)

Initial boiling point and boiling range 100 °C (212 °F)

Flash point Non flammable.

Evaporation rate Not applicable.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapour pressure Not applicable.

Vapour density Not applicable.

Relative density 1.09

Solubility(ies)

Solubility (water) Soluble in water.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions Masses of more than 1 pound of product plus an aliphatic amine will cause irreversible polymerization with considerable heat build up.

Conditions to avoid Excessive heat. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition products At thermal decomposition temperatures, carbon monoxide and carbon dioxide. Aldehydes.

11. Toxicological information**Information on possible routes of exposure**

Inhalation No adverse effects due to inhalation are expected.

Skin contact Irritating to skin. May cause an allergic skin reaction.

Eye contact Irritating to eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to exposure Rash. Irritant effects.

Acute toxicity May cause discomfort if swallowed.

Components	Species	Test results
Bisphenol F epoxy resin (CAS 9003-36-5)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg
Ethylene glycol (CAS 107-21-1)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	9530 mg/kg
<i>Oral</i>		
LD50	Rat	4700 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitisation		
Respiratory sensitisation	No data available.	
Skin sensitisation	May cause an allergic skin reaction.	

Germ cell mutagenicity	Not expected to be mutagenic.
Carcinogenicity	Not classifiable as to carcinogenicity to humans.
ACGIH Carcinogens	
Ethylene glycol (CAS 107-21-1)	A4 Not classifiable as a human carcinogen.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	No data available.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	No data available.
Chronic effects	Prolonged or repeated contact may cause drying, cracking, or irritation.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components	Species	Test results
Bisphenol F epoxy resin (CAS 9003-36-5)		
Aquatic		
<i>Acute</i>		
Fish	LC50	Leuciscus idus 5.7 mg/l, 96 hours
Ethylene glycol (CAS 107-21-1)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers (CAS 25085-99-8)		
Aquatic		
<i>Acute</i>		
Algae	IC50	Algae 11 mg/l, 72 hours
Crustacea	EC50	Daphnia 1.8 mg/l, 48 hours
Fish	LC50	Fish 1 - 10 mg/l
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available for this product.	
Partition coefficient n-octanol / water (log Kow)		
Ethylene glycol (CAS 107-21-1)	-1.36	
Mobility in soil	The product is soluble in water.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

ADG	
UN number	3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

Transport hazard class(es)

Class 9

Subsidiary risk -

Packing group III

Environmental hazards Yes

Hazchem Code D3Z

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.**RID**

UN number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

Packing group III

Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.**IATA**

UN number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

Packing group III

Environmental hazards Yes

ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.**IMDG**

UN number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin, Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers)

Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

Packing group III

Environmental hazards

Marine pollutant Yes

EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** This substance/mixture is not intended to be transported in bulk.**General information** IATA classification is not relevant as the material is not transported by air.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with the Australia National Code of Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)**Australia Medicines & Poisons Appendix E**

Ethylene glycol (CAS 107-21-1)

Australia Medicines & Poisons Schedule 10

ETHYLENE GLYCOL (CONC>0.25%) (CAS 107-21-1)

Australia Medicines & Poisons Schedule 5

ETHYLENE GLYCOL (EXCLUDING ITS SALTS AND DERIVATIVES) (CAS 107-21-1)

Australia Medicines & Poisons Schedule 6

ETHYLENE GLYCOL (EXCLUDING ITS SALTS AND DERIVATIVES) (CAS 107-21-1)

Australia National Pollutant Inventory (NPI): Threshold quantity

Ethylene glycol (CAS 107-21-1) 10 TONNES/YR Threshold Category: 1

High Volume Industrial Chemicals (HVIC)

Ethylene glycol (CAS 107-21-1) 10000 - 99999 TONNES See the regulation for additional information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	08-December-2015
Revision date	09-April-2021
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.