

CLASSIFICATION: 09 01 30

created via: HPDC Online Builder

PRODUCT DESCRIPTION: An easy-to-use, water-based, professional grade cleaner designed to remove stubborn soap scum, hard water deposits, stains, and dirt without scratching. Ideal for use on ceramic and porcelain tile, glass tile, marble, granite, limestone, travertine, slate, and other natural stone.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method
- Basic Method

#### Threshold Disclosed Per

- Material
- Product

#### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

#### Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

**Characterized**  Yes  No  
Percent Weight and Role Provided?

**Screened**  Yes  No  
Using Priority Hazard Lists with Results Disclosed?

**Identified**  Yes  No  
Name and Identifier Provided?

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | HAZARD TYPE

STONETECH® SOAP SCUM REMOVER | WATER **BM-4** **UNDISCLOSED** **LT-UNK** **UNDISCLOSED** **LT-P1** **UNDISCLOSED** **LT-P1** | MUL **POTASSIUM HYDROXIDE** **LT-P1** | MAM | SKI **UNDISCLOSED** **LT-P1** | MUL **UNDISCLOSED** **LT-P1** | MUL **UNDISCLOSED** **LT-1** | SKI | AQU | PBT | MUL **UNDISCLOSED** **LT-P1** | MAM | EYE | MUL **UNDISCLOSED** **LT-UNK** | SKI **UNDISCLOSED** **LT-1** | CAN **UNDISCLOSED** **LT-P1** | SKI | PHY **UNDISCLOSED** **BM-2** | MAM | EYE | CAN | MUL ]

Number of Greenscreen BM-4/BM3 contents..... 1  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

### INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00                      Regulatory (g/l): 0.00  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: N/A

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC content: TDS 251 "Low VOC LATICRETE® Products"

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared  
VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2017-11-27  
PUBLISHED DATE: 2017-11-27  
EXPIRY DATE: 2020-11-27

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### STONETECH® SOAP SCUM REMOVER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at [www.laticrete.com](http://www.laticrete.com) for occupational exposure information.

#### WATER

ID: 7732-18-5

#: 92.0000 - 98.0000 GS: BM-4 RC: None NANO: No ROLE: Diluent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

#### UNDISCLOSED

#: 1.0000 - 3.0000 GS: LT-UNK RC: None NANO: No ROLE: Detergent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

#: 0.5000 - 0.7000 GS: LT-P1 RC: None NANO: No ROLE: pH Adjuster

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

%: <b>0.5000 - 1.2000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Cleaner</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>MULTIPLE</b>	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**POTASSIUM HYDROXIDE**

ID: **1310-58-3**

%: <b>0.1000 - 0.2000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>pH Adjuster</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>MAMMALIAN</b>	EU - R-phrases	R22 - Harmful if Swallowed		
<b>SKIN IRRITATION</b>	EU - R-phrases	R35 - Causes severe burns		
<b>SKIN IRRITATION</b>	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

**UNDISCLOSED**

%: <b>0.1000 - 0.2000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Fragrance</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>MULTIPLE</b>	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**UNDISCLOSED**

%: <b>0.1000 - 0.2000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Surfactant</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
<b>MULTIPLE</b>	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**UNDISCLOSED**

%: <b>0.0500 - 0.1000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Degreaser</b>
---------------------------	-----------------	-----------------	-----------------	------------------------

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

#: **0.0500 - 0.0600**      GS: **LT-P1**      RC: **None**      NANO: **No**      ROLE: **Chelating Agent**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
EYE IRRITATION	EU - R-phrases	R41 - Risk of serious damage to eyes
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

#: **0.0100 - 0.0300**      GS: **LT-UNK**      RC: **None**      NANO: **No**      ROLE: **Fragrance**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

#: **0.0080 - 0.0200** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Solvent**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

#: **0.0020 - 0.0050** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **pH Adjuster**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
SKIN IRRITATION	EU - R-phrases	R35 - Causes severe burns
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
PHYSICAL HAZARD (REACTIVE)	Korea - GHS	H290 - May be corrosive to metals

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

#: **0.0010 - 0.0020** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Chelating Agent**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC CONTENT

### TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared	ISSUE DATE: 2016-07-07	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE
APPLICABLE FACILITIES: Applies to all facilities.			
CERTIFICATE URL: <a href="https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx?la=en">https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx?la=en</a>			
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

STONETECH® Soap Scum Remover meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Soap Scum Remover does not contain the following: •Alkylphenols\* •Asbestos •Bisphenol A (BPA)\* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes\* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)\* •Chloroprene (Neoprene) •Chromium VI\* •Chlorinated Polyvinyl Chloride (CPVC)\* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)\* •Perfluorinated Compounds (PFCs)\* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)\* •Short Chain Chlorinated Paraffins\* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. STONETECH Soap Scum Remover also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane )HCFC-151a). Consumer product VOC is 0.00%.

## Section 6: References

# MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**

ADDRESS: **1 Laticrete Park North**

**Bethany CT 06524, USA**

WEBSITE: **www.laticrete.com**

CONTACT NAME: **Mitch Hawkins**

TITLE: **Technical Services Manager**

PHONE: **203-393-4619**

EMAIL: **wmhawkins@laticrete.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

## GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

## Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

## Other Terms

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*