




Resinous Coating & Floor Finish Systems



Globally Proven Construction Solutions



LATICRETE International, Inc.
Corporate Headquarters
Bethany, CT, USA

LATICRETE Europe S.r.l. a socio unico
European Headquarters
Castelnuovo Rangone, MO, Italy

100
COUNTRIES

**OUR PURPOSE IS TO IMPROVE THE BUILT WORLD
AND THE LIVES OF THOSE WHO BUILD IT.**

Over 65 years of global experience.

Green flooring and facade materials.

Family-owned business.

3
GENERATIONS

1
MISSION



LATICRETE International, Inc., Corporate Headquarters

EXPLORE OUR SOLUTIONS

For over 65 years, LATICRETE® has led the industry with pioneering advancements—developing high-performance building materials for architects and construction professionals worldwide. From time-tested to ground-breaking, our broad product portfolio provides superior quality and value.

We are fully committed to innovation, growth, and a complete system component approach.

Follow Us!



@laticreteeurope



@Laticrete-Europe-srl



@laticreteeurope



@LaticreteEurope

LATICRETE PROVIDES YOU WITH ONLINE ACCESS TO THE LATEST IN SALES & MARKETING TOOLS.

Simply visit www.laticrete.eu to download the latest LATICRETE marketing support tools, make a claim, submit an inquiry or learn more about our products.

Technical Support, Training & Education

Let our experience, product quality, and technical support assist you on your next project—whatever the application.

LATICRETE offers intensive training programs that were specifically developed for industry distributors, dealers and other industry professionals. Contact us today to schedule a training, where you can:

- Expand knowledge of how to select and recommend the most suitable materials
- Increase knowledge of LATICRETE products
- Learn trade definitions, performance requirements, and industry standards
- Learn how to solve and avoid job problems
- Participate in hands-on product demonstrations

LATICRETE Technical Training Centers in Europe are located in Italy and Norway. We also are happy to coordinate local or on-site trainings.

Social Media

Like and Follow LATICRETE Europe on social media and be the first to know about product announcements!

- Hear the latest industry news
- Discover installation tips
- Find product training near you
- Win great swag
- Be inspired



DEDICATED TECHNICAL SERVICES CONTACT EMAIL
technicalservices@laticreteeurope.com

TABLE OF CONTENTS

INTRODUCTION TO LATICRETE®	5
COMMON FLOORING APPLICATIONS.....	6
TYPICAL INDUSTRY CHALLENGES.....	8-9
OVERVIEW OF RAPID FLOORING SYSTEMS	10
CASE STUDY: RETAIL APPLICATION	11
FEATURES & BENEFITS OF RESINOUS PRODUCTS	12
SYSTEM COLOURS & FINISH OPTIONS.....	13

RESINOUS SYSTEMS

LATICRETE GUARD.....	14-15
LATICRETE QUARTZ	16-17
LATICRETE FLAKE.....	18-19
LATICRETE METALLIC	20-21
LATICRETE STAIN.....	22-23
LATICRETE SEAL.....	24-25
COMPLEMENTARY PRODUCTS.....	26
PRODUCT LIST	28-32





Who are we?

For over 65 years, LATICRETE® has led the industry with pioneering advancements—developing high performance building materials for national account partners, architects, and construction professionals worldwide. From time-tested to innovative, our broad product portfolio provides superior quality and value. We are fully committed to innovation, growth, and a complete system approach.

Why choose LATICRETE® for your flooring?

Floors are our specialty. LATICRETE has had one of the best reputations in the tile and stone industry for over 65 years, and has been used throughout some of the world's most iconic projects. Our tile and stone systems are recognized as the premium option for tile and stone, since that is what you get – innovative, quality systems that last.

Now we are bringing the LATICRETE “Gold Standard” to the resinous and floor coating industry at a competitive price. LATICRETE is a family owned company with family values that you can trust. We are in this business to build lasting relationships. We are your partner. We are your local technical support throughout the project life-cycle, from project design through construction, offering on-site support, free of charge. Products, warranties, and people you can trust. We welcome the challenge to earn your loyalty.

What other complementary products are offered?

Our complete line of surface preparation and underlayments allow you to quickly and easily prepare a poorly finished concrete slab to receive future floor goods, or deliver super flat floors for areas which require extreme flatness specifications.

Our additives can be integrated into nearly any system, providing a high-performing, cost-effective floor that is ideal for healthcare, commercial or retail environments. See page 26 for additional details.



AREA OF APPLICATION	RECOMMENDED SYSTEM
1. Parking & Garage Facilities	GUARD PA with GRIP TRACTION ADDITIVE QUARTZ PA PURE
2. Pathways & Walkways	GUARD PA with GRIP TRACTION ADDITIVE QUARTZ PA
3. Residential	GUARD PA PURE QUARTZ PA PURE METALLIC PA PURE
4. Gym	GUARD PA PURE FLAKE PA PURE QUARTZ PA PURE
5. Bathrooms & Locker Rooms	QUARTZ PA PURE FLAKE PA PURE
6. Retail & Showrooms	METALLIC PA PURE QUARTZ PA
7. Cold Rooms & Back of House	GUARD PA with CLINICAL PLUS QUARTZ PA PURE with CLINICAL PLUS
8. Warehouse & Storage	GUARD PA FLAKE PA



LIGHT INDUSTRIAL & WAREHOUSING

Maintaining a clean and safe production area is a constant struggle within production plants, warehousing and distribution centers. These spaces require daily cleaning and maintenance, sometimes multiple times per day. When production is down, the bottom line is also down. Not just any flooring solution can handle the demands of such demanding environments.

LATICRETE® provides highly durable, chemical resistant solutions that are easy to maintain with safe, non-slip characteristics.

Specialized light industrial and warehouse flooring solutions by LATICRETE offer your production environment and facility floors a fast return to service.

Common Applications:

- Loading Docks
- Production Area
- Mechanical & Equipment Rooms
- Storage Areas
- Hallways
- Containment Facilities
- Warehouse
- Restrooms & Locker Rooms
- Forklift Charging Stations
- Workshops



PARKING & CAR SHOWROOMS

Parking and automotive applications, such as car dealerships and showrooms, present unique challenges due to the frequent, heavy vehicular traffic. These spaces require customized aesthetics and markings, but also must be safe, durable, easy-to-clean, and non-slip.

LATICRETE® offers floor coating systems that are highly durable, abrasion and scratch resistant — as well as easy to maintain. These flooring solutions can be customized with additional traction and top-coats that resist hot tire pickup.

Common Applications:

- Parking Garages
- Car Dealerships & Showrooms
- Front of House Flooring
- Bathrooms & Locker Rooms
- Lobbies, Entries & Hallways
- Auto Repair & Service Bay Areas
- Residential Garages





RETAIL & COMMERCIAL

Retail, shopping centers and showrooms present challenges for commercial flooring solutions. These spaces require customized, beautiful aesthetics for commercial retail tenants and shopping mall owners. Additionally, these floors must possess safe, nonslip characteristics as well as easy to clean properties for all the foot traffic they see on a daily basis.

We understand the facility requirements faced within commercial environments: regular cleaning, maintenance, and long-term durability. We also understand that shopping centers and commercial retailers cannot afford facility downtime because being down means lost revenue!

High performance commercial flooring solutions by LATICRETE offers fast return to service, high uptime, and durable flooring. These customizable coating systems also make floor and wall maintenance easy.

Common Applications:

- Showrooms
- Back of House Flooring
- Front of House Flooring
- Bathrooms & Locker Rooms
- Lobbies, Entries & Hallways
- Mechanical Rooms
- Storage Areas
- Offices
- Parking Garages



HOSPITALS & HEALTHCARE

Healthcare facilities are demanding environments. The around-the-clock nature of these spaces require full access for the people they serve.

Furthermore, healthcare facilities require a safe and sterile environment with long-lasting performance. LATICRETE® resinous floor and wall systems offer seamless, highly durable, non-slip traction, easy to clean solution to meet the most demanding healthcare challenges.

We offer LATICRETE CLINICAL PLUS, an antibacterial coating that can be incorporated as a topcoat in any of our systems and is ideal for aseptic environments. CLINICAL PLUS is based on silver ion antimicrobial technology* that offers 24/7 antimicrobial product protection. Independent laboratory testing has proven that CLINICAL PLUS coatings are 99.9 % cleaner than untreated coatings.

Common Applications:

- Surgical & Operating Rooms
- Lobbies, Hallways & Waiting Areas
- Medical & Dental Office Flooring
- Patient Rooms
- Bathrooms & Locker Rooms
- Clinics & Laboratories
- Kitchens & Cafeterias
- Physical Therapy & Dialysis Centers
- Parking Garages

*Antimicrobial technology protects the treated article against mold and mildew deterioration. Antimicrobial technology is not designed to replace normal cleaning practices or protect users.



NO NEED TO SACRIFICE PERFORMANCE — LATICRETE® *RAPID* POLYASPARTIC SYSTEMS OFFER FAST RETURN TO SERVICE AND EXCELLENT ABRASION, STAIN AND CHEMICAL RESISTANCE. LATICRETE IS HERE TO HELP.



LATICRETE® products help you finish your jobs faster and safer.

RAPID cure times and fewer steps allows you to meet tight-turnaround times and get following trades back to work sooner.

PURE products are odour-free and can be installed in occupied areas.

CLINICAL PLUS provides the antimicrobial floor protection your customer needs.

Proven product formulations that work overtime so you don't have to.



LATICRETE *RAPID* polyaspartic systems from our Resinous Coating & Floor Finish System solutions can reduce time or eliminate the number of steps on your installs to help meet tight turnaround times and get you on to the next job quickly. These systems offer beautiful customizable, seamless, nonslip, antimicrobial flooring; low maintenance; and heavy duty stain and chemical resistance.

The *RAPID* polyaspartic systems are ideal for healthcare, senior housing, multi-family and education facilities, retail and showrooms, garages, airplane hangars and hospitality — or any project requiring a quick turnaround, as these *RAPID* polyaspartic systems can be completed within one day.

ALL OF OUR *RAPID* POLYASPARTIC PRODUCTS ARE AVAILABLE IN A PURE LOW VOC VERSION TO PROTECT YOU, YOUR TEAM AND THE ENVIRONMENT.



LATICRETE® RESINOUS COATINGS BRINGS VALUE THROUGH DURABILITY & **RAPID** RETURN TO SERVICE

Heavy traffic entrances within commercial retail settings are some of the most demanding environments for flooring. These applications must be durable enough to stand up against harsh cleaning chemicals as well as constant foot and cart traffic.

A global retail chain was experiencing challenges with its existing deck coating system in one of its locations. The existing flooring system designed for heavy-traffic was expensive to maintain and susceptible to staining. As the appearance diminished over time, it was the first thing customers saw upon arrival.

In order to remedy the situation, the owners selected a new **RAPID** polyaspartic system from our Resinous Coating & Floor Finish System to overlay the existing flooring system. Their facilities team had a very important set of requirements for the project:

- Minimal Downtime and Productivity Loss
- Durable and Aesthetically Appealing Finish
- Relatively Easy Maintenance

With the assistance of the local distributor and contractor, our team worked with the facilities owner to develop a system to meet these parameters. The application process consisted of the installer profiling the existing floor coating system with a shot-blast machine.

This solution allowed for rapid return to service as it could be completed during off hours. The resulting finish was aesthetically appealing and of high quality — one that fit the perception and promise of this retail brand.




FEATURES	BENEFITS
Modular technology.	Allows you to mix and match products to create a custom finish and custom flooring system solution.
Fast dry time and cure.	Fast return to service, minimal downtime.
Excellent chemical resistance.	High performance, can endure cleaning routines and detergents.
Exceptional impact and abrasion resistance.	Ideal for high traffic environments such as industrial and manufacturing.
Seamless, high performing flooring.	Easy maintenance and long-lasting.
A wide array of colours, finishes and textures.	Beautiful customizable floor finishes to get the look you want.
CLINICAL PLUS options equipped with silver ion antimicrobial technology.	Formulated for high antibacterial resistance in areas where sanitary coatings are required.
PURE options with very low or no VOC and low odor at installation.	Better indoor air quality, and better for you, your team, and the environment.
Supplementary traction additives are available.	Improved anti-slip performance or enhanced abrasion and wear resistance.

CERTIFICATIONS & AFFILIATIONS

LATICRETE® is committed to innovating materials and services for safe, simple and durable construction.

Using sustainable and safe products is especially important to create and maintain a safe, healthy indoor environment. This is why we focus on development of products with low VOC emissions.




* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

GUARD*




QUARTZ*



FLAKE*



METALLIC




STAIN




This colour chart is for reference only as actual colour may vary due to site conditions.
*Custom colours and blends available upon request.

GUARD is a solid colour, thin-build coating designed to provide a durable, rapid return-to-service floor.



Manufacturing Plant, Italy

GUARD SYSTEM



COMMON APPLICATIONS


Walkway Markings &
Assembly Area


Retail &
Commercial


Museums &
Schools

and more:
■ Storage & Warehouse ■ Schools & Universities ■ Restaurants
■ Offices & Lobbies ■ Hospitals & Healthcare

System Variations	GUARD PA	GUARD PA PURE
Key Features	<p>100% polyaspartic system, ideal for new construction.</p> <p>Low temperature cure (-34°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>	<p>100% polyaspartic system with low VOC emissions and minimal odour, ideal for renovations and interior applications.</p> <p>Low temperature cure (-4°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>
Thickness & Layers	150-650 µm (2-3 coats, 3rd coat is optional)	400-750 µm (2-3 coats, 3rd coat is optional)
System Composition	<ul style="list-style-type: none"> Primer (optional, to be used if needed) GUARD PA GUARD PA / CLEAR PA 	<ul style="list-style-type: none"> Primer (optional, to be used if needed) GUARD PA PURE GUARD PA PURE / CLEAR PA PURE
Exterior Use	✓	✓
Common Applications	<ul style="list-style-type: none"> Parking Garages Indoor Farming & Greenhouses Warehouse & Storage 	<ul style="list-style-type: none"> Residential Renovations Schools Indoor Farming & Greenhouses Hospitals & Healthcare Retail
Available Finish	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS as final top coat)	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS top coat)




Retail Outlet, Turkey




Palermo FC Museum, Palermo, Italy

QUARTZ is a multi-coat broadcast colored quartz flooring system designed to provide a sanitary solution for high traffic and aseptic areas.



Office Lobby, UAE

QUARTZ SYSTEM



COMMON APPLICATIONS



and more:
 ■ Cafeterias ■ Schools & Universities ■ Restaurants
 ■ Offices ■ Hallways & Lobbies

System Variations	QUATRZ PA	QUATRZ PA PURE
Key Features	<p>100% polyaspartic system, ideal for new construction.</p> <p>Low temperature cure (-34°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>	<p>100% polyaspartic system with low VOC emissions and minimal odour, ideal for renovations and interior applications.</p> <p>Low temperature cure (-4°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>
Thickness & Layers	3-4 mm (4 coats)	3-4 mm (4 coats)
System Composition	<ul style="list-style-type: none"> ▪ Primer (optional, to be used if needed) ▪ GUARD PA with broadcast COLORED QUARTZ ▪ CLEAR PA with broadcast COLORED QUARTZ ▪ CLEAR PA ▪ CLEAR PA 	<ul style="list-style-type: none"> ▪ Primer (optional, to be used if needed) ▪ GUARD PA PURE with broadcast COLORED QUARTZ ▪ CLEAR PA PURE with broadcast COLORED QUARTZ ▪ CLEAR PA PURE ▪ CLEAR PA PURE
Exterior Use	✓	✓
Common Applications	<ul style="list-style-type: none"> ▪ Renovations ▪ Exterior Pathways & Walkways ▪ Retail & Showrooms ▪ Light Industrial & Manufacturing ▪ Pharmaceutical 	<ul style="list-style-type: none"> ▪ Renovations ▪ Gyms & Spas ▪ Bathrooms & Locker Rooms ▪ Light Industrial & Manufacturing ▪ Pharmaceutical
Available Finish	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS as final top coat)	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS top coat)



Residential Garage, USA




Restaurant, Costa Rica

FLAKE is multi-coat broadcast coating system designed to provide a terrazzo-like seamless flooring finish. Available in various finish blends such as single colour, multi-colour and metallic.



Showroom, USA

FLAKE SYSTEM



COMMON APPLICATIONS



- and more:
- Storage & Warehouse
 - Schools & Universities
 - Restaurants
 - Retail
 - Hospitals & Healthcare

System Variations	FLAKE PA	FLAKE PA PURE
Key Features	<p>100% polyaspartic system, ideal for new construction.</p> <p>Low temperature cure (-34°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>	<p>100% polyaspartic system with low VOC emissions and minimal odour, ideal for renovations and interior applications.</p> <p>Low temperature cure (-4°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>
Thickness & Layers	400-1000 µm (2-3 coats)	800-1600 µm (2-3 coats)
System Composition	<ul style="list-style-type: none"> ▪ Primer (optional, to be used if needed) ▪ GUARD PA with broadcast FLAKE ▪ CLEAR PA ▪ CLEAR PA (optional additional topcoat) 	<ul style="list-style-type: none"> ▪ Primer (optional, to be used if needed) ▪ GUARD PA PURE with broadcast FLAKE ▪ CLEAR PA PURE ▪ CLEAR PA PURE (optional additional topcoat)
Exterior Use	✓	✓
Common Applications	<ul style="list-style-type: none"> ▪ Garages ▪ Hallways ▪ Mechanical Rooms 	<ul style="list-style-type: none"> ▪ Schools & Educational Facilities ▪ Garages ▪ Retail ▪ Laboratories / R&D Facilities
Available Finish	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS as final top coat)	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS top coat)



Supermarket, Italy




Retail Rome, Italy

METALLIC is a decorative design system that incorporates highly refined metallic pigments with LATICRETE® resins to provide brilliant colour variation and depth. May be manipulated to provide custom finishes to match any environment.



Art Gallery, USA

METALLIC SYSTEM



COMMON APPLICATIONS


Garages & Auto
Showrooms


Retail &
Commercial


Museums &
Galleries

and more:
■ Event Spaces ■ Schools & Universities ■ Restaurants
■ Offices & Lobbies ■ Residential

System Variations	METALLIC PA	METALLIC PA PURE
Key Features	<p>100% polyaspartic system, ideal for new construction.</p> <p>Low temperature cure (-34°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>	<p>100% polyaspartic system with low VOC emissions and minimal odour, ideal for renovations and interior applications.</p> <p>Low temperature cure (-4°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>
Thickness & Layers	200-650 µm (3 coats)	600-750 µm (3 coats)
System Composition	<ul style="list-style-type: none"> ▪ Primer (optional, to be used if needed) ▪ GUARD PA with Black POLYASPARTIC PIGMENTS ▪ CLEAR PA with METALLIC PIGMENTS ▪ CLEAR PA 	<ul style="list-style-type: none"> ▪ Primer (optional, to be used if needed) ▪ GUARD PA PURE with Black POLYASPARTIC PIGMENTS ▪ CLEAR PA PURE with METALLIC PIGMENTS ▪ CLEAR PA PURE
Exterior Use	✓	✓
Common Applications	<ul style="list-style-type: none"> ▪ Garages & Automotive Facilities ▪ Event Spaces 	<ul style="list-style-type: none"> ▪ Retail & Showrooms ▪ Residential
Available Finish	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS as final top coat)	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS top coat)




Event Space, USA




Showroom & Office, USA

STAIN is a decorative concrete dye and seal system that provides for a variety of unique finishes. As a popular alternative to polished or acid-stained concrete, this system offers a similar look with added durability and chemical resistance.



STAIN SYSTEM



COMMON APPLICATIONS



Walkways & Pathways



Commercial Cafeterias



Museums & Schools

- and more:
- Offices & Lobbies
 - Schools & Universities
 - Restaurants
 - Driveways
 - Event Space

System Variations	STAIN PA	STAIN PA PURE
Key Features	<p>Polyaspartic coating over concrete stain, ideal for new construction.</p> <p>Low temperature cure (-34°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>	<p>Polyaspartic coating with low VOC and minimal odour over concrete stain, ideal for renovations and interior applications.</p> <p>Low temperature cure (-4°C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>
Thickness & Layers	75-650 μm (2-3 coats)	200-750 μm (2-3 coats)
System Composition	<ul style="list-style-type: none"> ▪ SB VIVID DYE™ ▪ CLEAR PA ▪ CLEAR PA (optional additional topcoat) 	<ul style="list-style-type: none"> ▪ SB VIVID DYE™ ▪ CLEAR PA PURE ▪ CLEAR PA PURE (optional additional topcoat)
Exterior Use	✓	✓
Common Applications	<ul style="list-style-type: none"> ▪ Stadiums ▪ Walkways & Pathways 	<ul style="list-style-type: none"> ▪ Offices & Lobbies ▪ Schools
Available Finish	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS as final top coat)	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS top coat)




Commercial Office Cafeteria, USA




Primary School, USA

SEAL is an economical and functional clear sealer system for concrete, providing a wet look and enhancing the colors of the underlying concrete substrate.



Commercial Office Cafeteria, USA

SEAL SYSTEM



COMMON APPLICATIONS



and more:
 ■ Offices & Lobbies ■ Schools & Universities ■ Restaurants
 ■ Driveways ■ Event Space

System Variations	SEAL PA	SEAL PA PURE
Key Features	<p>Clear polyaspartic coating over concrete, ideal for new construction.</p> <p>Low temperature cure (-34 °C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>	<p>Clear polyaspartic coating with low VOC and minimal odour over concrete, ideal for renovations and interior applications.</p> <p>Low temperature cure (-4 °C).</p> <p>High chemical, abrasion, and scratch resistance.</p> <p>Available with optional traction additives (GRIP TRACTION ADDITIVE or DIAMOND TOPP™).</p>
Thickness & Layers	150-850 µm (1-3 coats)	400-1000 µm (1-3 coats)
System Composition	<ul style="list-style-type: none">■ CLEAR PA■ CLEAR PA (optional additional 1-2 topcoats)	<ul style="list-style-type: none">■ CLEAR PA PURE■ CLEAR PA PURE (optional additional 1-2 topcoats)
Exterior Use	✓	✓
Common Applications	<ul style="list-style-type: none">■ Loading Bays■ Event Space	<ul style="list-style-type: none">■ Warehousing & Storage■ Schools■ Offices
Available Finish	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS as final top coat)	Gloss or Low Gloss (for Low Gloss finish, use CLEAR PA XPL LOW GLOSS top coat)




Manufacturing & Warehouse, USA



Manufacturing Plant, China

Whatever your project, LATICRETE® can help you with high performance Resinous Coating & Floor Finish System solutions.

Designing our products with the modular concept in mind, many of our products can complement your flooring project. These “building blocks” are inherently versatile to suit your unique project requirements. We are fully committed to innovation, growth and a complete system approach.



Primers & Moisture Mitigation

Various primers available for absorbent and non-absorbent surfaces, even speciality primers that serve as moisture vapour barriers.

Underlayments & Surface Preparation

Over 65 years of expertise with mortars, we can provide screeds, self-levelling underlayments, patch and repair solutions, and more. Our 8510 BONDING ADMIX + 211 POWDER system is an ideal smoothing compound for surface preparation before installation of resinous coatings. Our FAST FIX is a patch and repair solution, an ultra-fast setting modified urethane hybrid.

Antimicrobial Technology

Our CLINICAL PLUS, equipped with silver ion antimicrobial technology, is an antibacterial additive that can be incorporated as a top coat in any of our systems for aseptic environments.

Traction Additives

For those projects with special requirements, we offer traction additives that can be integrated with resinous finishes, such as GRIP TRACTION ADDITIVE for improved anti-slip performance or DIAMOND TOPP™, an ultra high performance aluminum oxide additive which greatly enhances abrasion and wear resistance of the surface.





Primers & Moisture Mitigation

Item Number	Product Name	Color	Packaging
EP-0079	Moisture Vapor Barrier (MVB)	--	15 kg + 5 kg
EP-0001	PRIMER EP	--	10 kg + 5 kg
LEV-0157	PRIMER EP WB	--	10 kg + 5 kg
EP-0096	PRIMER OT	--	10 kg + 3 kg
LEV-0638B	SAND 1	--	25 kg bag
LEV-0638	SAND 2	--	25 kg bag
LEV-0638C	SAND 3	--	25 kg bag

Underlayments & Surface Preparation

Item Number	Product Name	Color	Packaging
L0000000000006071	8510 BONDING ADMIX	white	3 kg in 5.5 lt pail
L0000000000006070	8510 BONDING ADMIX	white	20 kg pail
L0000000000001350	211 POWDER	grey	25 kg bag
L0000000000001360	211 POWDER	white	25 kg bag
9500-0002-2	FAST FIX™	--	7.6 kg kit (Part A + Part B)
9505-0005-2	FAST FIX™	--	Part A: 18.9 kg
9506-0005-2	FAST FIX™	--	Part B: 18.9 kg

Concrete Stain

Item Number	Product Name	Color	Packaging
9401-0005-2	SB VIVID DYE™	Raw Sienna	148 ml
9402-0005-2	SB VIVID DYE™	Gold	148 ml
9404-0005-2	SB VIVID DYE™	Sepia	148 ml
9405-0005-2	SB VIVID DYE™	Caramel	148 ml
9406-0005-2	SB VIVID DYE™	Green	148 ml
9407-0005-2	SB VIVID DYE™	Pumpkin	148 ml
9408-0005-2	SB VIVID DYE™	Mahogany	148 ml
9409-0005-2	SB VIVID DYE™	Chocolate	148 ml
9410-0005-2	SB VIVID DYE™	Turquoise	148 ml
9411-0005-2	SB VIVID DYE™	Terra Cotta	148 ml
9412-0005-2	SB VIVID DYE™	Dark Alder	148 ml
9413-0005-2	SB VIVID DYE™	Walnut	148 ml
9414-0005-2	SB VIVID DYE™	Sapphire	148 ml
9415-0005-2	SB VIVID DYE™	Citrus	148 ml
9416-0005-2	SB VIVID DYE™	Black	148 ml

Polyaspartic (PA)

Item Number	Product Name	Color	Packaging
9100-0002A-2BA	CLEAR PA	Clear	Part A: 5 lt
9100-0002B-2BA	CLEAR PA	Clear	Part B: 5 lt
9105-0005-2BA	CLEAR PA	Clear	Part A: 20 lt
9106-0005-2BA	CLEAR PA	Clear	Part B: 20 lt
9140-0002-2-A	CLEAR PA PURE	Clear	Part A: 5 lt
9140-0002-2-B	CLEAR PA PURE	Clear	Part B: 5 lt
9145-0005-2-A	CLEAR PA PURE	Clear	Part A: 20 lt
9146-0005-2-B	CLEAR PA PURE	Clear	Part B: 20 lt
9143-0001-2	CLEAR PA XPL LOW GLOSS	Clear	Part B: 3.8 lt
9152-0023-2	CLEAR PA XPL LOW GLOSS	Clear	Part A: 8.7 lt
9380-0005-2BA	CLEAR PA PURE CLINICAL PLUS	Clear	Part A: 20 lt
9115-0002A-2BA	GUARD PA	Clear (Pigments Sold Separately)	Part A: 3.75 lt
9115-0002B-2BA	GUARD PA	Clear (Pigments Sold Separately)	Part B: 5 lt
9114-0375-2BA	GUARD PA	Clear (Pigments Sold Separately)	Part A: 15.30 lt
9119-0005-2BA	GUARD PA	Clear (Pigments Sold Separately)	Part B: 20 lt
9150-0002A-2BA	GUARD PA PURE	Clear (Pigments Sold Separately)	Part A: 3.75 lt
9150-0002B-2BA	GUARD PA PURE	Clear (Pigments Sold Separately)	Part B: 5 lt
9153-0375-2BA	GUARD PA PURE	Clear (Pigments Sold Separately)	Part A: 15.3 lt
9156-0005-2BA	GUARD PA PURE	Clear (Pigments Sold Separately)	Part B: 20 lt
9382-0005-2BA	GUARD PA PURE CLINICAL PLUS	Clear (Pigments Sold Separately)	Part A: 15.3 lt

Pigments

Item Number	Product Name	Color	Packaging
9442-0008-2	METALLIC PIGMENTS	Arctic Ice	227 gr
9441-0032-2	METALLIC PIGMENTS	Arctic Ice	908 gr
9444-0008-2	METALLIC PIGMENTS	Aspen Sunset	227 gr
9443-0032-2	METALLIC PIGMENTS	Aspen Sunset	908 gr
9446-0008-2	METALLIC PIGMENTS	Spanish Gold	227 gr
9445-0032-2	METALLIC PIGMENTS	Spanish Gold	908 gr
9448-0008-2	METALLIC PIGMENTS	Walnut	227 gr
9447-0032-2	METALLIC PIGMENTS	Walnut	908 gr
9450-0008-2	METALLIC PIGMENTS	Chrome	227 gr
9449-0032-2	METALLIC PIGMENTS	Chrome	908 gr
9452-0008-2	METALLIC PIGMENTS	Deep Cherry	227 gr
9451-0032-2	METALLIC PIGMENTS	Deep Cherry	908 gr
9454-0008-2	METALLIC PIGMENTS	Cobalt Blue	227 gr
9453-0032-2	METALLIC PIGMENTS	Cobalt Blue	908 gr
9456-0008-2	METALLIC PIGMENTS	Coffee	227 gr
9455-0032-2	METALLIC PIGMENTS	Coffee	908 gr
9458-0008-2	METALLIC PIGMENTS	Copper	227 gr
9457-0032-2	METALLIC PIGMENTS	Copper	908 gr
9460-0008-2	METALLIC PIGMENTS	Electric Orange	227 gr
9459-0032-2	METALLIC PIGMENTS	Electric Orange	908 gr
9462-0008-2	METALLIC PIGMENTS	Gunmetal Grey	227 gr
9461-0032-2	METALLIC PIGMENTS	Gunmetal Grey	908 gr
9464-0008-2	METALLIC PIGMENTS	Royal Purple	227 gr
9463-0032-2	METALLIC PIGMENTS	Royal Purple	908 gr
9169-0001-4BA	POLYASPARTIC PIGMENTS	Dark Blue	1.25 lt
9170-0001-5BA	POLYASPARTIC PIGMENTS	Tile Red	1.25 lt
9171-0001-6BA	POLYASPARTIC PIGMENTS	Bright Green	1.25 lt
9172-0001-15B	POLYASPARTIC PIGMENTS	Saffrey Yellow	1.25 lt
9173-0001-16B	POLYASPARTIC PIGMENTS	Saffrey Red	1.25 lt
9162-0001-9BA	POLYASPARTIC PIGMENTS	Dark Grey	1.25 lt
9163-0001-11B	POLYASPARTIC PIGMENTS	Light Beige	1.25 lt
9160-0001-7BA	POLYASPARTIC PIGMENTS	Light Grey	1.25 lt
9180-0125-7BA	POLYASPARTIC PIGMENTS	Light Grey	4.70 lt
9161-0001-8BA	POLYASPARTIC PIGMENTS	Medium Grey	1.25 lt
9181-0125-8BA	POLYASPARTIC PIGMENTS	Medium Grey	4.70 lt
9164-0001-12B	POLYASPARTIC PIGMENTS	Sand Beige	1.25 lt
9182-0125-12B	POLYASPARTIC PIGMENTS	Sand Beige	4.70 lt
9165-0001-13B	POLYASPARTIC PIGMENTS	Dark Beige	1.25 lt
9183-0125-13B	POLYASPARTIC PIGMENTS	Dark Beige	4.70 lt
9166-0001-10B	POLYASPARTIC PIGMENTS	White	1.25 lt
9185-0125-10B	POLYASPARTIC PIGMENTS	White	4.70 lt
9167-0001-14B	POLYASPARTIC PIGMENTS	Light Brown	1.25 lt
9167-0001-12B	POLYASPARTIC PIGMENTS	Light Brown	4.70 lt
9168-0001-3BA	POLYASPARTIC PIGMENTS	Black	1.25 lt
9184-0125-3BA	POLYASPARTIC PIGMENTS	Black	4.70 lt
9174-0001-17B	POLYASPARTIC PIGMENTS	Custom Colors	1.25 lt
9195-0125-17B	POLYASPARTIC PIGMENTS	Custom Colors	4.70 lt

Additives & Finishes

Item Number	Product Name	Color	Packaging
9936-0050-2	COLORED QUARTZ	Moonstone (ZZ01)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9937-0050-2	COLORED QUARTZ	Charcoal (ZZ09)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9938-0050-2	COLORED QUARTZ	Pebble (ZZ07)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9939-0050-2	COLORED QUARTZ	Aqua Marine (ZZ05)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9940-0050-2	COLORED QUARTZ	Red Sand (ZZ02)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9941-0050-2	COLORED QUARTZ	Obsidian (ZZ04)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9942-0050-2	COLORED QUARTZ	Brown Stone (ZZ08)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9943-0050-2	COLORED QUARTZ	Gravel (ZZ06)	Size 1 (0.25 - 0.5 mm*)/10 kg Box
9944-0050-2	FLAKE	Copper Metallic (4/40)	Size 1 (0.5 - 1 mm*)/20 kg Box
9945-0050-2	FLAKE	Silver Metallic (5/46)	Size 1 (0.5 - 1 mm*)/20 kg Box
9946-0050-2	FLAKE	Blue Metallic (6/74)	Size 1 (0.5 - 1 mm*)/20 kg Box
9947-0050-2	FLAKE	White Metallic (1/38)	Size 1 (0.5 - 1 mm*)/20 kg Box
9948-0050-2	FLAKE	Gold Metallic (7/24)	Size 1 (0.5 - 1 mm*)/20 kg Box
9904-0050-2	FLAKE	Galicia (CL2283)	Size 1 (0.5 - 1 mm*)/20 kg Box
9903-0050-2	FLAKE	Galicia (CL2283)	Size 3 (2 - 4 mm*)/20 kg Box
9906-0050-2	FLAKE	Cala Luna (Z18)	Size 1 (0.5 - 1 mm*)/20 kg Box
9905-0050-3	FLAKE	Cala Luna (Z18)	Size 3 (2 - 4 mm*)/20 kg Box
9908-0050-2	FLAKE	Brac Island (Z19)	Size 1 (0.5 - 1 mm*)/20 kg Box
9907-0050-2	FLAKE	Brac Island (Z19)	Size 3 (2 - 4 mm*)/20 kg Box
9910-0050-2	FLAKE	Matterhorn (Z14)	Size 1 (0.5 - 1 mm*)/20 kg Box
9909-0050-2	FLAKE	Matterhorn (Z14)	Size 3 (2 - 4 mm*)/20 kg Box
9912-0050-2	FLAKE	Santorini (Z26)	Size 1 (0.5 - 1 mm*)/20 kg Box
9911-0050-2	FLAKE	Santorini (Z26)	Size 3 (2 - 4 mm*)/20 kg Box
9914-0050-2	FLAKE	Reynisfjara (Z22)	Size 1 (0.5 - 1 mm*)/20 kg Box
9913-0050-2	FLAKE	Reynisfjara (Z22)	Size 3 (2 - 4 mm*)/20 kg Box
9916-0050-2	FLAKE	White (1/50)	Size 1 (0.5 - 1 mm*)/20 kg Box
9915-0050-2	FLAKE	White (1/50)	Size 3 (2 - 4 mm*)/20 kg Box
9918-0050-2	FLAKE	Red (4/52)	Size 1 (0.5 - 1 mm*)/20 kg Box
9917-0050-2	FLAKE	Red (4/52)	Size 3 (2 - 4 mm*)/20 kg Box
9920-0050-2	FLAKE	Grey (5/64)	Size 1 (0.5 - 1 mm*)/20 kg Box
9919-0050-2	FLAKE	Grey (5/64)	Size 3 (2 - 4 mm*)/20 kg Box
9922-0050-2	FLAKE	Blue (6/02)	Size 1 (0.5 - 1 mm*)/20 kg Box
9921-0050-2	FLAKE	Blue (6/02)	Size 3 (2 - 4 mm*)/20 kg Box
9924-0050-2	FLAKE	Dark Grey (5/71)	Size 1 (0.5 - 1 mm*)/20 kg Box
9923-0050-2	FLAKE	Dark Grey (5/71)	Size 3 (2 - 4 mm*)/20 kg Box
9926-0050-2	FLAKE	Apple Green (7/29)	Size 1 (0.5 - 1 mm*)/20 kg Box
9925-0050-2	FLAKE	Apple Green (7/29)	Size 3 (2 - 4 mm*)/20 kg Box
9928-0050-2	FLAKE	Orange (4/27)	Size 1 (0.5 - 1 mm*)/20 kg Box
9927-0050-2	FLAKE	Orange (4/27)	Size 3 (2 - 4 mm*)/20 kg Box
9930-0050-2	FLAKE	Sand Yellow (1/80)	Size 1 (0.5 - 1 mm*)/20 kg Box
9929-0050-2	FLAKE	Sand Yellow (1/80)	Size 3 (2 - 4 mm*)/20 kg Box
9932-0050-2	FLAKE	Black (2/49)	Size 1 (0.5 - 1 mm*)/20 kg Box
9931-0050-2	FLAKE	Black (2/49)	Size 3 (2 - 4 mm*)/20 kg Box
9934-0050-2	FLAKE	Mouse Grey (5/45)	Size 1 (0.5 - 1 mm*)/20 kg Box
9933-0050-2	FLAKE	Mouse Grey (5/45)	Size 3 (2 - 4 mm*)/20 kg Box
9901-0050-2	FLAKE	Glow in the Dark (CL1598)	Size 3 (2 - 4 mm*)/20 kg Box
9935-0050-2	FLAKE	Glow in the Dark (PK7/97)	Size 3 (2 - 4 mm*)/20 kg Box

*Note: these ranges indicate majority of flake or granule sizes, though there may be some variation outside these ranges.

Additives & Finishes

Item Number	Product Name	Color	Packaging
9350-0016-2	GRIP TRACTION ADDITIVE	--	40 mesh/454 gr
9351-0016-2	GRIP TRACTION ADDITIVE	--	60 mesh/454 gr
9352-0016-2	GRIP TRACTION ADDITIVE	--	100 mesh/454 gr
9355-0003-2	DIAMOND TOPP™	--	Jar/1.36 kg
9365-0050-2	DIAMOND TOPP™	--	Pail/22.7 kg
LEV-0638B	SAND 1	--	25 kg bag
LEV-0638	SAND 2	--	25 kg bag
LEV-0638C	SAND 3	--	25 kg bag

LATICRETE Europe S.r.l. a socio unico
Via Paletti, snc - 41051 Castelnovo Rangone (MO) - Italy

e-mail: info@laticreteeuropa.com

ph. +39 059 535540

website: www.laticrete.eu

LATICRETE RESINOUS COATING & FLOOR FINISH SYSTEMS



LATICRETE Europe S.r.l. a socio unico • Via Paletti, snc • 41051 Castelnovo Rangone (MO) - Italy • Tel. +39 059 535540 • info@laticreteeurope.com • www.laticrete.eu

T-180778EUR-1121 ©2021 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.