DRYTEK[®] LEVELEX[™] DL (Grey) by LATICRETE International

PRODUCT DESCRIPTION: A CEMENT-BASED HIGH QUALITY, FAST DRYING, DUAL PURPOSE SELF-LEVELING UNDERLAYMENT/INTERIOR WEAR SURFACE TOPPING THAT CAN BE ACCENTED WITH A WIDE VARIETY OF COLORING SYSTEMS & FINISHES. DESIGNED FOR USE AS A DURABLE AND ATTRACTIVE INTERIOR WEAR SURFACE TOPPING OR A HIGH PERFORMANCE UNDERLAYMENT. FOR APPLICATION OVER A WIDE VARIETY OF SUBSTRATES INCLUDING CONCRETE, VCT AND TILE. DRYTEK LEVELEX DL CAN BE PLACED FROM 1/16" TO 1-1/4" (1.5 TO 32 MM) IN A SINGLE LIFT.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT

INVENTORY

Threshold per

material

O Other

O 100 ppm

• 1,000 ppm

Per GHS SDS

• Per OSHA MSDS

Based on the selected Content Inventory Threshold:

impurities	Characterized	Ο	0
considered in	Are the Percent Weight and Role provided for all substances?	Yes	No
0 of 1 materials	Screened	Ο	0
• see Section 2: Material Notes	Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
• see Section 5: General Notes	Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	O Yes	⊙ No

CONTENT IN DESCENDING ORDER OF QUANTITY

Residuals and

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

DRYTEK® LEVELEX™ DL (GREY) [QUARTZ LT-1 | CAN UNDISCLOSED LT-UNK HIGH-ALUMINA CEMENT LT-UNK GYPSUM LT-UNK UNDISCLOSED LT-UNK PORTLAND CEMENT LT-UNK CAN CALCIUM SULFATE - HEMIHYDRATE LT-UNK LITHIUM CARBONATE LT-1 | DEV UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 CAN MUL UNDISCLOSED LT-1 CAN MUL

Number of Greenscreen BM-4/BM3 contents.....0

Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1 Nanomaterial..... No

INVENTORY AND **SCREENING NOTES:**

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Cement Self-Leveling Underlayment Product Specific (Type III) Environmental Product Declaration

See Section 3 for additional listings.

Self-Published*	VERIFIER:	SCREENING DATE: January 17, 2017	EXPIRY DATE*: January 17, 2020
O Third Party Verified	VERIFICATION #:	RELEASE DATE: March 20, 2017	* or within 3 months of significant change in product contents
*See HPDC website	e for details		

n.

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

DRYTEK® LEVELEX™ DL (G nventory Threshold: 1000 ppn /aterial Notes: See SDS at wy	n Residual	s Considered: No	ion.			
QUARTZ	QUARTZ			-60-7		
%: 40.0000 - 50.0000 GS: LT-1		RC: None	NANO: NO	ROLE: Aggregate		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
CANCER	US CDC - Oc	ccupational Carcinogens	Occupational Ca	nrcinogen		
CANCER	CA EPA - Pro	op 65	Carcinogen - spe exposure route	ecific to chemical form or		
CANCER	IARC			s carcinogenic to humans - supational sources		
CANCER	US NIH - Rej	port on Carcinogens	Known to be Hur occupational set	man Carcinogen (respirable size - ting)		
CANCER	МАК		Carcinogen Grou cancer in man	up 1 - Substances that cause		
SUBSTANCE NOTES: T	he amount of this comp	onent may vary based on p	ant of manufacture.			
UNDISCLOSED						
%: 20.0000 - 30.0000	GS: LT-UNK	RC: PreC	NANO: NO	ROLE: Binder		
HAZARDS:		AGEI	NCY(IES) WITH WARNINGS):		
None Found		No wa	arnings found on HPD Priority	y lists		
SUBSTANCE NOTES: T to preserve integrity of fo	he amount of this comp rmula and maintain con	oonent may vary based on th npetitive advantage. The co	e plant of manufacture. This nponent CAS# was used to i	product is shown as undisclosed identify associated hazards.		
HIGH-ALUMINA CEMEN	іт		ID: 65997-	-16-2		
%: 12.0000 - 18.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder		
HAZARDS:		AGEI	NCY(IES) WITH WARNINGS):		

GYPSUM		ID: 13397-24-5				
%: 6.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder		
HAZARDS:		AGE	NCY(IES) WITH WARNING	S:		
None Found		No v	varnings found on HPD Priori	ty lists		
SUBSTANCE NOTES:	The amount of this comp	onent may vary based on	plant of manufacture.			
UNDISCLOSED						
%: 1.5000 - 4.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Polymer		
HAZARDS:		AGE	NCY(IES) WITH WARNING	S:		
None Found		No v	varnings found on HPD Priori	ty lists		
			he plant of manufacture. This omponent CAS# was used to	s product is shown as undisclos identify associated hazards.		
PORTLAND CEMENT		ID: 65997-15-1				
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder		
HAZARDS:		AGE	NCY(IES) WITH WARNING	3 :		
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification				
SUBSTANCE NOTES:	The amount of this comp	onent may vary based on	plant of manufacture.			
CALCIUM SULFATE - H	HEMIHYDRATE	ID: 10034-76-1				
%: 0.8000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found		No warnings found on HPD Priority lists				
		onent may vary based on				

LITHIUM CARBONATE			ID: 554-13-2			
%: 0.0700 - 0.1500	GS: LT-1	RC: None	NANO: NO	ROLE: Cure Accelerato		
HAZARDS:		AGE	ENCY(IES) WITH WARNINGS	S:		
DEVELOPMENTAL	CA EPA - Pr	op 65	Developmental t	toxicity		
SUBSTANCE NOTES:	The amount of this comp	ponent may vary based on	plant of manufacture.			
UNDISCLOSED						
%: 0.0500 - 0.2000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Water Reducer		
HAZARDS:		AGE	ENCY(IES) WITH WARNINGS	S:		
None Found		No v	warnings found on HPD Priorit	ty lists		
			the plant of manufacture. This omponent CAS# was used to	product is shown as undisclose identify associated hazards.		
UNDISCLOSED						
%: 0.0500 - 0.1000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Rheology Modifier		
HAZARDS:		AGE	ENCY(IES) WITH WARNINGS	3:		
None Found		No warnings found on HPD Priority lists				
			the plant of manufacture. This omponent CAS# was used to	product is shown as undisclose identify associated hazards.		
UNDISCLOSED						
%: 0.0300 - 0.0500	GS: LT-UNK	RC: None	NANO: NO	ROLE: Cure Accelerato		
HAZARDS:		AGE	ENCY(IES) WITH WARNINGS	S:		
None Found	No warnings found on HPD Priority lists					
			the plant of manufacture. This omponent CAS# was used to	product is shown as undisclose identify associated hazards.		
UNDISCLOSED						

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0100 - 0.0500	GS: LT-1	RC: None	NANO: NO	ROLE: Defoamer	
HAZARDS:	AGENCY(IES) WITH WARNINGS:			3:	
CANCER	EU - R-phra	EU - R-phrases		R45 - May cause cancer	
CANCER	EU - GHS (H-Statements)		H350 - May cau	H350 - May cause cancer	
CANCER	EU - REACH Annex XVII CMRs			Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man	
MULTIPLE	ChemSec - SIN List		CMR - Carcinog Toxicant	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
CANCER EU - Annex VI CMRs		VI CMRs	Carcinogen Category 1B - Presumed Carcinog based on animal evidence		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED %: 0.0100 - 0.0500 GS: LT-1 RC: None NANO: NO **ROLE:** Defoamer HAZARDS: AGENCY(IES) WITH WARNINGS: CANCER EU - R-phrases R45 - May cause cancer CANCER EU - GHS (H-Statements) H350 - May cause cancer CANCER EU - REACH Annex XVII CMRs Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man MULTIPLE ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproductive Toxicant CANCER EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcinogen

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

based on animal evidence

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to all facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx?la=en CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.

LCA

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities in North America. CERTIFICATE URL: https://laticrete.com/~/media/environmental-product-datasheets/cement-self-leveling-underlayment.ashx?la=en CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: DRYTEK LEVELEX DL (Grey) to be mixed with water only following mix ratio and directions as stated on product data sheet.

Section 5: General Notes

DRYTEK® LEVELEXTM DL (Grey) meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, DRYTEK LEVELEX DL (Grey) does not contain the following: •Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)* •Perfluorinated Compounds (PFCs)* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)* •Short Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. DRYTEK LEVELEX DL (Grey) also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoroethane (CFC-11) •Dichlorofluoroethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,2,3,3pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,2,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)

TDS 251 "Low VOC LATICRETE® Products"ISSUE DATE:EXPIRY DATE:CERTIFIER OR LAB:2016-07-070000-00-00LATICRETE

LATICRETE Cement Self-Leveling Underlayment Product Specific (Type III) Environmental Product Declaration

ISSUE EXPIRY DATE: 2016- DATE: 2021-11-29 11-28 CERTIFIER OR LAB: UL Environment

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany, CT 06524 USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Technical Services Manager PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)