

CLASSIFICATION: 03 54 00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: SELF-LEVELING UNDERLAYMENT FOR USE UNDER TILE, STONE, VINYL FLOORING, HARDWOOD, CARPET, OR OTHER FLOOR FINISHES. MUST BE INSTALLED ONTO DRYTEK LEVELEX PRIMER.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 0 of 1 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input type="radio"/>	<input checked="" type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

DRYTEK LEVELEX [QUARTZ **LT-1** | CAN UNDISCLOSED **LT-UNK** HIGH-ALUMINA CEMENT **LT-UNK** GYPSUM **LT-UNK** PORTLAND CEMENT **LT-P1** | CAN UNDISCLOSED **LT-UNK** LITHIUM CARBONATE **LT-1** | DEV UNDISCLOSED **LT-UNK** UNDISCLOSED **LT-UNK** UNDISCLOSED **LT-P1** | EYE UNDISCLOSED **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l):
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

VOC emissions: UL GreenGuard Gold (LEVELEX)
VOC content: TDS 251 "Low VOC LATICRETE® Products"
LCA: LATICRETE Cement Self-Leveling Underlayment Product Specific (Type III) Environmental Product Declaration

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: March 20, 2017	EXPIRY DATE*: March 20, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: March 20, 2017	* or within 3 months of significant change in product contents

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

DRYTEK LEVELEX

#: 100.0000

HPD URL:

Inventory Threshold: 1000 ppm

Residuals Considered: No

Material Notes: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ

ID: 14808-60-7

#: 45.0000 - 60.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Aggregate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1: Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

#: 20.0000 - 30.0000

GS: LT-UNK

RC: PreC

NANO: NO

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HIGH-ALUMINA CEMENT

ID: 65997-16-2

#: 8.0000 - 18.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

GYPSUM

ID: 13397-24-5

%: 4.0000 - 15.0000 GS: LT-UNK RC: None NANO: NO ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PORTLAND CEMENT

ID: 65997-15-1

%: 1.0000 - 3.0000 GS: LT-P1 RC: None NANO: NO ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

%: 0.8000 - 1.5000 GS: LT-UNK RC: None NANO: NO ROLE: Polymer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

LITHIUM CARBONATE

ID: 554-13-2

%: 0.0500 - 0.2000 GS: LT-1 RC: None NANO: NO ROLE: Cure Accelerator

HAZARDS:

AGENCY(IES) WITH WARNINGS:

DEVELOPMENTAL

CA EPA - Prop 65

Developmental toxicity

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

%: 0.0500 - 0.1000 GS: LT-UNK RC: None NANO: NO ROLE: Rheology Modifier

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0500 - 0.1000 GS: LT-UNK RC: None NANO: NO ROLE: Water Reducer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0100 - 0.0500 GS: LT-P1 RC: None NANO: NO ROLE: Cure Accelerator

HAZARDS:

AGENCY(IES) WITH WARNINGS:

EYE IRRITATION

EU - R-phrases

R36 - Irritating to eyes

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0100 - 0.0500 GS: LT-UNK RC: None NANO: NO ROLE: Cure Accelerator

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

<https://spot.ulprospector.com/documents/1469004.pdf?bs=31935&b=683984&st=1>

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.

UL GreenGuard Gold (LEVELEX)

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2009-07-07	2017-12-09	UL

VOC CONTENT

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Applies to all facilities.

CERTIFICATE URL: <https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx?la=en>

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.

TDS 251 "Low VOC LATICRETE® Products"

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2016-07-07	0000-00-00	LATICRETE

LCA

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applies to All Facilities in North America.

CERTIFICATE URL: <https://laticrete.com/~media/environmental-product-datasheets/cement-self-leveling-underlayment.ashx?la=en>

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

LATICRETE Cement Self-Leveling Underlayment Product Specific (Type III) Environmental Product Declaration

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2016-11-29	2021-11-28	Environment

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

DRYTEK LEVELEX PRIMER

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: DRYTEK LEVELEX requires that a properly prepared floor be primed with DRYTEK LEVELEX Primer prior to pouring as stated in product data sheet and LATICRETE TDS 230D (<https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds230d.ashx?la=en>).

WATER

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: DRYTEK® LEVELEX™ to be mixed with water only following mix ratio and directions as stated on product data sheet.

Section 5: General Notes

DRYTEK® LEVELEX™ meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, DRYTEK LEVELEX does not contain the following: •Alkylphenols •Asbestos •Bisphenol A (BPA) •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Chloroprene (Neoprene) •Chromium VI •Chlorinated Polyvinyl Chloride (CPVC) •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs) •Perfluorinated Compounds (PFCs) •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC) •Short Chain Chlorinated Paraffins •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. DRYTEK LEVELEX also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane (HCFC-151a)



MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

CONTACT NAME: Mitch Hawkins

ADDRESS: 1 Laticrete Park North
Bethany, CT 0
USA

TITLE: Technical Services Manager

PHONE: 203-393-46192

WEBSITE: www.laticrete.com

EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient
information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.