DRYTEK® Skimcoat
by LATICRETE International

CLASSIFICATION: 03 01 00

PRODUCT DESCRIPTION: DRYTEK SKIMCOAT IS A PREMIUM QUALITY, FAST-DRYING, CEMENT-BASED UNDERLAYMENT DESIGNED FOR SKIM-COATING, SMOOTHING AND LEVELING PRIOR TO THE APPLICATION OF FLOOR COVERINGS. APPLY FROM FEATHER-EDGE TO 1" (0 - 25 MM). INSTALL FINISHED FLOORING AS SOON AS 20 MINUTES* AFTER APPLICATION. THIS TROWEL-APPLIED PRODUCT HAS A SUPERIOR CREAMY CONSISTENCY MAKING IT THE IDEAL CHOICE FOR SKIM COAT APPLICATIONS.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY

Threshold per material
- ○ 100 ppm
- ◉ 1,000 ppm
- ○ Per GHS SDS
- ○ Per OSHA MSDS
- ○ Other

Residuals and impurities considered in 0 of 1 materials
- ◉ see Section 2: Material Notes
- ◉ see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized..... Are the Percent Weight and Role provided for all substances?	◉ Yes	○ No
Screened..... Are all substances screened using Priority Hazard Lists with results disclosed?	◉ Yes	○ No
Identified..... Are all substances disclosed by Name (Specific or Generic) and Identifier?	○ Yes	◉ No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

DRYTEK® SKIMCOAT [HIGH-ALUMINA CEMENT LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK PORTLAND CEMENT LT-P1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK GYPSUM LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK SODIUM CARBONATE LT-P1 | EYE LITHIUM CARBONATE LT-1 | DEV UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | CAN | MUL]

Number of Greenscreen BM-4/BM3 contents..... 0

Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1

Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l):

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

VOC content: TDS 251 "Low VOC LATICRETE® Products"

See Section 3 for additional listings.

◉ Self-Published*	VERIFIER:	SCREENING DATE: March 20, 2017	EXPIRY DATE*: March 20, 2020
○ Third Party Verified	VERIFICATION #:	RELEASE DATE: March 20, 2017	* or within 3 months of significant change in product contents

See HPDC website for details

Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

DRYTEK® SKIMCOAT **%: 100.0000** **HPD URL:**

Inventory Threshold: 1000 ppm Residuals Considered: No

Material Notes: See SDS at www.laticrete.com for occupational exposure information.

HIGH-ALUMINA CEMENT ID: 65997-16-2

%: 20.0000 - 40.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Binder

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

LIMESTONE; CALCIUM CARBONATE ID: 1317-65-3

%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

PORTLAND CEMENT ID: 65997-15-1

%: 10.0000 - 30.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Binder

HAZARDS:		AGENCY(IES) WITH WARNINGS:
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

%: 8.0000 - 12.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Polymer

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 6.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Rheology Modifier

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

GYPSUM ID: 13397-24-5

%: 5.0000 - 20.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 5.0000 - 8.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 2.0000 - 4.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 1.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Rheology Modifier

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

SODIUM CARBONATE ID: 497-19-8

%: 0.1000 - 1.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Cure Accelerator

HAZARDS:		AGENCY(IES) WITH WARNINGS:
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

LITHIUM CARBONATE ID: 554-13-2

%: 0.1000 - 0.3000	GS: LT-1	RC: None	NANO: NO	ROLE: Cure Accelerator

HAZARDS:		AGENCY(IES) WITH WARNINGS:
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0500 - 0.1000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Cure Accelerator

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0400 - 0.0500	GS: LT-UNK	RC: None	NANO: NO	ROLE: Air Entraining Agent

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0300 - 0.0500	GS: LT-UNK	RC: None	NANO: NO	ROLE: Defoamer

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0200 - 0.0400	GS: LT-1	RC: None	NANO: NO	ROLE: Defoamer

HAZARDS:		AGENCY(IES) WITH WARNINGS:
CANCER	EU - R-phrases	R45 - May cause cancer
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0200 - 0.0400	GS: LT-1	RC: None	NANO: NO	ROLE: Defoamer

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	EU - R-phrases	R45 - May cause cancer
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: Applies to all facilities.
CERTIFICATE URL: https://www.laticrete.com/~/media/support-and-downloads/technical-datasheets/tds251.ashx?la=en
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.

TDS 251 "Low VOC LATICRETE® Products"

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2016-07-07	0000-00-00	LATICRETE

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: DRYTEK® Skimcoat to be mixed with water only following mix ratio and directions as stated in product data sheet.

Section 5: General Notes

DRYTEK® Skimcoat meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, DRYTEK Skimcoat does not contain the following: •Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)* •Perfluorinated Compounds (PFCs)* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)* •Short Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. DRYTEK Skimcoat also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-

hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North
Bethany, CT 06524
USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Technical Services Manager

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
MAM Mammalian/systemic/organ toxicity
MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion
PBT Persistent Bioaccumulative Toxic
PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)
LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.