# L&M® DURAPATCH HIWAY™ by LATICRETE International

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 03 01 70

PRODUCT DESCRIPTION: L&M™ DURAPATCH HIWAY™ is a durable, fiber-reinforced, rapid strength gaining, cement based patching mortar. This product has excellent freeze/thaw properties, sulfate resistance, elevated temperature stability, superior bondability, and increased flexural and tensile strengths.



# Section 1: Summary

## **Basic Method / Product Threshold**

	ITORY

Inventory Reporting Format						
Nested Materials Method Basic Method						
Threshold Disclosed Per						
C Material						
Product						

Threshold level					
<b>⊙</b> 100 ppm					

C 1,000 ppm Per GHS SDS

Per OSHA MSDS

Other

## Residuals/Impurities

Considered

C Partially Considered Not Considered

Explanation(s) provided

for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Screened

All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

L&M® DURAPATCH HIWAY™ [ QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | CAN | END HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | DEL | REP UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE Products"

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared VERIFIER: C Yes **VERIFICATION #:** O No

**SCREENING DATE: 2020-03-17** PUBLISHED DATE: 2020-05-11 EXPIRY DATE: 2023-03-17



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

## **L&M® DURAPATCH HIWAY™**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ		ID: 14808-60-7		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17		
%: 40.00 - 45.00	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Aggregate		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

FORTEAND CEMENT				ID: 03997-13-1
HAZARD SCREENING METHOD: Pharos Chem	ical and Materials Library	HAZARD SCREENING	G DATE: <b>2020-03-1</b>	7
%: <b>33.00 - 38.00</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Binder

DODTI AND CEMENT

ID. 65007-15-1

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

HIGH-ALUMINA CEMENT ID: 65997-16-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2020-03-17		
%: 15.00 - 20.00	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	varnings found on h	HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-17		
%: 2.00 - 3.00	GS: <b>LT-UNK</b>	RC: None NANO: No RO		ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No w	varnings found on I	HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-03-17		
%: <b>0.20 - 0.50</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Set Time Adjuster	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard L			s found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-03-17

%: 0.20 - 0.30	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Water Reducer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings for	and on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## UNDISCLOSED

GS: <b>LT-1</b>	RC: None		
	RC: None NANO: No ROLE: Water Reduc		
AGENCY AND LIST TITLES	WARNING	S	
CA EPA - Prop 65	Carcinogen		
EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man		
ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MAK	Carcinogen Group 1 - Substances that cause cancer in man		
GHS - Australia	H350 - May cause cancer		
	CA EPA - Prop 65  EU - REACH Annex XVII CMRs  ChemSec - SIN List  MAK	CA EPA - Prop 65  EU - REACH Annex XVII CMRs  Carcino Carcino ChemSec - SIN List  MAK  Carcino man	CA EPA - Prop 65  EU - REACH Annex XVII CMRs  Carcinogen Category 1 - 3 Carcinogenic to man  ChemSec - SIN List  CMR - Carcinogen, Mutag  MAK  Carcinogen Group 1 - Subman

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17		
%: 0.05 - 0.10	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Cure Acceler		ROLE: Cure Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity		
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants		
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-03-17

%: <b>0.05 - 0.10</b>	GS: <b>BM-1</b>	RC: None NANO: No ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects
		but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17			
%: <b>0.05 - 0.10</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: <b>Defoamer</b>	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		[H350]	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-17			
: 0.02 - 0.03	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Defoamer	Defoamer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways			
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence			
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B			
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects			
CANCER	GHS - Australia	H350 - May cause cancer			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-17		
%: <b>0.01 - 0.10</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	warnings found o	n HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-03-17		
%: <b>0.01 - 0.05</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: <b>Defoamer</b>	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

N/A

CERTIFYING PARTY: Self-declared

**ISSUE DATE: 2019-**

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

01-18

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: L&M<sup>TM</sup> DURAPATCH HIWAY<sup>TM</sup> has not been tested for VOC emissions.

## **VOC CONTENT**

## TDS 251 "Low VOC LATICRETE Products"

CERTIFYING PARTY: Self-declared

**ISSUE DATE: 2019-**

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities

01-18

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

L&M® DURAPATCH HIWAY™ to be mixed with water only following mix ratio and directions as stated on product data sheet.



# Section 5: General Notes

L&M™ DURAPATCH HIWAY™ meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, L&M DURAPATCH HIWAY does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos

- Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC)
- Chlorobenzenes
   Chlorofluorocarbons
   (CFCs)
   Hydrochlorofluorocarbons
   (HCFCs)
   Formaldehyde
   (added) Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds
- Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals -

entachlorophenol	l. See Section 1	for Volatile C	Organic Com	pounds (VOC)	(wet applied	products) info	ormation.

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

NEU Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

#### **Other Terms**

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.