LATICRETE® MVIS[™] Hi-Bond Veneer Mortar Rapid by LATICRETE International

HPD UNIQUE IDENTIFIER: 22259

CLASSIFICATION: 04 60 00 Corrosion-Resistant Masonry

PRODUCT DESCRIPTION: The ultimate, rapid setting polymer fortified, thin-set mortar for interior and exterior installation of masonry veneer, quarry tile, pavers and brick. LATICRETE MVIS Hi-Bond Veneer Mortar Rapid is designed to mix with just water and provide unsurpassed adhesion and workability.

🟮 Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials MethodBasic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level • 100 ppm • 1,000 ppm • Per GHS SDS • Other

Residuals/Impurities • Considered

Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

 Identified
 O Yes Ex/SC O Yes O No

 One or more substances not disclosed by Name

 (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE MVIS HI-BOND VENEER MORTAR RAPID [QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | CAN | END HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK LITHIUM CARBONATE LT-1 | REP | DEV UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL | END CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

○ Yes○ No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-08 PUBLISHED DATE: 2020-10-08 EXPIRY DATE: 2023-10-08 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE MVIS HI-BOND VENEER MORTAR RAPID

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ					ID: 14808-60-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	Y HAZARD SCREENING DATE: 2020-10-08			2020-10-08
%: 60.0000 - 65.0000	GS: LT-1	RC: No	one	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		gen	
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure		to chemical form or exposure route	
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable s occupational setting)		Carcinogen (respirable size -	
CANCER	МАК		Carcir man	nogen Group 1 -	Substances that cause cancer in
CANCER	IARC		Group 1 - Agent is carcinogenic to humans - inhaled fro occupational sources		0
CANCER	IARC		Group 1 - Agent is Carcinogenic to humans		
CANCER	GHS - New Zealand		6.7A - Known or presumed human carcinogens		umed human carcinogens
CANCER	GHS - Japan		Carcinogenicity - Category 1A [H350]		egory 1A [H350]
CANCER	GHS - Australia		H350i	- May cause ca	ncer by inhalation

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PORTLAND CEMENT				ID: 65997-15-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-10-08
%: 17.0000 - 20.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS	
CANCER	МАК		inogen Group 3E not sufficient for o	3 - Evidence of carcinogenic effects classification
ENDOCRINE	TEDX - Potential Endocrine Disruptors	e Pote	ential Endocrine D	Disruptor

LATICRETE MVIS Hi-Bond Veneer Mortar Rapid hpdrepository.hpd-collaborative.org

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-08
6: 10.0000 - 12.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	s found on HPD Priority Hazard Lis
SUBSTANCE NOTES: The amou	unt of this component may vary based on p	lant of manufa	cture.	
INDISCLOSED				
	Pharos Chemical and Materials Library			2020-10-08
b: 5.0000 - 8.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No warning	is found on HPD Priority Hazard Lis
INDISCLOSED				
	Pharos Chemical and Materials Library		REENING DATE:	
AZARD SCREENING METHOD: %: 2.5000 - 4.5000	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SCI		2020-10-08 SUBSTANCE ROLE: Polymer speci
6: 2.5000 - 4.5000		RC: None		
	GS: LT-UNK	RC: None	NANO: No S	
%: 2.5000 - 4.5000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and	GS: LT-UNK	RC: None WAR	NANO: No S RNINGS No warning acture. This produ	SUBSTANCE ROLE: Polymer speci is found on HPD Priority Hazard Lis uct is shown as undisclosed to
%: 2.5000 - 4.5000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and	GS: LT-UNK AGENCY AND LIST TITLES	RC: None WAR	NANO: No S RNINGS No warning acture. This produ	SUBSTANCE ROLE: Polymer speci is found on HPD Priority Hazard Lis uct is shown as undisclosed to entify associated hazards.
6: 2.5000 - 4.5000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and JNDISCLOSED HAZARD SCREENING METHOD:	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com	RC: None WAR	NANO: No S NO warning Acture. This product was used to ide	SUBSTANCE ROLE: Polymer speci is found on HPD Priority Hazard Lis uct is shown as undisclosed to entify associated hazards.
6: 2.5000 - 4.5000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and JNDISCLOSED HAZARD SCREENING METHOD: 6: 1.0000 - 5.0000	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com	RC: None WAR	NANO: No S NINGS No warning acture. This product was used to ide	SUBSTANCE ROLE: Polymer speci as found on HPD Priority Hazard Lis suct is shown as undisclosed to entify associated hazards.
6: 2.5000 - 4.5000 HAZARD TYPE None found SUBSTANCE NOTES: The amou preserve integrity of formula and INDISCLOSED HAZARD SCREENING METHOD: 6: 1.0000 - 5.0000 HAZARD TYPE	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK	RC: None WAR	NANO: No S NINGS No warning acture. This produ was used to ide REENING DATE: NANO: No	SUBSTANCE ROLE: Polymer speci as found on HPD Priority Hazard Lis suct is shown as undisclosed to entify associated hazards.
%: 2.5000 - 4.5000 HAZARD TYPE None found SUBSTANCE NOTES: The amount preserve integrity of formula and preserv	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK	RC: None WAR	NANO: No S RNINGS No warning acture. This produ- t was used to ide REENING DATE: NANO: No RNINGS No warning acture. This produ	SUBSTANCE ROLE: Polymer speci ps found on HPD Priority Hazard Lis uct is shown as undisclosed to entify associated hazards. 2020-10-08 SUBSTANCE ROLE: Binder ps found on HPD Priority Hazard Lis
%: 2.5000 - 4.5000 HAZARD TYPE None found SUBSTANCE NOTES: The amount preserve integrity of formula and preserv	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p	RC: None WAR	NANO: No S RNINGS No warning acture. This produ- t was used to ide REENING DATE: NANO: No RNINGS No warning acture. This produ	SUBSTANCE ROLE: Polymer speci ps found on HPD Priority Hazard Lis uct is shown as undisclosed to entify associated hazards. 2020-10-08 SUBSTANCE ROLE: Binder ps found on HPD Priority Hazard Lis

%: 0.4000 - 0.6000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Processing regul	ator			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants				
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]				
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity				
SUBSTANCE NOTES: The amo	SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.					
UNDISCLOSED						
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-08				
%: 0.2500 - 0.5000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Processing regul	ator			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No warnings found on HPD Priority Hazard Li	ists			
		plant of manufacture. This product is shown as undisclosed to mponent CAS # was used to identify associated hazards.				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-08				
%: 0.1000 - 0.2000	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Processing regul	ator			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]				
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.						
UNDISCLOSED						
	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-08				
	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SCREENING DATE: 2020-10-08 RC: None NANO: No SUBSTANCE ROLE: Processing regul	ator			
HAZARD SCREENING METHOD:			ator			
HAZARD SCREENING METHOD: %: 0.1000 - 0.2000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Processing regul				
HAZARD SCREENING METHOD: %: 0.1000 - 0.2000 HAZARD TYPE None found SUBSTANCE NOTES: The amo	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p	RC: None NANO: No SUBSTANCE ROLE: Processing regul				
HAZARD SCREENING METHOD: %: 0.1000 - 0.2000 HAZARD TYPE None found SUBSTANCE NOTES: The amo	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p	RC: None NANO: No SUBSTANCE ROLE: Processing regul WARNINGS No warnings found on HPD Priority Hazard Li plant of manufacture. This product is shown as undisclosed to				
HAZARD SCREENING METHOD: %: 0.1000 - 0.2000 HAZARD TYPE None found SUBSTANCE NOTES: The amo preserve integrity of formula an	GS: LT-UNK AGENCY AND LIST TITLES unt of this component may vary based on p d maintain competitive advantage. The com	RC: None NANO: No SUBSTANCE ROLE: Processing regul WARNINGS No warnings found on HPD Priority Hazard Li plant of manufacture. This product is shown as undisclosed to				

HAZARD TYPE	AGENCY AND LIST TITLES	V	/ARNINGS		
MULTIPLE	German FEA - Substances Hazardous Waters	to C	lass 3 - Severe	Hazard to Waters	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	6 P	otential Endocri	ne Disruptor	
SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.					
CALCIUM CARBONATE					ID: 471-34-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DA	TE: 2020-10-08	
%: Impurity/Residual	GS: BM-3	RC: None	NANO: No	SUBSTANCE R	OLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	V	/ARNINGS		
None found			No war	nings found on HI	PD Priority Hazard Lists
SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.					
LIMESTONE; CALCIUM CARBONATE ID: 1317-65-3					
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DA	TE: 2020-10-08	
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE R	OLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	V	/ARNINGS		
None found			No war	nings found on HI	PD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2020-10- 08	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES: LATICRETE®	MVIS™ Hi-Bond Veneer N	lortar Rapid has not beer	n tested for VOC emissions.
VOC CONTENT	TDS 251 "Low VOC LAT	ICRETE® Products"	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://www.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v (Tile Adhesive).	ISSUE DATE: 2021-08- 12 4.1 Credit "Low Emitting I		CERTIFIER OR LAB: LATICRETE
LCA	LATICRETE Cement Mo Environmental Product		Product Specific (Type III)
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities in North America CERTIFICATE URL: https://laticrete.com/~/media/environmental-product- data-sheets/cement-mortar-for-tile-installation.ashx? la=en	ISSUE DATE: 2016-11- 29	EXPIRY DATE: 2021- 11-28	CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

😝 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE® MVIS™ Hi-Bond Rapid Veneer Mortar to be mixed with water only following mix ratio and directions as stated in product data sheet.

Section 5: General Notes

LATICRETE® MVIS[™] Hi-Bond Rapid Veneer Mortar meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE MVIS Hi-Bond Veneer Mortar Rapid does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied

products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

• a method for the assessment of exposure or risk associated with product handling or use,

• a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.