# **LATICRETE® MVIS™ Premium Pointing Mortar** by LATICRETE International

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 22069** 

CLASSIFICATION: 04 60 00 Corrosion-Resistant Masonry

PRODUCT DESCRIPTION: LATICRETE® MVIS™ Premium Pointing Mortar is a premium factory prepared high performance, fast setting pointing mortar that provides a mortar joint that is dense and hard. LATICRETE MVIS Premium Pointing Mortar is color consistent. Mix only with water.

# Section 1: Summary

## **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

Nested Materials Method

Rasic Method

## **Threshold Disclosed Per**

C Material Product

#### Threshold level

€ 100 ppm

C 1,000 ppm C Per GHS SDS

Other

#### Residuals/Impurities

Considered

C Partially Considered

C Not Considered

Explanation(s) provided • Yes • No

All Substances Above the Threshold Indicated Are:

Characterized ○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened C Yes Ex/SC • Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

Identified 

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE MVIS PREMIUM POINTING MORTAR | QUARTZ LT-1 | CAN HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS PORTLAND CEMENT LT-P1 | CAN | END UNDISCLOSED LT-UNK PLASTER OF PARIS NOGS UNDISCLOSED LT-UNK LITHIUM CARBONATE LT-1 | REP | DEV UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL | END TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | RES | CAN | GEN | REP UNDISCLOSED LT-UNK CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (q/l): 0.00 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE® Products"

LCA: LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product

Declaration

## CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-02 PUBLISHED DATE: 2020-10-02 EXPIRY DATE: 2023-10-02



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## LATICRETE MVIS PREMIUM POINTING MORTAR

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2020-10-02         |  |                                    |  |
|--|---------------------------------------|---|--|------------------------------------|--|
| 50.0000 - 60.0000  | GS: <b>LT-1</b>                       | RC: None                                  | nano: <b>No</b>  | SUBSTANCE ROLE: Filler             |  |
| AZARD TYPE   | AGENCY AND LIST TITLES                |   | WARNINGS   |                                    |  |
| CANCER   | US CDC - Occupational Carcinogens     |   | Occupational Carcinoger  | n                                  |  |
| CANCER CA EPA - Prop 65  |                                       |   | chemical form or exposure route  |                                    |  |
| CANCER   | , , , , , , , , , , , , , , , , , , , |   | Known to be Human Carcinogen (respirable size - occupational setting         |                                    |  |
| CANCER   |                                       |   | Carcinogen Group 1 - Su  | ubstances that cause cancer in man |  |
| CANCER   | IARC                                  |   | Group 1 - Agent is carcinogenic to humans - inhaled from occupations sources |                                    |  |
| CANCER   | IARC                                  | Group 1 - Agent is Carcinogenic to humans |  | nogenic to humans                  |  |
| CANCER   | GHS - New Zealand                     |   | 6.7A - Known or presume  | ed human carcinogens               |  |
| CANCER   | GHS - Japan                           | Carcinogenicity - Category 1A [H350]      |  | ory 1A [H350]                      |  |
| CANCER   | GHS - Australia                       |   | H350i - May cause cance  | er by inhalation                   |  |

| HIGH-ALUMINA CEMENT             |  |          |                         |  |
|---------------------------------|--|----------|-------------------------|--|
| HAZARD SCREENING METHOD: Pharos | HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |          | DATE: <b>2020-10-02</b> |  |
| %: 20.0000 - 30.0000            | GS: LT-UNK   | RC: None | nano: <b>No</b>         | SUBSTANCE ROLE: <b>Binder</b>                  |
| HAZARD TYPE                     | AGENCY AND LIST TITLES   | WAR      | NINGS                   |  |
| None found                      |  |          |                         | No warnings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: The amount of  |  |          |                         |  |

| UNDISCLOSED  |                        |                     |                 |  |  |
|--|------------------------|---------------------|-----------------|--|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DA | TE: 2020-10-02  |  |  |
| %: 5.0000 - 7.0000   | GS: LT-UNK             | RC: None            | nano: <b>No</b> | SUBSTANCE ROLE: <b>Binder</b>                  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS            |                 |  |  |
| None found   |                        |                     |                 | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                    | HAZARD SCREENING DATE: 2020-10-02 |          |                 |  |
|--|--------------------|-----------------------------------|----------|-----------------|--|
|  | %: 5.0000 - 8.0000 | GS: NoGS                          | RC: None | nano: <b>No</b> | SUBSTANCE ROLE: Filler                         |
|  | HAZARD TYPE        | AGENCY AND LIST TITLES            | WARNING  | gs              |  |
|  | None found         |                                   |          |                 | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

PORTLAND CEMENT ID: 65997-15-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02 GS: LT-P1 %: 2,0000 - 4,0000 RC: None NANO: No SUBSTANCE ROLE: Binder HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for MAK classification **ENDOCRINE** TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

### UNDISCLOSED

|             |                        | HAZARD SCREENING | HAZARD SCREENING DATE: 2020-10-02 |  |  |
|-------------|------------------------|------------------|-----------------------------------|--|--|
|             |                        | RC: None         | nano: <b>No</b>                   | SUBSTANCE ROLE: Polymer species                |  |
| HAZARD TYPE | AGENCY AND LIST TITLES |                  | WARNINGS                          |  |  |
| None found  |                        |                  |                                   | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

PLASTER OF PARIS ID: 26499-65-0

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                         | HAZARD SCREENING DATE: 2020-10-02 |                 |  |
|--|-------------------------|-----------------------------------|-----------------|--|
| %: 1.0000 - 2.0000   | .0000 - 2.0000 GS: NoGS |                                   | nano: <b>No</b> | SUBSTANCE ROLE: Binder                         |
| HAZARD TYPE  | AGENCY AND LIST TITLES  | WARNINGS                          |                 |  |
| None found   |                         |                                   |                 | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

#### UNDISCLOSED

|  | ,           |                        | HAZARD SCREENING DATE: 2020-10-02 |          |  |
|--|-------------|------------------------|-----------------------------------|----------|--|
|  |             |                        | RC: None NANO: No SU              |          | SUBSTANCE ROLE: Processing regulator           |
|  | HAZARD TYPE | AGENCY AND LIST TITLES |                                   | WARNINGS |  |
|  | None found  |                        |                                   |          | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

LITHIUM CARBONATE ID: 554-13-2

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library                        |                        | HAZARD SCREENIN | HAZARD SCREENING DATE: 2020-10-02  |                                      |  |
|---|------------------------|-----------------|--|--------------------------------------|--|
| %: 0.1500 - 0.2500  | GS: <b>LT-1</b>        | RC: None        | nano: <b>No</b>  | SUBSTANCE ROLE: Processing regulator |  |
| HAZARD TYPE   | AGENCY AND LIST TITLES |                 | WARNINGS   |                                      |  |
| REPRODUCTIVE  | GHS - New Zealand      |                 | 6.8A - Known or presumed human reproductive or developmental toxic  Toxic to reproduction - Category 1A [H360]  Developmental toxicity |                                      |  |
| REPRODUCTIVE  | GHS - Japan            |                 |  |                                      |  |
| DEVELOPMENTAL   | CA EPA - Prop 65       |                 |  |                                      |  |
| SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. |                        |                 |  |                                      |  |

## UNDISCLOSED

|             |                        | HAZARD SCREENING | HAZARD SCREENING DATE: 2020-10-02 |  |  |
|-------------|------------------------|------------------|-----------------------------------|--|--|
|             |                        | RC: None         | nano: <b>No</b>                   | SUBSTANCE ROLE: <b>Defoamer</b>                |  |
| HAZARD TYPE | AGENCY AND LIST TITLES | WAR              | NINGS                             |  |  |
| None found  |                        |                  |                                   | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENII | HAZARD SCREENING DATE: 2020-10-02 |  |  |
|--|------------------------|-----------------|-----------------------------------|--|--|
| %: <b>0.1000 - 0.2000</b> GS: <b>LT-UNK</b>                    |                        | RC: None        | nano: <b>No</b>                   | SUBSTANCE ROLE: Processing regulator           |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES |                 | WARNINGS                          |  |  |
| None found   |                        |                 |                                   | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

# UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                            | HAZARD SCREENING DATE: 2020-10-02 |  |                                 |  |
|--|----------------------------|-----------------------------------|--|---------------------------------|--|
| %: <b>0.0500 - 0.1000</b>                                      |                            |                                   | nano: <b>No</b>  | SUBSTANCE ROLE: <b>Defoamer</b> |  |
| HAZARD TYPE  |                            |                                   | WARNINGS   |                                 |  |
| CANCER   |                            |                                   | H350 - May cause cancer  |                                 |  |
| CANCER   | EU - REACH Annex XVII CMRs |                                   | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |                                 |  |
| MULTIPLE   | ChemSec - SIN List         |                                   | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant   |                                 |  |
| CANCER   | EU - Annex VI CMRs         |                                   | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence                          |                                 |  |
| CANCER   | GHS - Australia            |                                   | H350 - May cause cand  | per                             |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                    | HAZARD SCREENING DATE: 2020-10-02 |          |                 |                                 |
|--|--------------------|-----------------------------------|----------|-----------------|---------------------------------|
|  | %: 0.0500 - 0.1000 | GS: <b>LT-1</b>                   | RC: None | nano: <b>No</b> | SUBSTANCE ROLE: <b>Defoamer</b> |

| HAZARD TYPE | AGENCY AND LIST TITLES     | WARNINGS   |
|-------------|----------------------------|--|
| CANCER      | EU - GHS (H-Statements)    | H350 - May cause cancer  |
| CANCER      | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |
| MULTIPLE    | ChemSec - SIN List         | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant   |
| CANCER      | EU - Annex VI CMRs         | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence                          |
| CANCER      | GHS - Australia            | H350 - May cause cancer  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENII | HAZARD SCREENING DATE: 2020-10-02                      |  |  |
|--|------------------------|-----------------|--|--|--|
| %: <b>0.0500 - 0.2000</b> GS: <b>LT-UNK</b>                    |                        | RC: None        | RC: None NANO: No SUBSTANCE ROLE: Processing regulator |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES |                 | WARNINGS   |  |  |
| None found   |                        |                 |  | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENIN | HAZARD SCREENING DATE: 2020-10-02                    |  |  |
|--|------------------------|-----------------|--|--|--|
| %: 0.0500 - 0.1000 GS: LT-UNK                                  |                        | RC: None        | RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES |                 | WARNINGS   |  |  |
| None found   |                        |                 |  | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENIN | HAZARD SCREENING DATE: 2020-10-02                  |  |  |
|--|------------------------|-----------------|--|--|--|
| %: 0.0500 - 0.1000 GS: LT-UNK                                  |                        | RC: None        | RC: None NANO: No SUBSTANCE ROLE: Water resistance |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES |                 | WARNINGS   |  |  |
| None found   |                        |                 |  | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |   | HAZARD SCREEN |                                   |                                |
|--|---|---------------|-----------------------------------|--------------------------------|
| %: 0.0050 - 0.0100   | GS: <b>BM-1</b>                             | RC: None      | nano: <b>No</b>                   | SUBSTANCE ROLE: <b>Biocide</b> |
| HAZARD TYPE  | AGENCY AND LIST TITLES                      |               | WARNINGS                          |                                |
| MULTIPLE   | German FEA - Substances Hazardous to Waters |               | Class 3 - Severe Hazard to Waters |                                |
| ENDOCRINE  | TEDX - Potential Endocrine Disruptors       |               | Potential Endocrine Disrup        | ptor                           |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

TITANIUM DIOXIDE ID: 13463-67-7

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2020-10-02 |  |                                |  |  |
|--|---------------------------------------|-----------------------------------|--|--------------------------------|--|--|
| %: 0.0000 - 8.0000   | GS: LT-1 RC: None                     |                                   | nano: <b>No</b>  | SUBSTANCE ROLE: <b>Pigment</b> |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES                |                                   | WARNINGS   |                                |  |  |
| CANCER   | US CDC - Occupational Carcinogens     | US CDC - Occupational Carcinogens |  | Occupational Carcinogen        |  |  |
| CANCER   | CA EPA - Prop 65                      |                                   | Carcinogen - specific to chemical form or exposure route   |                                |  |  |
| CANCER   | IARC                                  |                                   | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources                       |                                |  |  |
| CANCER   | MAK                                   |                                   | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |                                |  |  |
| ENDOCRINE  | TEDX - Potential Endocrine Disruptors |                                   | Potential Endocrine Disruptor  |                                |  |  |
| CANCER   |                                       |                                   | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels                     |                                |  |  |

 ${\tt SUBSTANCE\ NOTES:} \textbf{The\ amount\ of\ this\ component\ may\ vary\ based\ on\ plant\ of\ manufacture\ and\ intended\ color\ of\ the\ mortan.}$ 

## UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING D | HAZARD SCREENING DATE: 2020-10-02 |  |
|--|------------------------|--------------------|-----------------------------------|--|
| %: 0.0000 - 2.0000   | GS: LT-UNK             | RC: None           | nano: <b>No</b>                   | SUBSTANCE ROLE: <b>Pigment</b>                 |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNIN             | NGS                               |  |
| None found   |                        |                    |                                   | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of the mortar. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DA | HAZARD SCREENING DATE: 2020-10-02 |  |
|--|------------------------|---------------------|-----------------------------------|--|
| %: 0.0000 - 2.0000   | GS: LT-UNK             | RC: None            | nano: <b>No</b>                   | SUBSTANCE ROLE: Pigment                        |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNING             | GS .                              |  |
| None found   |                        |                     |                                   | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of the mortar. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING | HAZARD SCREENING DATE: 2020-10-02 |  |
|--|------------------------|------------------|-----------------------------------|--|
| %: <b>0.0000 - 2.0000</b> GS: <b>LT-P1</b>                     |                        | RC: None         | nano: <b>No</b>                   | SUBSTANCE ROLE: Pigment                        |
| HAZARD TYPE  | AGENCY AND LIST TITLES | w                | /ARNINGS                          |  |
| None found   |                        |                  |                                   | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of the mortar. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                 | HAZARD SCREENING DATE: 2020-10-02 |                 |                         |
|--|-----------------|-----------------------------------|-----------------|-------------------------|
| %: 0.0000 - 2.0000   | GS: <b>LT-1</b> | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Pigment |

| HAZARD TYPE   | AGENCY AND LIST TITLES | WARNINGS  |
|---------------|------------------------|---|
| RESPIRATORY   | AOEC - Asthmagens      | Asthmagen (G) - generally accepted                                |
| CANCER        | MAK                    | Carcinogen Group 2 - Considered to be carcinogenic for man        |
| RESPIRATORY   | MAK                    | Sensitizing Substance Sah - Danger of airway & skin sensitization |
| GENE MUTATION | MAK                    | Germ Cell Mutagen 3a  |
| REPRODUCTIVE  | GHS - Australia        | H360F - May damage fertility                                      |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of the mortar. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2020-10-02 |                 |  |
|--|------------------------|-----------------------------------|-----------------|--|
| %: 0.0000 - 2.0000   | GS: LT-UNK             | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Pigment                        |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNI                             | NGS             |  |
| None found   |                        |                                   |                 | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of the mortar. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

CALCIUM CARBONATE 1D: 471-34-1

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENING DATE: 2020-10-02 |                 |  |
|--|------------------------|-----------------------------------|-----------------|--|
| %: Impurity/Residual   | gs: <b>BM-3</b>        | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Impurity/Residual              |
| HAZARD TYPE  | AGENCY AND LIST TITLES |                                   | WARNINGS        |  |
| None found   |                        |                                   |                 | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

LIMESTONE; CALCIUM CARBONATE ID: 1317-65-3

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |                        | HAZARD SCREENI | HAZARD SCREENING DATE: 2020-10-02 |  |  |
|--|------------------------|----------------|-----------------------------------|--|--|
| %: Impurity/Residual   | GS: LT-UNK             | RC: None       | nano: <b>No</b>                   | SUBSTANCE ROLE: Impurity/Residual              |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES |                | WARNINGS                          |  |  |
| None found   |                        |                |                                   | No warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.



## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL

CERTIFICATION AND COMPLIANCE NOTES: LATICRETE® MVIS™ Premium Pointing Mortar has not been tested for VOC emissions.

#### VOC CONTENT

#### TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL: https://www.laticrete.com/~/media/support-

and-downloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

**LCA** 

LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product **Declaration** 

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-11-29

EXPIRY DATE: 2021-11-28

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: Applies to All Facilities in North America CERTIFICATE URL: https://laticrete.com/~/media/environmentalproduct-data-sheets/cement-grout-for-tile-and-stone-

installation.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE MVIS Premium Pointing Mortar to be mixed with water only following the mix ratio and directions as stated in the product data sheet.

# Section 5: General Notes

LATICRETE® MVIS™ Premium Pointing Mortar meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE MVIS Premium Pointing Mortar does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

# **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity **CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eve irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.