

**CLASSIFICATION:** 09 67 23

**PRODUCT DESCRIPTION:** A low gloss, fast-curing two-part polyaspartic aliphatic polyurea sealer/finish coating for both decorative and protective applications. As an industrial maintenance coating, this material is self-priming and may be applied in single or multiple coats by brush, roller, broom, squeegee, or in varying thicknesses to a variety of substrates including concrete and metal.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

**Residuals/Impurities**

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

*Are All Substances Above the Threshold Indicated:*

**Characterized**  Yes  No

*Percent Weight and Role Provided?*

**Screened**  Yes  No

*Using Priority Hazard Lists with Results Disclosed?*

**Identified**  Yes  No

*Name and Identifier Provided?*

**Threshold Disclosed Per**

- Material
- Product

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**SPARTACOTE® FLEX SB™ LOW GLOSS [ HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER) LT-P1 AROMATIC NAPHTHA, TYPE 1 LT-1 | MAM | GEN | CAN | MUL | END TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE LT-UNK | SKI UNDISCLOSED LT-UNK 1,2,4-TRIMETHYLBENZENE BM-2 | AQU | SKI | EYE | MUL XYLENES BM-1 | SKI | END | MUL | REP 1,6-HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM CUMENE LT-1 | CAN | AQU | MAM | END UNDISCLOSED LT-UNK D-LIMONENE LT-P1 | PBT | AQU | SKI | MUL SILICA GEL LT-UNK UNDISCLOSED LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 340 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE® Products"

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-08-06

PUBLISHED DATE: 2018-08-06

EXPIRY DATE: 2021-08-06



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

## SPARTACOTE® FLEX SB™ LOW GLOSS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at [www.laticrete.com](http://www.laticrete.com) for occupational exposure information.

### HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER)

ID: 28182-81-2

%: 25.0000 - 35.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Activator
----------------------	-----------	----------	----------	-----------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### AROMATIC NAPHTHA, TYPE 1

ID: 64742-95-6

%: 25.0000 - 35.0000	GS: LT-1	RC: None	NANO: No	ROLE: Solvent
----------------------	----------	----------	----------	---------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

GENE MUTATION

EU - GHS (H-Statements)

H340 - May cause genetic defects

CANCER

EU - GHS (H-Statements)

H350 - May cause cancer

CANCER

EU - REACH Annex XVII CMRs

Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

GENE MUTATION

EU - REACH Annex XVII CMRs

Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

EU - Annex VI CMRs

Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

GENE MUTATION

EU - Annex VI CMRs

Mutagen - Category 1B

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE

ID: 136210-30-5

#: **10.0000 - 25.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Resin**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN SENSITIZE EU - GHS (H-Statements) H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### UNDISCLOSED

#: **10.0000 - 20.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Filler**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### 1,2,4-TRIMETHYLBENZENE

ID: 95-63-6

#: **0.5000 - 10.0000** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Solvent**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CHRON AQUATIC EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects

SKIN IRRITATION EU - GHS (H-Statements) H315 - Causes skin irritation

EYE IRRITATION EU - GHS (H-Statements) H319 - Causes serious eye irritation

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### XYLENES

ID: 1330-20-7

#: **0.5000 - 1.0000** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Solvent**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## 1,6-HEXAMETHYLENE DIISOCYANATE

ID: 822-06-0

#: **0.5000 - 0.8000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Activator**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## CUMENE

ID: 98-82-8

#: **0.3000 - 0.4000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Solvent**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### UNDISCLOSED

#: **0.2000 - 0.4000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Matte Agent**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### D-LIMONENE

ID: 5989-27-5

#: **0.1000 - 0.3000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Fragrance**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### SILICA GEL

ID: 112926-00-8

#: **0.0500 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Matte Agent**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### UNDISCLOSED

#: **0.0100 - 0.0300** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Wetting Agent**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

---

None Found

No warnings found on HPD Priority lists

---

**SUBSTANCE NOTES:** The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

**08-06**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

### VOC CONTENT

**TDS 251 "Low VOC LATICRETE® Products"**

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2016-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to all facilities.**

**07-07**

CERTIFICATE URL:

<https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx?la=en>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

SPARTACOTE® FLEX SB™ Low Gloss meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, SPARTACOTE FLEX SB Low Gloss does not contain the following: •Alkylphenols\* •Asbestos •Bisphenol A (BPA)\* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes\* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)\* •Chloroprene (Neoprene) •Chromium VI\* •Chlorinated Polyvinyl Chloride (CPVC)\* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)\* •Perfluorinated Compounds (PFCs)\* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)\* •Short Chain Chlorinated Paraffins\* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. SPARTACOTE FLEX SB Low Gloss also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-

245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane )HCFC-151a)





## MANUFACTURER INFORMATION

---

MANUFACTURER: **LATICRETE International**  
ADDRESS: **1 Laticrete Park North**  
**Bethany CT 06524, USA**  
WEBSITE: **www.laticrete.com**

CONTACT NAME: **Mitch Hawkins**  
TITLE: **Technical Services Manager**  
PHONE: **203-393-4619**  
EMAIL: **wmhawkins@laticrete.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*