SPARTACOTE® FLEX XTTM by LATICRETE International

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 67 23

PRODUCT DESCRIPTION: A low VOC, fast-curing two-part polyaspartic aliphatic polyurea sealer/finish coating for protective applications. Used as a top-coat, the material is applied in single or multiple applications by brush, roller or squeegee in varying thicknesses to concrete.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

inventory Reporting Format
Nested Materials Method
Rasic Method

Threshold Disclosed Per

Material Product

Threshold	level

- € 100 ppm C 1,000 ppm
- Per GHS SDS Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered Not Considered
- Explanation(s) provided
- for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No.

All substances screened using Priority Hazard Lists with results disclosed

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SPARTACOTE® FLEX XT™ [TETRAETHYL N,N'-

(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE LT-UNK | SKI HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER) LT-P1 PARACHLOROBENZOTRIFLUORIDE (PCBTF) LT-P1 | MUL AROMATIC NAPHTHA, TYPE 1 LT-1 | MAM | GEN | CAN | MUL | END 1,2,4-TRIMETHYLBENZENE BM-2 | AQU | SKI | EYE | MUL COCONUT OIL NoGS CUMENE LT-1 | CAN | AQU | MAM | END UNDISCLOSED NOGS UNDISCLOSED NoGS 2-BUTENEDIOIC ACID (E)-, DIETHYL ESTER LT-UNK UNDISCLOSED LT-P1 | PBT | MUL 1,6-HEXAMETHYLENE DIISOCYANATE LT-UNK | RES | SKI | EYE | MAM XYLENES BM-1 | SKI | END | MUL | REP

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 90 Regulatory (g/l): 90 Does the product contain exempt VOCs: Yes Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

UNDISCLOSED LT-P1 | MUL]

O Yes No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-08-06 PUBLISHED DATE: 2019-03-25 EXPIRY DATE: 2021-08-06



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

SPARTACOTE® FLEX XT™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE

ID: 136210-30-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-06	
%: 40.0000 - 50.0000	GS: LT-UNK	RC: None NANO: No ROLE: Resin	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER (HDI HOMOPOLYMER)

ID: 28182-81-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-08-06		
%: 40.0000 - 50.0000	GS: LT-P1	RC: None	nano: No	ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

PARACHLOROBENZOTRIFLUORIDE (PCBTF)

ID: 98-56-6

HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREENII	NG DATE: 2018-08-	-06
%: 3.0000 - 4.0000	GS: LT-P1	RC: None	nano: No	ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

AROMATIC NAPHTHA, TYPE 1	ID: 64742-95-6
--------------------------	-----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-06		
%: 2.0000 - 5.0000	GS: LT-1	RC: None NANO: No ROLE: Solvent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways		
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects		
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man		
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects		
CANCER	Australia - GHS	H350 - May cause cancer		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

1,2,4-TRIMETHYLBENZENE	ID: 95-63-6
------------------------	--------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-06		
%: 1.0000 - 2.0000	GS: BM-2	RC: None	nano: No	ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

COCONUT OIL ID: 8001-31-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-06		
%: 1.0000 - 2.0000	gs: NoGS	RC: None	nano: No	ROLE: Workabaility Adjuster
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

CUMENE ID: 98-82-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-06		
%: 0.3000 - 0.4000	gs: LT-1	RC: None	nano: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2b - Pos	ssibly carcinogenic	to humans
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	US NIH - Report on Carcinogens	Reasonably Ar	ticipated to be Hun	nan Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to	aquatic life with lo	ng lasting effects
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be	fatal if swallowed a	and enters airways
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	crine Disruptor	
CANCER	MAK	•	oup 3B - Evidence ont for classification	of carcinogenic effects
CANCER	Australia - GHS	H350i - May ca	use cancer by inha	lation

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{The\ amount\ of\ this\ component\ may\ vary\ based\ on\ the\ plant\ of\ manufacture.}$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2018-0	08-06
%: 0.3000 - 0.8000	GS: NoGS	RC: None	NANO: No	ROLE: UV Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: PI	naros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2018-0	08-06
%: 0.3000 - 0.8000	GS: NoGS	RC: None	NANO: No	ROLE: UV Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

2-BUTENEDIOIC ACID (E)-, DIETHYL ESTER

ID: 623-91-6

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2018-08	3-06
%: 0.3000 - 1.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-06		
%: 0.2000 - 0.4000	GS: LT-P1	RC: None	nano: No	ROLE: UV Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
РВТ	EC - CEPA DSL		•	e and inherently Toxic (PBiTE) to aquatic organisms)
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 -	Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-06		
%: 0.1000 - 0.5000	gs: LT-UNK	RC: None NANO: No ROLE: Activator		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled		
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled		
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		
		sensitization		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

XYLENES ID: 1330-20-7

HAZARD SCREENING METHOD: Pr	naros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2018-08	-06
%: 0.0500 - 0.1000	GS: BM-1	RC: None	nano: No	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Cause	es skin irritation	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	locrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haz	ard to Waters	
REPRODUCTIVE	Japan - GHS	Toxic to repre	oduction - Category	1B

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENI	ING DATE: 2018-0	98-06
%: 0.0300 - 0.0500	gs: LT-P1	RC: None	nano: No	ROLE: UV Stabilizer

MULTIPLE	German FEA - Substances Hazardous to	Class 2 - Hazard to Waters
	Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

01-22

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: SPARTACOTE® FLEX XT™ has not been tested for VOC emissions.

01-22

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-

and-downloads/technical-

datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Content Requirements per SCAQMD Rule 1113 (Industrial Maintenance (IM) Coatings).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

SPARTACOTE® FLEX XT™ meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, SPARTACOTE FLEX XT does not contain the following:

- •Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types - added)
- Halogenated Flame Retardants (HFRs)
 Lead (added)
 Mercury
 Polychlorinated Biphenyls (PCBs)
- Perfluorinated Compounds (PFCs)* Phthalates
 Polyvinyl Chloride (PVC)
 Polyvinylidene Chloride (PVDC)* Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. SPARTACOTE FLEX XT also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11)
- Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-

245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.