

CLASSIFICATION: 09 67 00

PRODUCT DESCRIPTION: SPARTACOTE™ FLEX XPL™ is a high solids, low VOC and minimal odor polyaspartic coating for both decorative and protective applications. SPARTACOTE FLEX XPL has been engineered to retain a low viscosity for longer periods of time, allowing for extended working times and better flow.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SPARTACOTE™ FLEX XPL™ [TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE LT-UNK | SKI UNDISCLOSED LT-P1 UNDISCLOSED LT-P1 | AQU | EYE | MUL
DIPROPYLENE GLYCOL METHYL ETHER ACETATE (DPMA) LT-UNK 2-BUTENEDIOIC ACID (E)-, DIETHYL ESTER LT-UNK DIISOBUTYL KETONE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED BM-1 | PBT | MUL UNDISCLOSED NoGS UNDISCLOSED LT-UNK | RES | SKI | EYE | MAM UNDISCLOSED LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# or SDS was used to identify and report associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 30.1 Regulatory (g/l): 30.1
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A
VOC content: TDS 251 "Low VOC LATICRETE Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-04-24

PUBLISHED DATE: 2020-05-11

EXPIRY DATE: 2023-04-24



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-1-1-standard

SPARTACOTE™ FLEX XPL™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

TETRAETHYL N,N'-(METHYLENEDICYCLOHEXANE-4,1-DIYL)BIS-DL-ASPARTATE

ID: 136210-30-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-24

#: 40.00 - 50.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Curing Agent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-24

#: 20.00 - 30.00

GS: LT-P1

RC: None

NANO: No

ROLE: Hardener

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-24

%: **10.00 - 15.00** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Curing Agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

DIPROPYLENE GLYCOL METHYL ETHER ACETATE (DPMA)

ID: **88917-22-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-04-24**

%: **4.00 - 8.00** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

2-BUTENEDIOIC ACID (E)-, DIETHYL ESTER

ID: **623-91-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-04-24**

%: **2.80 - 9.80** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Curing Agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

DIISOBUTYL KETONE

ID: **108-83-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-04-24**

%: **0.30 - 0.50** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Air Release**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-24**%: **0.25 - 0.50**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Wetting Agent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-24**%: **0.20 - 0.30**GS: **NoGS**RC: **None**NANO: **No**ROLE: **UV Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-24**%: **0.20 - 0.30**GS: **NoGS**RC: **None**NANO: **No**ROLE: **UV Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-24**%: **0.10 - 0.20**GS: **BM-1**RC: **None**NANO: **No**ROLE: **UV Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

PBT

EC - CEPA DSL

Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-24**%: **0.10 - 0.20**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Air Release**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-24**%: **0.03 - 0.08**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Hardener**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagens (G) - generally accepted

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

MAMMALIAN

EU - GHS (H-Statements)

H331 - Toxic if inhaled

RESPIRATORY

EU - GHS (H-Statements)

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

RESPIRATORY

MAK

Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-24**%: **0.02 - 0.05**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **UV Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

08-08

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **SPARTACOTE™ FLEX PURE XPL™ has not been tested for VOC emissions.**

VOC CONTENT

TDS 251 "Low VOC LATICRETE Products"

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

01-09

CERTIFICATE URL:

<https://cdn.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Industrial Maintenance (IM) Coatings).**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

SPARTACOTE™ FLEX XPL™ meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE FLEX XPL does not contain the following: Antimicrobials (marketed with a health claim) • Alkylphenols and related compounds • Asbestos • Bisphenol A (BPA) and structural analogues • California Banned Solvents • Chlorinated Polymers, including Chlorinated Polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) • Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) • Organotin Compounds • Perfluorinated Compounds (PFCs) • Phthalates (orthophthalates) • Polychlorinated Biphenyls (PCBs) • Polycyclic Aromatic Hydrocarbons (PAH) • Short-Chain and Medium-Chain Chlorinated Paraffins • Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury • Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.



MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
 ADDRESS: **1 Laticrete Park North**
Bethany CT 06524, USA
 WEBSITE: **www.spartacote.com**

CONTACT NAME: **Mitch Hawkins**
 TITLE: **Senior Manager, Technical Service**
 PHONE: **203.393.4619**
 EMAIL: **wmhawkins@laticrete.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.