

HPD UNIQUE IDENTIFIER: 20435

CLASSIFICATION: 09 67 23

PRODUCT DESCRIPTION: SPARTACOTE GRIP Traction Additive is an ultra-durable yet high strength, lightweight pulverized resin that is designed for use in clear and pigmented SPARTACOTE FLEX polyaspartic concrete floor coatings. A viable alternative to heavy aluminum aggregates, SPARTACOTE GRIP Traction Additive can be dispersed and suspended evenly directly into coatings or broadcast depending on the application. While the material is commonly used to improve traction coefficients.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

**SPARTACOTE™ GRIP TRACTION ADDITIVE [DIALLYL DIGLYCOL
CARBONATE LT-P1 | MUL]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-06-10

PUBLISHED DATE: 2020-06-10

EXPIRY DATE: 2023-06-10



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

SPARTACOTE™ GRIP TRACTION ADDITIVE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information.

DIALLYL DIGLYCOL CARBONATE

ID: 142-22-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-06-10

#: 100.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The material stated above represents 100% of the product content.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

06-10

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **SPARTACOTE® GRIP Traction Additive has not been tested for VOC Emissions.**

VOC CONTENT

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

06-10

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **SPARTACOTE GRIP Traction Additive is a dry product and does not require VOC content.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SPARTACOTE™ FLEX SB

HPD URL: <https://cdn.laticrete.com/~media/health-product-datasheets/spartacote/flex-sb-hpd.ashx>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ FLEX SB as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ FLEX PURE™

HPD URL: <https://cdn.laticrete.com/~media/health-product-datasheets/spartacote/flex-pure-hpd.ashx>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ FLEX PURE™ as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ FLEX PURE™ CLINICAL PLUS

HPD URL: <https://cdn.laticrete.com/~media/health-product-datasheets/spartacote/flex-pure-clinical-plus-hpd.ashx>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ FLEX PURE™ Clinical Plus as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ FLEX XPL LOW GLOSS

HPD URL: <https://cdn.laticrete.com/~media/health-product-datasheets/spartacote/spartacote-flex-xpl-low-gloss-hpd-v211.ashx>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ FLEX XPL Low Gloss as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ FLEX XPL

HPD URL: <https://cdn.laticrete.com/~media/health-product-datasheets/spartacote/spartacote-flex-xpl-hpd.ashx>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ FLEX XPL as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ FLEX XPL CLINICAL PLUS

HPD URL: <https://cdn.laticrete.com/~media/health-product-datasheets/spartacote/spartacote-flex-pure-xpl-clinical-plus.ashx>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ FLEX XPL Clinical Plus as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ SURFACE BUILD TOP COAT UV

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ Surface Build Top Coat UV as directed on data sheet for SPARTACOTE GRIP Traction Additive.

SPARTACOTE™ URETHANE FLOOR SEALER WB

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Use in top coat of SPARTACOTE™ Urethane Floor Sealer WB as directed on data sheet for SPARTACOTE GRIP Traction Additive.

Section 5: General Notes

SPARTACOTE® GRIP Traction Additive meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, SPARTACOTE GRIP Traction Additive does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.



MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
 ADDRESS: **1 Laticrete Park North**
Bethany CT 06524, USA
 WEBSITE: **https://laticrete.com**

CONTACT NAME: **Mitch Hawkins**
 TITLE: **Senior Manager, Technical Services**
 PHONE: **203.393.4619**
 EMAIL: **wmhawkins@laticrete.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.