SPARTACOTE™ Moisture Vapor Barrier by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22056

CLASSIFICATION: 09 96 56 Epoxy Coatings

PRODUCT DESCRIPTION: SPARTACOTE™ Moisture Vapor Barrier is a single-coat, 100% solids, liquid applied 2-part epoxy coating specifically designed for controlling the moisture vapor emission rate from new or existing concrete slabs. This product is oil tolerant and reduces the emission of oils and other chemicals from the substrate.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method Basic Method

Threshold Disclosed Per

C Material Product

Threshold level 🖸 100 ppm C 1,000 ppm C Per GHS SDS C Other

Residuals/Impurities Considered C Partially Considered

Explanation(s) provided r Residuals/Impurities? • Yes C No

C Not Considered

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

○ Yes Ex/SC ⊙ Yes ○ No Characterized % weight and role provided for all substances.

Screened ○ Yes Ex/SC ○ Yes ⊙ No One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified

○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®, The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

SPARTACOTE™ MOISTURE VAPOR BARRIER I BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | AQU | SKI | EYE | MUL CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-

ALKANES, HYDROGENATED Not Screened | SKI | EYE | AQU | MAM FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL 1,4-BIS(2,3-EPOXYPROPOXY)BUTANE LT-UNK | SKI | EYE UNDISCLOSED BM-2 P-TERT-BUTYLEPHENOL LT-1 |END | AQU | SKI | EYE | REP | MUL 1,3-BENZENEDIMETHANAMINE LT-P1 | MUL | SKI UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]-LT-P1 | MUL 1,6-HEXANEDIAMINE, 2,2,4(OR 2,4,4)-TRIMETHYL- LT-P1 | MUL UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL | END *BISPHENOL A_EPICHLOROHYDRIN POLYMER* LT-P1 | AQU | SKI | EYE | MUL METHOXYISOPROPYL ACETATE LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 9.4 Regulatory (g/l): 9.4 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: UL/GreenGuard Gold Certified

VOC content: TDS 251 "Low VOC LATICRETE Products"

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified? C Yes No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-10-02 PUBLISHED DATE: 2020-10-02 EXPIRY DATE: 2023-10-02

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SPARTACOTE™ MOISTURE VAPOR BARRIER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at laticretesupercap.com for occupational exposure information.

BISPHENOL A EPICHLOROHYDRIN POLYMER					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 40.0000 - 48.0000 GS: LT-P1 RC: N		RC: None	NANO: No SUBSTANCE ROLE: Curing agent		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)		H411 - Toxic to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-ALKANES, HYDROGENATED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-10-02			
%: 20.0000 - 26.0000	GS: Not Screened	RC: None	NANO: NO	SUBSTANCE ROLE: Activator		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	Hazard Screening not performed					

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL					
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREI	ENING DATE: 2020-10-0	02	
%: 7.0000 - 12.0000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	AGENCY AND LIST TITLES	1	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Wat	ters	Class 2 - Hazard to Wa	iters	
SUBSTANCE NOTES: The amount of	this component may vary based on the plant of manuf	acture.			
-					
	THED				ID: 68600-07-2

ALKYL (C12, C14) GLYCIDYL ETHER

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 5.0000 - 9.0000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

1,4-BIS(2,3-EPOXYPROPOXY)BUTANE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02							
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SU	REENING DA	E: 2020-10-02			
%: 2.5000 - 4.0000	GS: LT-UNK	RC: None		NANO: NO	SUBSTANCE ROLE: Diluent		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS				
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation					
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - M	ay cause an allergic sl	kin reaction		
EYE IRRITATION	EU - GHS (H-Statements)		H319 - C	auses serious eye irrita	ation		
SKIN SENSITIZE	МАК		Sensitizir	ng Substance Sh - Dan	ger of skin sensitization		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: 2.0000 - 4.0000	GS: BM-2	RC: None	NANO: NO	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

P-TERT-BUTYLPHENOL ID: 98-54-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02 %: 2.0000 - 3.5000 GS: LT-1 RC: None NANO: NO SUBSTANCE ROLE: Activator HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE EU - Priority Endocrine Disruptors Category 2 - In vitro evidence of biological activity related to Endocrine Disruption CHRON AQUATIC EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects SKIN IRRITATION EU - GHS (H-Statements) H315 - Causes skin irritation EYE IRRITATION EU - GHS (H-Statements) H318 - Causes serious eye damage REPRODUCTIVE EU - GHS (H-Statements) H361f - Suspected of damaging fertility ENDOCRINE ChemSec - SIN List Endocrine Disruption ENDOCRINE **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters SKIN SENSITIZE MAK Sensitizing Substance Sh - Danger of skin sensitization ENDOCRINE OSPAR - Priority PBTs & EDs & equivalent concern Endocrine Disruptor - Substance of Possible Concern

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

ID: 2425-79-8

1,3-BENZENEDIMETHANAMINE					
HAZARD SCREENING METHOD: Pharos Cherr	nical and Materials Library	HAZARD SCREEN	IING DATE: 2020-10-02		
%: 2.0000 - 3.0000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	German FEA - Substances Hazardous	to Waters	Class 2 - Hazard to Waters		
SKIN SENSITIZE	МАК		Sensitizing Substance S	Sh - Danger of skin sensitization	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]-

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREEN	ING DATE: 2020-10-02		
%: 0.4000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

1,6-HEXANEDIAMINE, 2,2,4(OR 2,4,4)-TRIMETHYL-						ID: 25513-64-8
	HAZARD SCREENING METHOD: Pharos Chemical a	nd Materials Library	HAZARD SCREEN	IING DATE: 2020-10-02		
	%: 0.3000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Activator	
	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-10-02			
%: 0.1000 - 0.3000	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Defoamer		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
MAMMALIAN	EU - GHS (H-Statements)		H304 - May be fatal i	f swallowed and enters airways		
GENE MUTATION	EU - GHS (H-Statements)		H340 - May cause ge	enetic defects		
CANCER	EU - GHS (H-Statements)	EU - GHS (H-Statements)		incer		
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category Carcinogenic to man	2 - Substances which should be regarded as if they are		
GENE MUTATION	EU - REACH Annex XVII CMRs		Mutagen Category 2 Mutagenic to man	- Substances which should be regarded as if they are		
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, N	Autagen &/or Reproductive Toxicant		
ENDOCRINE	TEDX - Potential Endocrine Disrupto	ors	Potential Endocrine I	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardor	us to Waters	Class 3 - Severe Haz	ard to Waters		
CANCER	EU - Annex VI CMRs		Carcinogen Category	/ 1B - Presumed Carcinogen based on animal evidence		
GENE MUTATION	EU - Annex VI CMRs		Mutagen - Category	18		
GENE MUTATION	GHS - Australia		H340 - May cause ge	enetic defects		
CANCER	GHS - Australia		H350 - May cause ca	incer		

ID: 52338-87-1

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

BISPHENOL A EPICHLOROHYDRIN POLYMER						
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02				
%: Impurity/Residual	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CHRON AQUATIC	EU - GHS (H-Statements)		H411 - Toxi	c to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Caus	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Caus	ses serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Ha	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

METHOXYISOPROPYL ACETATE					
HAZARD SCREENING METHOD: Pharos	HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02			
%: 0.0100 - 0.0150	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Ce	rtified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: http://certificates.greenguard.org/default.aspx? id=130434&t=cs&	ISSUE DATE: 2018-10-05	EXPIRY DATE: 2021-12-09	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.			
VOC CONTENT	TDS 251 "Low VOC LATICRETE Products"		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://cdn.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-08-12	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE
APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://cdn.laticrete.com/~/media/support-and-			

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

Section 4: Accessories

SPARTACOTE[™] Moisture Vapor Barrier does not meet Living Building Challenge requirements because it does contain a component which is found on the LBC Red Listed Materials or Chemicals v4.0. Specifically, SPARTACOTE Moisture Vapor Barrier contains Bisphenol A Epichlorohydrin Polymer as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: www.spartacote.com CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203.393.4619 EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.