

CLASSIFICATION: 07 19 00

PRODUCT DESCRIPTION: Ultra high performance, water-based sealer for use on interior and exterior applications of natural stone such as honed or textured marble, granite, limestone, travertine, sandstone, saltillo, and bluestone.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

**Inventory Reporting Format**

- Nested Materials Method
- Basic Method

**Threshold Disclosed Per**

- Material
- Product

**Threshold level**

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

**Residuals/Impurities**

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No

*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No

*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No

*One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.*

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**STONETECH® BULLETPROOF® SEALER | WATER BM-4 UNDISCLOSED**  
**LT-UNK C4 PERFLUORINATED SURFACTANT NoGS DIPROPYLENE**  
**GLYCOL N-BUTYL ETHER (DPNB) LT-UNK UNDISCLOSED LT-P1 | SKI |**  
**PHY UNDISCLOSED NoGS UNDISCLOSED LT-P1 | AQU | SKI | EYE | MUL**  
**UNDISCLOSED BM-2 | MUL | SKI | END UNDISCLOSED BM-2 | CAN | END |**  
**DEL | REP | PHY BUTOXYPROPANOL LT-UNK | SKI | EYE ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1  
Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory. STONETECH® Bulletproof® is a low-solids coating which means VOC content is expressed in grams of VOC per liter of material, not grams of VOC per liter of coating, less water (SCAQMD Rule #1113 Table of Standards (cont.) VOC limits). Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 12 Regulatory (g/l): 380  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: N/A  
VOC content: TDS 251 "Low VOC LATICRETE® Products"

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-08-07

PUBLISHED DATE: 2019-01-23

EXPIRY DATE: 2021-08-07



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### STONETECH® BULLETPROOF® SEALER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at [www.laticrete.com](http://www.laticrete.com) for occupational exposure information.

#### WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-08-07

#: 90.0000 - 98.0000

GS: BM-4

RC: None

NANO: No

ROLE: Diluent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-08-07

#: 1.0000 - 3.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Sealer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### C4 PERFLUORINATED SURFACTANT

ID: 172616-04-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-08-07

#: 0.0500 - 0.1000

GS: NoGS

RC: None

NANO: No

ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB)

ID: 29911-28-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-08-07**

#: **0.0500 - 0.3000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Co-Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

### UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-08-07**

#: **0.0500 - 0.0800**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **pH Adjuster**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

SKIN IRRITATION

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

PHYSICAL HAZARD (REACTIVE)

Korea - GHS

H290 - May be corrosive to metals

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-08-07**

#: **0.0100 - 0.1000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-08-07**

%: **0.0050 - 0.0100**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Preservative**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-08-07**

%: **0.0050 - 0.0100**

GS: **BM-2**

RC: **None**

NANO: **No**

ROLE: **Preservative**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-08-07**

%: **0.0020 - 0.0025**

GS: **BM-2**

RC: **None**

NANO: **No**

ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
DEVELOPMENTAL	CA EPA - Prop 65	Developmental - specific to chemical form or exposure route
CANCER	Japan - GHS	Carcinogenicity - Category 1A
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1A
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## BUTOXYPROPANOL

ID: 5131-66-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-08-07**

#: **0.0000 - 2.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

**01-23**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **STONETECH® Bulletproof® Sealer has not been tested for VOC emissions.**

### VOC CONTENT

**TDS 251 "Low VOC LATICRETE® Products"**

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

**01-23**

CERTIFICATE URL:

[https://www.laticrete.com/~/\\_media/support-and-downloads/technical-datasheets/tds251.ashx](https://www.laticrete.com/~/_media/support-and-downloads/technical-datasheets/tds251.ashx)

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" Content Requirements per SCAQMD Rule 1113 (Low Solids Coating) and is calculated based on grams of VOC per liter of material.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

STONETECH® Bulletproof Sealer meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Bulletproof Sealer does not contain the following: •Alkylphenols\* •Asbestos •Bisphenol A (BPA)\* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes\* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)\* •Chloroprene (Neoprene) •Chromium VI\* •Chlorinated Polyvinyl Chloride (CPVC)\* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)\* •Perfluorinated Compounds (PFCs)\* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)\* •Short Chain Chlorinated Paraffins\* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. STONETECH Bulletproof Sealer also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-

245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane )HCFC-151a)



## MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**  
 ADDRESS: **1 Laticrete Park North**  
**Bethany CT 06524, USA**  
 WEBSITE: **www.laticrete.com**

CONTACT NAME: **Mitch Hawkins**  
 TITLE: **Senior Manager, Technical Services**  
 PHONE: **203-393-4619**  
 EMAIL: **wmhawkins@laticrete.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*