

CLASSIFICATION: 07 19 23

PRODUCT DESCRIPTION: High performance, solvent-based sealer designed for sealing exterior applications of natural stone. Preserves the natural look of the stone and minimizes efflorescence. Ideal for use with natural stone such as granite, slate, travertine, tumbled stone, sandstone, masonry, and concrete.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  Yes  No  
Percent Weight and Role Provided?

**Screened**  Yes  No  
Using Priority Hazard Lists with Results Disclosed?

**Identified**  Yes  No  
Name and Identifier Provided?

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**STONETECH® HEAVY DUTY EXTERIOR SEALER [ HYDROTREATED  
HEAVY NAPHTHA (PETROLEUM) BM-1 | PBT | MAM | GEN | CAN | MUL  
UNDISCLOSED NoGS UNDISCLOSED LT-1 | PBT | CAN | DEL  
UNDISCLOSED BM-1 | DEL | MAM | END | MUL | REP | PHY ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. STONETECH® Heavy Duty Exterior Sealer is a low-solids coating which means VOC content is expressed in grams of VOC per liter of material, not grams of VOC per liter of coating, less water (SCAQMD Rule #1113 Table of Standards (cont.) VOC limits). Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 724

Regulatory (g/l): 724

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE® Products"

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-08-08

PUBLISHED DATE: 2018-08-08

EXPIRY DATE: 2021-08-08



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### STONETECH® HEAVY DUTY EXTERIOR SEALER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information.

#### HYDROTREATED HEAVY NAPHTHA (PETROLEUM)

ID: 64742-48-9

%: 90.0000 - 98.0000	GS: BM-1	RC: None	NANO: No	ROLE: Solvent
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways		
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects		
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man		
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B		
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects		
CANCER	Australia - GHS	H350 - May cause cancer		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture

**UNDISCLOSED**

%: <b>2.0000 - 10.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Sealer</b>
----------------------------	-----------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**UNDISCLOSED**

%: <b>0.0500 - 0.0800</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Sealer</b>
---------------------------	-----------------	-----------------	-----------------	---------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
DEVELOPMENTAL	MAK	Pregnancy Risk Group B

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**UNDISCLOSED**

%: <b>0.0200 - 0.0300</b>	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Solvent</b>
---------------------------	-----------------	-----------------	-----------------	----------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ORGAN TOXICANT	EU - GHS (H-Statements)	H370 - Causes damage to organs
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

**08-08**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

### VOC CONTENT

**TDS 251 "Low VOC LATICRETE® Products"**

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2016-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to all facilities.**

**07-07**

CERTIFICATE URL:

<https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx?la=en>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

STONETECH® Heavy Duty Exterior Sealer meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Heavy Duty Exterior Sealer does not contain the following: •Alkylphenols\* •Asbestos •Bisphenol A (BPA)\* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes\* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)\* •Chloroprene (Neoprene) •Chromium VI\* •Chlorinated Polyvinyl Chloride (CPVC)\* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)\* •Perfluorinated Compounds (PFCs)\* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)\* •Short Chain Chlorinated Paraffins\* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. STONETECH Heavy Duty Exterior Sealer also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca)

•1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane )HCFC-151a)



## MANUFACTURER INFORMATION

---

MANUFACTURER: **LATICRETE International**

ADDRESS: **1 Laticrete Park North**

**Bethany CT 06524, USA**

WEBSITE: **www.laticrete.com**

CONTACT NAME: **Mitch Hawkins**

TITLE: **Technical Services Manager**

PHONE: **203-393-4619**

EMAIL: **wmhawkins@laticrete.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

