# LATICRETE® SUPERCAP® SC650 MC by LATICRETE International

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 22457** 

CLASSIFICATION: 03 54 00 Cast Underlayment

PRODUCT DESCRIPTION: LATICRETE® SUPERCAP® SC650 MC is a medium/coarse-sanded, pumpable and pourable, low alkali cement-based, premium self-leveling topping suitable as a high-strength wear surface or underlayment. LATICRETE SUPERCAP SC650 MC is based on a proprietary mineral binder system that is used to finish interior concrete and level uneven floor surfaces. Apply it over concrete and other types of sound substrates before polishing, installing coatings or other flooring systems.

# Section 1: Summary

# **Basic Method / Product Threshold**

#### CONTENT INVENTORY

**Inventory Reporting Format** 

- Nested Materials Method
- Basic Method

**Threshold Disclosed Per** 

- Material
- Product

Threshold level

- C 1,000 ppm C Per GHS SDS
- Other
- Residuals/Impurities
- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No.

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ○ Yes ○ No.

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

LATICRETE® SUPERCAP® SC650 MC [ QUARTZ LT-1 | CAN

PORTLAND CEMENT LT-P1 | END | CAN CALCIUM OXIDE LT-P1

GYPSUM LT-UNK HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED

LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK

UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | CAN | MUL

UNDISCLOSED LT-UNK | EYE SILICA, AMORPHOUS BM-1 | CAN

UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 | CAN CALCIUM

CARBONATE BM-3 LIMESTONE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE Products"

# **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VFRIFIFR.

**VERIFICATION #:** 

SCREENING DATE: 2020-10-13 **PUBLISHED DATE: 2020-10-13** EXPIRY DATE: 2023-10-13



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

# LATICRETE® SUPERCAP® SC650 MC

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at https://laticretesupercap.com for occupational exposure information.

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

QUARTZ						ID: 14808-60-7
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	ry HAZARD SCREENING DATE: 2020-10-13				
%: 52.0000 - 65.0000	GS: <b>LT-1</b>	RC: No	ne	NANO: No	SUBSTANC	E ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	INGS		
CANCER	IARC		Group	1 - Agent is Ca	rcinogenic to h	umans
CANCER	US CDC - Occupational Carcinogens		Occup	ational Carcino	gen	
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or expe		m or exposure route		
CANCER	IARC			1 - Agent is car ational sources	•	ımans - inhaled from
CANCER	US NIH - Report on Carcinogens			to be Human ( ational setting)	Carcinogen (res	pirable size -
CANCER	MAK		Carcino man	ogen Group 1 -	Substances that	at cause cancer in
CANCER	GHS - New Zealand		6.7A - I	Known or presu	umed human ca	rcinogens
CANCER	GHS - Japan		Carcin	ogenicity - Cate	egory 1A [H350]	
CANCER	GHS - Australia		H350i -	- May cause ca	ncer by inhalati	on

PORTLAND CEMENT				ID: 65997-15-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2020-10-13
%: 10.0000 - 20.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	V	/ARNINGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Р	otential Endocrine D	Disruptor
CANCER	MAK		arcinogen Group 3E ut not sufficient for o	3 - Evidence of carcinogenic effects classification

CALCIUM OXIDE ID: 1305-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 9.0000 - 12.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

GYPSUM ID: 13397-24-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 9.0000 - 12.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

HIGH-ALUMINA CEMENT ID: 65997-16-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 5.0000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 2.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 0.5000 - 1,0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 0.5000 - 1.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 0.1000 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 0.0800 - 0.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: 0.0700 - 0.0900 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

GS: LT-1	RC: None		
	1101110110	NANO: <b>No</b>	SUBSTANCE ROLE: Defoamer
AGENCY AND LIST TITLES	WA	ARNINGS	
EU - GHS (H-Statements)	НЗ	ncer	
EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which sh regarded as if they are Carcinogenic to man		
ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive		
EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen on animal evidence		
GHS - Australia	НЗ	50 - May cause ca	ncer
	EU - GHS (H-Statements)  EU - REACH Annex XVII CMRs  ChemSec - SIN List  EU - Annex VI CMRs	EU - GHS (H-Statements)  EU - REACH Annex XVII CMRs  Careg  ChemSec - SIN List  CM  EU - Annex VI CMRs  Carego  ChemSec on	EU - GHS (H-Statements)  EU - REACH Annex XVII CMRs  Carcinogen Category regarded as if they ar  ChemSec - SIN List  CMR - Carcinogen, M  EU - Annex VI CMRs  Carcinogen Category on animal evidence

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### **UNDISCLOSED**

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	2020-10-13	
%: 0.0500 - 0.1000	GS: <b>LT-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	W		
CANCER	EU - GHS (H-Statements)	H3	ancer	
CANCER	EU - REACH Annex XVII CMRs		y 2 - Substances which should be re Carcinogenic to man	
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive To		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen on animal evidence		
CANCER	GHS - Australia	H350 - May cause cancer		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## UNDISCLOSED

	•	HAZARD SCREENING DATE: 2020-10-13			
%: 0.0500 - 0.0700	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES	WA			
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2020-10-13	
%: 0.0500 - 0.1000	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Dispersant	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350i - May cause cancer b			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### **UNDISCLOSED**

ENDOCRINE	TEDX - Potential Endocrine Disruptors	ors Potential Endocrine Disruptor		ine Disruptor	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
%: 0.0100 - 0.0300	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-13			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-13			
%: 0.0020 - 0.0050	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CALCIUM CARBONATE ID: 471-34-1

% Impurity/Pocidual GS: PM-2 PC: None NANO: No SUBSTANCE POLE: Impurity/Pocidu

%: Impurity/Residual GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

LIMESTONE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-13

%: Impurity/Residual GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

AGENCY AND LIST TITLES

None found No warnings found on HPD Priority Hazard Lists

**WARNINGS** 

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

**HAZARD TYPE** 



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-10- EXPIRY DATE:

N/A

13

13

CERTIFIER OR LAB: LATICRETE

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: This product has not yet been tested for VOC emissions.

**VOC CONTENT** 

#### TDS 251 "Low VOC LATICRETE Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-10- EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

**CERTIFICATE URL:** 

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

**WATER** HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE SUPERCAP SC650-MC to be mixed with water only following mix ratio and directions on product data sheet.

# Section 5: General Notes

LATICRETE® SUPERCAP® SC650 MC meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE SUPERCAP SC650 MC does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated Polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203.393.4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

**KEY** 

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) **NoGS** No GreenScreen.

**Recycled Types** 

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created
  after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.