LATICRETE® SUPERCAP® Skimcoat by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22126

CLASSIFICATION: 03 01 00 Maintenance of Concrete

PRODUCT DESCRIPTION: LATICRETE® SUPERCAP® Skimcoat is a premium quality, fast-drying, cement-based underlayment designed for skim-coating, smoothing and leveling prior to the application of floor coverings. Apply from skim depth to 1" (0 - 25 mm). Install finished flooring as soon as 20 minutes after application. This trowel-applied product has a superior creamy consistency making it the ideal choice for skim coat applications.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Rasic Method

Threshold Disclosed Per

Product

Threshold level

C 1,000 ppm

C Per GHS SDS

C Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided or Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

O Yes Ex/SC @ Yes O No.

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE SUPERCAP SKIMCOAT [HIGH-ALUMINA CEMENT LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK PORTLAND CEMENT LT-P1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK GYPSUM LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK EYE LITHIUM CARBONATE LT-1 | DEV | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UN CALCIUM CARBONATE LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional section 3 fo

VOC emissions: UL/GreenGuard Gold Certified (SUPERCAP Skimcoat)

VOC content: TDS 251 "Low VOC LATICRETE® Products'

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFICATION #:

SCREENING DATE: 2020-03-16 PUBLISHED DATE: 2020-10-05

EXPIRY DATE: 2023-03-16



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE SUPERCAP SKIMCOAT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at laticretesupercap.com for occupational exposure information.

HIGH-ALUMINA CEMENT ID: 6599				
HAZARD SCREENING METHOD: Pharos	HAZARD SCREENING D	HAZARD SCREENING DATE: 2020-03-16		
%: 20.0000 - 40.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	INGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

LIMESTONE; CALCIUM CARBONATE	ID: 1317-65-3
------------------------------	----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PORTLAND CEMENT ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: 10.0000 - 30.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 3B - Evid	dence of carcinogenic effects but not sufficient for
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disrupt	or

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16			
	%: 8.0000 - 12.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

None found

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-03-16		
%: 6.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

GYPSUM 1D: 13397-24-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: 5.0000 - 20.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
%: 5.0000 - 8.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING DAT	TE: 2020-03-16	
%: 2.0000 - 4.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16			
	%: 1.0000 - 2.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Viscosity modifier

No warnings found on HPD Priority Hazard Lists

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

SODIUM CARBONATE ID: 497-19-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16		
GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Processing regulator	
AGENCY AND LIST TITLES		WARNINGS		
EU - GHS (H-Statements)		H319 - Causes serious eye irritation		
	GS: LT-UNK AGENCY AND LIST TITLES	GS: LT-UNK RC: None AGENCY AND LIST TITLES	GS: LT-UNK RC: None NANO: NO AGENCY AND LIST TITLES WARNINGS	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

LITHIUM CARBONATE ID: 554-13-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	DATE: 2020-03-16	
%: 0.1000 - 0.3000	gs: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
DEVELOPMENTAL	CA EPA - Prop 65		Developme	ental toxicity
REPRODUCTIVE	GHS - New Zealand		6.8A - Knov	wn or presumed human reproductive or developmental toxicants
REPRODUCTIVE	GHS - Japan		Toxic to re	production - Category 1A [H360]

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-03-16		
%: 0.0500 - 0.1000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING D	HAZARD SCREENING DATE: 2020-03-16		
%: 0.0400 - 0.0500	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Blowing agent	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCREENING	DATE: 2020-03-16	
%: 0.0300 - 0.0500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16			
%: 0.0200 - 0.0400	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	EU - GHS (H-Statements)		H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mu	tagen &/or Reproductive Toxicant	
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carc		B - Presumed Carcinogen based on animal evidence	
CANCER	GHS - Australia	H350 - May cause car		eer	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-16			
%: 0.0200 - 0.0400	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	EU - GHS (H-Statements)		H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mut	tagen &/or Reproductive Toxicant	
CANCER	EU - Annex VI CMRs		Carcinogen Category 1	B - Presumed Carcinogen based on animal evidence	
CANCER	GHS - Australia		H350 - May cause cancer		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-03-16	
%: Impurity/Residual	GS: BM-3	RC: None	nano: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

LIMESTONE; CALCIUM CARBONATE

ID: **1317-65-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-03-16		
	%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified (SUPERCAP Skimcoat)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-09-11

EXPIRY DATE: 2021-07-09

CERTIFIER OR LAB. UL Environment

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL: http://certificates.greenguard.org/default.aspx?

id=98420&t=cs&

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emission and Content Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to all facilities.

CERTIFICATE URL: https://www.laticrete.com/~/media/supportand-downloads/technical-datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions and Content Requirements.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE SUPERCAP Skimcoat to be mixed with water only following mix ratio and directions as stated on product data sheet.

Section 5: General Notes

LATICRETE® SUPERCAP® Skimcoat meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE SUPERCAP Skimcoat does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds Perfluorinated Compounds (PFCs)
 Phthalates (orthophthalates)
 Polychlorinated Biphenyls (PCBs)
 Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticretesupercap.com

CONTACT NAME: Mitch Hawkins TITLE: Technical Services Manager

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eve irritation/corrosivity

GEN Gene mutation

GLO Global warming

NF Not found on Priority Hazard Lists

OZO Ozone depletion

LAN Land toxicity

NEU Neurotoxicity

MUL Multiple

PBT Persistent, bioaccumulative, and toxic

MAM Mammalian/systemic/organ toxicity

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.