# LATICRETE® 125 Sound & Crack Adhesive by LATICRETE International

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: A superior crack prevention and sound isolation adhesive mortar. Independently tested to ANSI A118.12 specification for crack isolation for ceramic tile and stone installations and independently tested to ASTM E2179 and ASTM E492 for impact sound isolation. 125 Sound & Crack Adhesive Λ is a single component adhesive mortar which takes the place of costly time consuming membrane or mat systems by allowing for faster more effective tile or stone installations.



# Section 1: Summary

## **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

- Material
- Product

#### Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

## Residuals/Impurities

- Considered
- C Partially Considered
- O Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE 125 SOUND & CRACK ADHESIVE [ PORTLAND CEMENT LT-P1 END | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK CARBON BLACK (POST-CONSUMER) (CARBON BLACK (POST-CONSUMER)) LT-1 CAN UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-UNK ZINC OXIDE BM-1 | RES | AQU | MUL UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK | CAN UNDISCLOSED Nogs undisclosed BM-1 | CAN MAGNESIUM (MAGNESIUM) LT-UNK CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial No.

#### **INVENTORY AND SCREENING NOTES:**

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

## CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (125 Sound & Crack Adhesive) VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? **SCREENING DATE: 2019-01-08** PREPARER: Self-Prepared

C Yes No

VERIFIER: PUBLISHED DATE: 2019-01-08 VERIFICATION #: EXPIRY DATE: 2022-01-08



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### **LATICRETE 125 SOUND & CRACK ADHESIVE**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

but not sufficient for classification

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

**PORTLAND CEMENT** ID: 65997-15-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-08 GS: LT-P1 %: 35,0000 - 40,0000 BOLE: Binder RC: None NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: <b>2019-01</b>	-08
%: <b>20.0000 - 28.0000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCREENIN	NG DATE: <b>2019-01-0</b>	8
%: <b>15.0000 - 20.0000</b>	GS: LT-UNK	RC: PostC	nano: <b>No</b>	ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

# CARBON BLACK (POST-CONSUMER) (CARBON BLACK (POST-CONSUMER))

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08		
%: 8.0000 - 11.0000	RC: PostC	nano: <b>No</b>	ROLE: Filler Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupationa	l Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen -	specific to cher	nical form or exposure route
CANCER	IARC	Group 2B - F	,	genic to humans - inhaled from
CANCER	МАК	_	Group 3B - Evide	ence of carcinogenic effects ation

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-01-08			
%: 4.0000 - 8.0000	gs: LT-1	RC: None	RC: None NANO: No ROLE: Filler			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	EU - GHS (H-Statements)	H350 - May cau	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs	•	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcino	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
CANCER	EU - Annex VI CMRs	•	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence			
CANCER	Australia - GHS	H350 - May cau	H350 - May cause cancer			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-08

%: 1.0000 - 1.5000 GS: LT-UNK RC: None NANO: No ROLE: Cure Accelerator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

#### No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08		
%: <b>0.5000 - 0.6000</b>	GS: <b>NoGS</b>	RC: None NANO: No	ROLE: Working Time Adjuster	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: <b>P</b>	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	0-01-08
%: <b>0.2000 - 0.5000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Cure Accelerator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pr	naros Chemical and Materials Library	HAZARD SCREEN	ING DATE: <b>2019-</b>	01-08
%: <b>0.0500 - 0.1500</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Water Reducer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemic	cal and Materials Library	HAZARD SCREE	NING DATE: <b>2019-01-0</b>	8
%: <b>0.0500 - 0.1000</b>	GS: LT-P1	RC: None	NANO: <b>No</b>	ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-08		
%: <b>0.0500 - 0.1000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**ZINC OXIDE** ID: 1314-13-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08			
%: 0.0500 - 0.2500	GS: <b>BM-1</b>	RC: None	RC: None NANO: No ROLE: Cross Linker		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmag	Asthmagen (Rs) - sensitizer-induced		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - V	H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - V	ery toxic to aquation	c life with long lasting effects	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 -	Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08		
%: 0.0100 - 0.0200	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-01-08		
%: <b>0.0100 - 0.0200</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Working Time Adjuster	
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS		
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08			
%: 0.0100 - 0.0200	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Anti-Microbial	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08			
%: 0.0050 - 0.0100	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Reinforcing Fibers	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN			
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08		
%: <b>0.0050 - 0.0150</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Rheology Modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-01-08			
%: 0.0010 - 0.0030	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	IARC	Group 2B - Pos	Group 2B - Possibly carcinogenic to humans			
CANCER	MAK	•	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**MAGNESIUM (MAGNESIUM)** ID: 1327-43-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08			
%: Impurity/Residual	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS .		
	No hazards found				

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

**CALCIUM CARBONATE** ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08		
%: Impurity/Residual	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

#### **LIMESTONE; CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08		
%: Impurity/Residual	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS.	

#### No hazards found

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **UL GreenGuard Gold (125 Sound & Crack Adhesive)**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities.

07-07

07-09

Environment

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=68835&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" emissions requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2-2017 in an office and classroom environment.

#### VOC CONTENT

#### TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

12-18

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-

and-downloads/technical-

datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

#### **LCA**

## **LATICRETE Cement Mortar for Tile Installation Product Specific** (Type III) Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities in

11-29

11-28

Environment

North America

CERTIFICATE URL:

https://laticrete.com/~/media/environmentalproduct-data-sheets/cement-mortar-for-tile-

installation.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HPD URL: No HPD Available WATER

LATICRETE 125 Sound & Crack Adhesive to be mixed with water only following the mix ratio and directions as stated in the product data sheet.



## Section 5: General Notes

LATICRETE® 125 Sound & Crack Adhesive meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 125 Sound & Crack Adhesive does not contain the following: •Alkylphenols •Asbestos •Bisphenol A (BPA) •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Chloroprene (Neoprene) •Chromium VI •Chlorinated Polyvinyl Chloride (CPVC) •Formaldehyde (all types added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs) Perfluorinated Compounds (PFCs)
 Phthalates
 Polyvinyl Chloride (PVC)
 Polyvinylidene Chloride (PVDC)
 Short Chain Chlorinated Paraffins •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. LATICRETE 125 Sound & Crack Adhesive also does not contain the following California-defined Group II toxic exempt solvents: Methylene Chloride (Dichloromethane)
 1,1,1-trichloroethane (methyl chloroform)
 Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2tetrafluoroethane (CFC-114) • Chloropentafluoroethane (CFC-115) • Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane )HCFC-151a)

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark) **NoGS** Unknown (no data on List Translator Lists)

**Inventory Methods:** 

**Other Terms** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.