

CLASSIFICATION: 09 30 00

PRODUCT DESCRIPTION: LATAPOXY 210 Adhesive is a modified emulsion epoxy adhesive designed for the installation and grouting of ceramic tile and stone on most sound, clean surfaces. LATAPOXY 210 Adhesive is a factory proportioned kit consisting of emulsified epoxy resin and hardener, and pre-blended portland cement and silica sand powder.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

LATAPOXY 210 ADHESIVE [QUARTZ **LT-1** | CAN PORTLAND CEMENT **LT-P1** | END | CAN UNDISCLOSED **BM-4** POLYETHYLENEPOLYAMINE, DIMER FATTY ACID CONDENSATE **LT-P1** | MUL BISPHENOL A DIGLYCIDYL ETHER (BADGE) **LT-P1** | END FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL **LT-P1** | MUL UNDISCLOSED **LT-P1** | END | MUL ALKYL (C12, C14) GLYCIDYL ETHER **LT-P1** | SKI | MUL UNDISCLOSED **LT-UNK** OCTAMETHYLCYCLOTETRAISILOXANE (D4) **BM-1** | END | PBT | MUL | REP UNDISCLOSED **LT-P1** | SKI UNDISCLOSED **LT-P1** | MUL UNDISCLOSED **LT-UNK** UNDISCLOSED **LT-UNK** UNDISCLOSED **BM-2** | END | MUL | SKI DISTILLATE FUEL OILS, LIGHT (DISTILLATE FUEL OILS, LIGHT) **BM-2** | MAM | CAN UNDISCLOSED **LT-P1** | MUL UNDISCLOSED **BM-2** | CAN | PHY | END | REP | DEL UNDISCLOSED **LT-P1** | MUL TITANIUM DIOXIDE **LT-1** | CAN | END UNDISCLOSED **LT-P1** | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: N/A
VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2018-10-25

PUBLISHED DATE: 2018-10-25

EXPIRY DATE: 2021-10-25



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LATAPOXY 210 ADHESIVE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS for LATAPOXY 210 Adhesive Part A and LATAPOXY 210 Part B for occupational exposure information.

QUARTZ

ID: 14808-60-7

%: 30.0000 - 45.0000	GS: LT-1	RC: None	NANO: No	ROLE: Aggregate
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PORTLAND CEMENT

ID: 65997-15-1

%: 30.0000 - 45.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Binder
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

#: **8.0000 - 16.0000** GS: **BM-4** RC: **None** NANO: **No** ROLE: **Diluent**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

POLYETHYLENEPOLYAMINE, DIMER FATTY ACID CONDENSATE

ID: **68410-23-1**

#: **1.0000 - 3.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Hardener**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

BISPHENOL A DIGLYCIDYL ETHER (BADGE)

ID: **25085-99-8**

#: **1.0000 - 3.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Resin**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

EU - Priority Endocrine Disruptors

Category 2 - In vitro evidence of biological activity related to Endocrine Disruption

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL

ID: **9003-36-5**

#: **0.3000 - 0.5000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Resin**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

%: **0.1000 - 0.5000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Wetting Agent**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

ChemSec - SIN List

Endocrine Disruption

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

ALKYL (C12, C14) GLYCIDYL ETHERID: **68609-97-2**

%: **0.1000 - 0.3000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Resin**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

%: **0.0500 - 0.1500** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Rheology Modifier**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

OCTAMETHYLCYCLOTETRASILOXANE (D4)ID: **556-67-2**

%: **0.0100 - 0.0150** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Defoamer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

EU - Priority Endocrine Disruptors

Category 1 - In vivo evidence of Endocrine Disruption Activity

PBT

EU - ESIS PBT

Under PBT evaluation

PBT	EU - SVHC Authorisation List	PBT - Candidate list
PBT	EU - SVHC Authorisation List	vPvB - Candidate list
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

#: **0.0100 - 0.0200** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **pH Adjuster**

HAZARDS: AGENCY(IES) WITH WARNINGS:

SKIN IRRITATION EU - GHS (H-Statements) H314 - Causes severe skin burns and eye damage

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: **0.0050 - 0.0100** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Surfactant**

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: 0.0030 - 0.0050

GS: LT-UNK

RC: None

NANO: No

ROLE: Surfactant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: 0.0030 - 0.0040

GS: LT-UNK

RC: None

NANO: No

ROLE: Surfactant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: 0.0020 - 0.0030

GS: BM-2

RC: None

NANO: No

ROLE: Preservative

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

DISTILLATE FUEL OILS, LIGHT (DISTILLATE FUEL OILS, LIGHT)

ID: 64742-47-8

#: 0.0020 - 0.0030

GS: BM-2

RC: None

NANO: No

ROLE: Thickener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: 0.0020 - 0.0400

GS: LT-P1

RC: None

NANO: No

ROLE: Thickener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: 0.0001 - 0.0002

GS: BM-2

RC: None

NANO: No

ROLE: Co-Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 1 - Agent is Carcinogenic to humans

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H225 - Highly flammable liquid and vapour

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels

CANCER

Japan - GHS

Carcinogenicity - Category 1A

REPRODUCTIVE

Japan - GHS

Toxic to reproduction - Category 1A

DEVELOPMENTAL

CA EPA - Prop 65

Developmental - specific to chemical form or exposure route

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: 0.0001 - 0.0002

GS: LT-P1

RC: None

NANO: No

ROLE: Surfactant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

TITANIUM DIOXIDE

ID: 13463-67-7

#: 0.0000 - 1.0000

GS: LT-1

RC: None

NANO: No

ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

%: **0.0000 - 0.0010** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Thickener**

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

07-26

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2016-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to all facilities.**

07-07

CERTIFICATE URL:

https://www.laticrete.com/~/_/media/support-and-downloads/technical-datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" Content Requirements.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

LATAPOXY® 210 Adhesive does not meet Living Building Challenge requirements because it does contain a component which is found on the Red Listed Materials or Chemicals. Specifically, LATAPOXY 210 Adhesive contains Bisphenol A Diglycidyl Ether (BADGE) and Octamethylcyclotetrasiloxane (D4) as stated in Section 2 of this HPD.



MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**

ADDRESS: **1 Laticrete Park North**

Bethany CT 06524, USA

WEBSITE: **www.laticrete.com**

CONTACT NAME: **Mitch Hawkins**

TITLE: **Technical Services Manager**

PHONE: **203-393-4619**

EMAIL: **wmhawkins@laticrete.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.