LATICRETE® 211 Powder (Grey) by LATICRETE International

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00

PRODUCT DESCRIPTION: LATICRETE 211 Powder is a factory prepared blend of carefully selected raw materials, portland cement and graded aggregates. Designed for use with LATICRETE 4237 Latex Additive to produce a high strength adhesive for ceramic tile and stone that meets and exceeds the requirements of national and international standards.



Section 1: Summary

Basic Method / Product Threshold

			RY

Inventory Reporting Format						
Nested Materials Method						
Basic Method						
Threshold Disclosed Per						

•	comora	D100100
O	Material	
0	Product	

Threshold	level
⊙ 100 ppm	

C 1,000 ppm Per GHS SDS Per OSHA MSDS

C Other

2	es	idı	ıal	s/	lm	่อเ	ıri	ti	es
1	CS	IUI	aaı	3/		μı	411	CI.	CO

Considered

C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC Yes No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® 211 POWDER (GREY) [QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN CALCIUM CARBONATE BM-3 LIMESTONE;

CALCIUM CARBONATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (211 Powder) VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No
 No

PREPARER: Self-Prepared

VFRIFIFR: VERIFICATION #: SCREENING DATE: 2019-01-08 PUBLISHED DATE: 2019-01-08 EXPIRY DATE: 2022-01-08



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LATICRETE® 211 POWDER (GREY)

PRODUCT THRESHOLD: 100 ppm

OLIART7

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

AZARD SCREENING METHOD: Pha	HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-08				
6: 45.0000 - 55.0000	GS: LT-1	RC: None	RC: None NANO: No ROLE: Aggregate			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	IARC	Group 1 -	Agent is Carcinoge	enic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupation	onal Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure ro				
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled froccupational sources				
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)				
CANCER	MAK	Carcinoge man	en Group 1 - Substa	ances that cause cancer in		
CANCER	New Zealand - GHS	6.7A - Kno	own or presumed h	uman carcinogens		
CANCER	Japan - GHS	Carcinoge	enicity - Category 1	A		
CANCER	Australia - GHS	H350i - M	ay cause cancer by	/ inhalation		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PORTLAND CEMENT				ID: 65997-15	5-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-01-08		
%: 45.0000 - 55.0000	GS: LT-P1	RC: None	nano: No	ROLE: Binder	

ID. 14808-60-7

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

CALCIUM CARBONATE ID: 471-34-1

HAZARD SCREENING METHOD: Pharo	HAZARD SCREENING DATE: 2019-01-08			
%: Impurity/Residual	GS: BM-3	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE AGENCY AND LIST TITLES		WARNIN	IGS	
No hazards found				

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos	HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-08			
%: Impurity/Residual GS: LT-UNK		RC: None	NANO: No	ROLE: Impurity/Residual	
HAZARD TYPE AGENCY AND LIST TITLES		WARNING	S		
No hazards found					

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard Gold (211 Powder)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities

07-07

07-09

Environment

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=5874&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2-2017 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2016-

07-07

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to all facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-

and-downloads/technical-

datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

LCA

LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities in

11-29

11-28

Environment

North America

CERTIFICATE URL:

https://laticrete.com/~/media/environmentalproduct-data-sheets/cement-mortar-for-tile-

installation.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

LATICRETE 4237 LATEX ADDITIVE

HPD URL: https://cdn.laticrete.com/~/media/healthproduct-datasheets/tsis/4237-hpd.ashx?la=en

LATICRETE 211 Powder (Grey) to be mixed with LATICRETE 4237 Latex Additive only following mix ratio and directions as stated in product data sheet.



Section 5: General Notes

LATICRETE® 211 Powder (Grey) meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 211 Powder (Grey) does not contain the following: •Alkylphenols •Asbestos •Bisphenol A (BPA) •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Chloroprene (Neoprene) •Chromium VI •Chlorinated Polyvinyl Chloride (CPVC) •Formaldehyde (all types added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs) •Perfluorinated Compounds (PFCs) •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC) •Short Chain Chlorinated Paraffins •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. LATICRETE 211 Powder (Grey) also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

NoGS Unknown (no data on List Translator Lists)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.