# **LATICRETE® 255 MULTIMAX (White)** by LATICRETE International

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 30 00

PRODUCT DESCRIPTION: LATICRETE® 255 MULTIMAX™ is a patented, lightweight versatile polymer fortified thin-set that provides maximum non-sag performance on walls, maximum buildup of up to 3/4" (19mm) without shrinkage for floors and maximum coverage due to its lightweight creamy, smooth consistency.



# Section 1: Summary

## **Basic Method / Product Threshold**

#### CONTENT INVENTORY

Inventory Reporting Format
Nested Materials Method
Basic Method

## **Threshold Disclosed Per**

Material Product

Th	re	shold	level

- € 100 ppm C 1,000 ppm
- Per GHS SDS Per OSHA MSDS
- C Other

## Residuals/Impurities

- Considered
- C Partially Considered Not Considered
- Explanation(s) provided
- for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened

All substances screened using Priority Hazard Lists with results disclosed

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

LATICRETE 255 MULTIMAX (WHITE) [ PORTLAND CEMENT LT-P1 | END | CAN UNDISCLOSED LT-UNK QUARTZ LT-1 | CAN UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-UNK CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

## CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (255 MULTIMAX) VOC content: TDS 251 "Low VOC LATICRETE® Products" LCA: LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** 

SCREENING DATE: 2019-01-08 PUBLISHED DATE: 2019-01-08 EXPIRY DATE: 2022-01-08



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

## **LATICRETE 255 MULTIMAX (WHITE)**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

PORTLAND CEMENT		ID: <b>65997-15-1</b>		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	08	
%: <b>40.0000 - 50.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	locrine Disruptor	
CANCER	MAK	•	Group 3B - Evidence	of carcinogenic effects

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-08		
%: 20.0000 - 30.0000	GS: LT-UNK	RC: PreC	nano: <b>No</b>	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

**QUARTZ** ID: 14808-60-7

%: 10.0000 - 20.0000 GS: LT-1 RC: None NANO: **No ROLE: Aggregate** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-08

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2019-01-08			
%: <b>8.0000 - 15.0000</b>	GS: LT-UNK	RC: PostC	NANO: <b>No</b>	ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	EU - GHS (H-Statements)	H351 - Suspected	H351 - Suspected of causing cancer			

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-08		
%: <b>2.5000 - 6.0000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-01-08

%: <b>0.2000 - 0.7500</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Cure Time Adjuster

WARNINGS

No hazards found

AGENCY AND LIST TITLES

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD TYPE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-08		
%: <b>0.1000 - 0.3000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Cure Accelerator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08		
%: 0.0050 - 0.0100	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Anti-Microbial
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 -	· Severe Hazard t	o Waters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-01-08			
%: 0.0050 - 0.0100	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Reinforcing Fibers		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	as .			
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification				

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## UNDISCLOSED

	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-01-08		
%: <b>0.0030 - 0.0050</b> GS: <b>LT-UNK</b>		GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Rheology Modifier	
	HAZARD TYPE AGENCY AND LIST TITLES		WARNING	3		
		No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08			
%: Impurity/Residual	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN			
	No hazards found				

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

# LIMESTONE; CALCIUM CARBONATE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-01-08			
%: Impurity/Residual	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	SS		
	No hazards found				

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

**CALCIUM CARBONATE** 

ID: 471-34-1



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

## **UL GreenGuard Gold (255 MULTIMAX)**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities.

07-07

07-09

Environment

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=2541&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2-2017 in an office and classroom environment.

## VOC CONTENT

## TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

12-18

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-

and-downloads/technical-

datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

## **LCA**

## **LATICRETE Cement Mortar for Tile Installation Product Specific** (Type III) Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities in

11-29

11-28

**Environment** 

North America

CERTIFICATE URL:

https://laticrete.com/~/media/environmentalproduct-data-sheets/cement-mortar-for-tile-

installation.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER HPD URL: No HPD Available LATICRETE 255 MULTIMAX (White) to be mixed with water only following mix ratio and directions as stated in product data sheet.



# Section 5: General Notes

LATICRETE® 255 MULTIMAX™ (White) meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 255 MULTIMAX (White) does not contain the following: •Alkylphenols •Asbestos •Bisphenol A (BPA) •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Chloroprene (Neoprene) •Chromium VI •Chlorinated Polyvinyl Chloride (CPVC) •Formaldehyde (all types added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs) Perfluorinated Compounds (PFCs)
 Phthalates
 Polyvinyl Chloride (PVC)
 Polyvinylidene Chloride (PVDC)
 Short Chain Chlorinated Paraffins •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. LATICRETE 255 MULTIMAX (White) also does not contain the following California-defined Group II toxic exempt solvents: Methylene Chloride (Dichloromethane)
 1,1,1-trichloroethane (methyl chloroform)
 Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2tetrafluoroethane (CFC-114) • Chloropentafluoroethane (CFC-115) • Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane )HCFC-151a)

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

## **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

CAN Cancer

**DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

NEU Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

## Other Terms

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.