

HPD UNIQUE IDENTIFIER: 22040

CLASSIFICATION: 09 34 00 Waterproofing-Membrane Tiling

PRODUCT DESCRIPTION: A thin, load-bearing waterproofing designed specifically for the special requirements of ceramic tile, stone and brick installations. A self-curing liquid rubber polymer and a reinforcing fabric are quickly applied to form a flexible, seamless waterproofing membrane that bonds to a wide variety of substrates.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method
- Basic Method

#### Threshold Disclosed Per

- Material
- Product

#### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

#### Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

#### Characterized

- Yes Ex/SC
  - Yes
  - No
- % weight and role provided for all substances.

#### Screened

- Yes Ex/SC
  - Yes
  - No
- All substances screened using Priority Hazard Lists with results disclosed.

#### Identified

- Yes Ex/SC
  - Yes
  - No
- One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

LATICRETE 9235 WATERPROOFING MEMBRANE [ WATER BM-4 UNDISCLOSED LT-UNK UNDISCLOSED NoGS CARBON BLACK BM-1 | CAN ETHYLENE GLYCOL BM-1 | DEV | END UNDISCLOSED LT-P1 | END | MUL UNDISCLOSED LT-UNK ZINC OXIDE BM-1 | RES | AQU | MUL | END UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-P1 | SKI UNDISCLOSED BM-2 | END | MUL | SKI | AQU | MAM | EYE UNDISCLOSED BM-1 | MUL | END UNDISCLOSED BM-2 | CAN | PHY | END | DEV | REP UNDISCLOSED LT-P1 | AQU | SKI | EYE | MUL LIMESTONE; CALCIUM CARBONATE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 2.39 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard (9235)

VOC content: TDS 251 "Low VOC LATICRETE® Products"

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-10-01

PUBLISHED DATE: 2020-10-01

EXPIRY DATE: 2023-10-01

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### LATICRETE 9235 WATERPROOFING MEMBRANE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information.

#### WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-01

%: 40.0000 - 45.0000

GS: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Diluent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-01

%: 25.0000 - 35.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-01

%: 18.0000 - 25.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

#### CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-01

%: 1.0000 - 3.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES            | WARNINGS                                                                                     |
|-------------|-----------------------------------|----------------------------------------------------------------------------------------------|
| CANCER      | US CDC - Occupational Carcinogens | Occupational Carcinogen                                                                      |
| CANCER      | CA EPA - Prop 65                  | Carcinogen - specific to chemical form or exposure route                                     |
| CANCER      | IARC                              | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources               |
| CANCER      | MAK                               | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## ETHYLENE GLYCOL

ID: 107-21-1

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                                                  | HAZARD SCREENING DATE: <b>2020-10-01</b>                   |                 |                                    |
|-----------------------------------------------------------------------|--------------------------------------------------|------------------------------------------------------------|-----------------|------------------------------------|
| %: <b>1.0000 - 2.0000</b>                                             | GS: <b>BM-1</b>                                  | RC: <b>None</b>                                            | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Anti-freeze</b> |
| HAZARD TYPE                                                           | AGENCY AND LIST TITLES                           | WARNINGS                                                   |                 |                                    |
| DEVELOPMENTAL                                                         | US NIH - Reproductive & Developmental Monographs | Clear Evidence of Adverse Effects - Developmental Toxicity |                 |                                    |
| ENDOCRINE                                                             | TEDX - Potential Endocrine Disruptors            | Potential Endocrine Disruptor                              |                 |                                    |
| DEVELOPMENTAL                                                         | CA EPA - Prop 65                                 | Developmental toxicity                                     |                 |                                    |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                                             | HAZARD SCREENING DATE: <b>2020-10-01</b> |                 |                                   |
|-----------------------------------------------------------------------|---------------------------------------------|------------------------------------------|-----------------|-----------------------------------|
| %: <b>0.3000 - 0.8000</b>                                             | GS: <b>LT-P1</b>                            | RC: <b>None</b>                          | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Surfactant</b> |
| HAZARD TYPE                                                           | AGENCY AND LIST TITLES                      | WARNINGS                                 |                 |                                   |
| ENDOCRINE                                                             | ChemSec - SIN List                          | Endocrine Disruption                     |                 |                                   |
| ENDOCRINE                                                             | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor            |                 |                                   |
| MULTIPLE                                                              | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters        |                 |                                   |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                        | HAZARD SCREENING DATE: <b>2020-10-01</b>       |                 |                                           |
|-----------------------------------------------------------------------|------------------------|------------------------------------------------|-----------------|-------------------------------------------|
| %: <b>0.2000 - 0.5000</b>                                             | GS: <b>LT-UNK</b>      | RC: <b>None</b>                                | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Viscosity modifier</b> |
| HAZARD TYPE                                                           | AGENCY AND LIST TITLES | WARNINGS                                       |                 |                                           |
| None found                                                            |                        | No warnings found on HPD Priority Hazard Lists |                 |                                           |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## ZINC OXIDE

ID: 1314-13-2

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                 | HAZARD SCREENING DATE: <b>2020-10-01</b> |                 |                                             |
|-----------------------------------------------------------------------|-----------------|------------------------------------------|-----------------|---------------------------------------------|
| %: <b>0.1500 - 0.2500</b>                                             | GS: <b>BM-1</b> | RC: <b>None</b>                          | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Processing regulator</b> |

| HAZARD TYPE   | AGENCY AND LIST TITLES                      | WARNINGS                                                    |
|---------------|---------------------------------------------|-------------------------------------------------------------|
| RESPIRATORY   | AOEC - Asthmagens                           | Asthmagen (Rs) - sensitizer-induced                         |
| ACUTE AQUATIC | EU - GHS (H-Statements)                     | H400 - Very toxic to aquatic life                           |
| CHRON AQUATIC | EU - GHS (H-Statements)                     | H410 - Very toxic to aquatic life with long lasting effects |
| MULTIPLE      | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                  |
| ENDOCRINE     | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor                               |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2020-10-01</b>                                                       |                 |                                 |
|-----------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------------------------------|-----------------|---------------------------------|
| %: <b>0.1000 - 0.2000</b>                                             | GS: <b>LT-1</b>            | RC: <b>None</b>                                                                                | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Defoamer</b> |
| HAZARD TYPE                                                           | AGENCY AND LIST TITLES     | WARNINGS                                                                                       |                 |                                 |
| CANCER                                                                | EU - GHS (H-Statements)    | H350 - May cause cancer                                                                        |                 |                                 |
| CANCER                                                                | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |                 |                                 |
| MULTIPLE                                                              | ChemSec - SIN List         | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant                                           |                 |                                 |
| CANCER                                                                | EU - Annex VI CMRs         | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence                          |                 |                                 |
| CANCER                                                                | GHS - Australia            | H350 - May cause cancer                                                                        |                 |                                 |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                         | HAZARD SCREENING DATE: <b>2020-10-01</b>       |                 |                               |
|-----------------------------------------------------------------------|-------------------------|------------------------------------------------|-----------------|-------------------------------|
| %: <b>0.0500 - 0.1000</b>                                             | GS: <b>LT-P1</b>        | RC: <b>None</b>                                | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Buffer</b> |
| HAZARD TYPE                                                           | AGENCY AND LIST TITLES  | WARNINGS                                       |                 |                               |
| SKIN IRRITATION                                                       | EU - GHS (H-Statements) | H314 - Causes severe skin burns and eye damage |                 |                               |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                 | HAZARD SCREENING DATE: <b>2020-10-01</b> |                 |                                |
|-----------------------------------------------------------------------|-----------------|------------------------------------------|-----------------|--------------------------------|
| %: <b>0.0100 - 0.0300</b>                                             | GS: <b>BM-2</b> | RC: <b>None</b>                          | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Biocide</b> |

| HAZARD TYPE     | AGENCY AND LIST TITLES                      | WARNINGS                                                    |
|-----------------|---------------------------------------------|-------------------------------------------------------------|
| ENDOCRINE       | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor                               |
| MULTIPLE        | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters                           |
| SKIN SENSITIZE  | MAK                                         | Sensitizing Substance Sh - Danger of skin sensitization     |
| ACUTE AQUATIC   | EU - GHS (H-Statements)                     | H400 - Very toxic to aquatic life                           |
| CHRON AQUATIC   | EU - GHS (H-Statements)                     | H410 - Very toxic to aquatic life with long lasting effects |
| MAMMALIAN       | EU - GHS (H-Statements)                     | H301 - Toxic if swallowed                                   |
| MAMMALIAN       | EU - GHS (H-Statements)                     | H311 - Toxic in contact with skin                           |
| SKIN IRRITATION | EU - GHS (H-Statements)                     | H314 - Causes severe skin burns and eye damage              |
| SKIN SENSITIZE  | EU - GHS (H-Statements)                     | H317 - May cause an allergic skin reaction                  |
| EYE IRRITATION  | EU - GHS (H-Statements)                     | H318 - Causes serious eye damage                            |
| MAMMALIAN       | EU - GHS (H-Statements)                     | H330 - Fatal if inhaled                                     |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                                             | HAZARD SCREENING DATE: <b>2020-10-01</b> |                 |                                |
|-----------------------------------------------------------------------|---------------------------------------------|------------------------------------------|-----------------|--------------------------------|
| %: <b>0.0100 - 0.0300</b>                                             | GS: <b>BM-1</b>                             | RC: <b>None</b>                          | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Biocide</b> |
| HAZARD TYPE                                                           | AGENCY AND LIST TITLES                      | WARNINGS                                 |                 |                                |
| MULTIPLE                                                              | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters        |                 |                                |
| ENDOCRINE                                                             | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor            |                 |                                |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |                                       | HAZARD SCREENING DATE: <b>2020-10-01</b>                                             |                 |                                |
|-----------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------------------------|-----------------|--------------------------------|
| %: <b>0.0050 - 0.0060</b>                                             | GS: <b>BM-2</b>                       | RC: <b>None</b>                                                                      | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Solvent</b> |
| HAZARD TYPE                                                           | AGENCY AND LIST TITLES                | WARNINGS                                                                             |                 |                                |
| CANCER                                                                | IARC                                  | Group 1 - Agent is Carcinogenic to humans                                            |                 |                                |
| CANCER                                                                | CA EPA - Prop 65                      | Carcinogen - specific to chemical form or exposure route                             |                 |                                |
| PHYSICAL HAZARD (REACTIVE)                                            | EU - GHS (H-Statements)               | H225 - Highly flammable liquid and vapour                                            |                 |                                |
| ENDOCRINE                                                             | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                                                        |                 |                                |
| CANCER                                                                | MAK                                   | Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels |                 |                                |
| DEVELOPMENTAL                                                         | CA EPA - Prop 65                      | Developmental - specific to chemical form or exposure route                          |                 |                                |
| CANCER                                                                | GHS - Japan                           | Carcinogenicity - Category 1A [H350]                                                 |                 |                                |
| REPRODUCTIVE                                                          | GHS - Japan                           | Toxic to reproduction - Category 1A [H360]                                           |                 |                                |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

| HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b> |  | HAZARD SCREENING DATE: <b>2020-10-01</b> |  |  |
|-----------------------------------------------------------------------|--|------------------------------------------|--|--|
|-----------------------------------------------------------------------|--|------------------------------------------|--|--|

%: 0.0010 - 0.0030

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Biocide

| HAZARD TYPE     | AGENCY AND LIST TITLES                      | WARNINGS                                                |
|-----------------|---------------------------------------------|---------------------------------------------------------|
| ACUTE AQUATIC   | EU - GHS (H-Statements)                     | H400 - Very toxic to aquatic life                       |
| SKIN IRRITATION | EU - GHS (H-Statements)                     | H315 - Causes skin irritation                           |
| SKIN SENSITIZE  | EU - GHS (H-Statements)                     | H317 - May cause an allergic skin reaction              |
| EYE IRRITATION  | EU - GHS (H-Statements)                     | H318 - Causes serious eye damage                        |
| MULTIPLE        | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                              |
| SKIN SENSITIZE  | MAK                                         | Sensitizing Substance Sh - Danger of skin sensitization |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

**LIMESTONE; CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-01

%: Impurity/Residual

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Impurity/Residual

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS                                       |
|-------------|------------------------|------------------------------------------------|
| None found  |                        | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

#### UL GreenGuard (9235)

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2009-07-07**

EXPIRY DATE: **2021-12-09**

CERTIFIER OR LAB: **UL Environment**

APPLICABLE FACILITIES: **Applies to All Facilities.**

CERTIFICATE URL:

<http://certificates.ulenvironment.com/default.aspx?id=2538&t=cs>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.**

### VOC CONTENT

#### TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-08-12**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

CERTIFICATE URL: <https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Waterproofing Sealers).**

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### LATICRETE WATERPROOFING/ANTI-FRACTURE FABRIC

HPD URL: <https://cdn.laticrete.com/~media/health-product-datasheets/tsis/waterproofing-anti-fracture-fabric-hpd.ashx>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE 9235 Waterproofing Membrane must be used with LATICRETE Waterproofing/Anti-Fracture Fabric following the directions as stated in the product data sheet.

## Section 5: General Notes

LATICRETE® 9235 Waterproofing Membrane meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 9235 Waterproofing Membrane does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International
ADDRESS: 1 Laticrete Park North
Bethany CT 06524, USA
WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins
TITLE: Senior Manager, Technical Services
PHONE: 203.393.4619
EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

- BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

- PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.