

CLASSIFICATION: 09 30 00

PRODUCT DESCRIPTION: A superior crack prevention and sound isolation adhesive mortar. Independently tested to ANSI A118.12 specification for crack isolation for ceramic tile and stone installations and independently tested to ASTM E2179 and ASTM E492 for impact sound isolation. 125 TRI MAX is a single component adhesive mortar which takes the place of costly time consuming membrane or mat systems by allowing for faster more effective tile or stone installations

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® 125 TRI-MAX [LIMESTONE, CALCIUM CARBONATE LT-UNK
STYRENE BUTADIENE RUBBER (SBR) LT-UNK UNDISCLOSED LT-UNK
HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED LT-P1 CARBON BLACK
LT-1 | CAN DISTILLATES (PETROLEUM), SOLVENT-REFINED (MILD)
HEAVY PARAFFINIC (9CI) LT-1 | CAN | MUL UNDISCLOSED LT-P1 | CAN
UNDISCLOSED LT-UNK CELLULOSE, MICROCRYSTALLINE NoGS
UNDISCLOSED LT-UNK | CAN UNDISCLOSED LT-P1 | MUL UNDISCLOSED
NoGS UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED
LT-UNK | CAN UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-1 | DEL |
PHY | MAM | END | MUL | REP UNDISCLOSED BM-1 | CAN | PHY | EYE | END
| GEN | REP UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN
UNDISCLOSED LT-UNK | PHY | EYE MAGNESIUM LT-UNK CALCIUM
CARBONATE BM-3 LIMESTONE, CALCIUM CARBONATE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A
VOC content: TDS 251 "Low VOC LATICRETE Products"
LCA: LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2019-01-24

Yes
 No

VERIFIER:
VERIFICATION #:

PUBLISHED DATE: 2019-04-12
EXPIRY DATE: 2022-01-24



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LATICRETE® 125 TRI-MAX

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-24

#: 20.0000 - 28.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-24

#: 18.0000 - 28.0000

GS: LT-UNK

RC: PostC

NANO: No

ROLE: Recycled Content

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-24

#: 18.0000 - 28.0000

GS: LT-UNK

RC: None

NANO: No

ROLE: Polymer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

HIGH-ALUMINA CEMENT

ID: 65997-16-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **10.0000 - 15.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **8.0000 - 15.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Polymer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **6.0000 - 12.0000**

GS: **LT-1**

RC: **PostC**

NANO: **No**

ROLE: **Recycled Content**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

DISTILLATES (PETROLEUM), SOLVENT-REFINED (MILD) HEAVY PARAFFINIC (9CI)

ID: 64741-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **2.0000 - 4.0000**

GS: **LT-1**

RC: **PostC**

NANO: **No**

ROLE: **Recycled Content**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.4000 - 0.5000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Rheology Modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.3000 - 0.4000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Resin**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

CELLULOSE, MICROCRYSTALLINE

ID: **9004-34-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.2500 - 0.5000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Rheology Modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.1000 - 0.2000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Resin**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: **The amount of this component may vary based on plant of manufacture.**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.1000 - 0.1500**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Cure Accelerator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: **The amount of this component may vary based on plant of manufacture.**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.0500 - 0.1000**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Water Reducer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **The amount of this component may vary based on plant of manufacture.**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.0100 - 0.0200**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Cure Accelerator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **The amount of this component may vary based on plant of manufacture.**

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-24**%: **0.0100 - 0.0250**GS: **BM-1**RC: **None**NANO: **No**ROLE: **Anti-Microbial**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: **The amount of this component may vary based on plant of manufacture.****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-24**%: **0.0050 - 0.0100**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Strength Enhancer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER**MAK**

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: **The amount of this component may vary based on plant of manufacture.****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-24**%: **0.0050 - 0.0100**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Water Reducer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

Japan - GHS

Carcinogenicity - Category 1A

CANCER

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: **The amount of this component may vary based on plant of manufacture.****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-24**%: **0.0020 - 0.0030**GS: **BM-1**RC: **None**NANO: **No**ROLE: **Resin**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ORGAN TOXICANT	EU - GHS (H-Statements)	H370 - Causes damage to organs
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.0001 - 0.0002**

GS: **BM-1**

RC: **None**

NANO: **No**

ROLE: **Resin**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	Japan - GHS	Carcinogenicity - Category 1B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.0001 - 0.0002**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Resin**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **0.0001 - 0.0002**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Resin**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H225 - Highly flammable liquid and vapour

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

MAGNESIUM

ID: **1327-43-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **Impurity/Residual**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

CALCIUM CARBONATE

ID: **471-34-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **Impurity/Residual**

GS: **BM-3**

RC: **None**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

LIMESTONE, CALCIUM CARBONATE

ID: **1317-65-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-01-24**

#: **Impurity/Residual**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

01-24

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **LATICRETE® 125 TRI-MAX has not been tested for VOC emissions.**

VOC CONTENT

TDS 251 "Low VOC LATICRETE Products"

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to All Facilities.**

01-24

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).**

LCA

LATICRETE Cement Mortar for Tile Installation Product Specific (Type III) Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-**

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **Applies to All Facilities.**

11-29

11-28

Environment

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE® 125 TRI-MAX to be mixed with water only following mix ratio and directions as stated in the product data sheet.

Section 5: General Notes

LATICRETE® 125 TRI-MAX meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 125 TRI-MAX does not contain the following:

•Alkylphenols •Asbestos •Bisphenol A (BPA) •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Chloroprene (Neoprene) •Chromium VI •Chlorinated Polyvinyl Chloride (CPVC) •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs) •Perfluorinated Compounds (PFCs) •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC) •Short Chain Chlorinated Paraffins •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. LATICRETE 125 TRI-MAX also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)



MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
 ADDRESS: **1 Laticrete Park North**
Bethany CT 06524, USA
 WEBSITE: **https://laticrete.com**

CONTACT NAME: **Mitch Hawkins**
 TITLE: **Senior Manager, Technical Services**
 PHONE: **203-393-4619**
 EMAIL: **wmhawkins@laticrete.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.