# **LATICRETE® NXT™ Vapor Reduction Coating** by LATICRETE International

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 96 56.00

PRODUCT DESCRIPTION: LATICRETE NXT Vapor Reduction Coating is a single-coat, 100% solids, liquid applied 2-part epoxy coating specifically designed for controlling the moisture vapor emission rate from new or existing concrete slabs prior to installing LAICRETE NXT underlayments.



## Section 1: Summary

## **Basic Method / Product Threshold**

## **CONTENT INVENTORY**

Inventory Reporting Format
Nested Materials Method
Basic Method
Threshold Disclosed Per

Material Product

Threshold	level
_	

€ 100 ppm C 1,000 ppm

Per GHS SDS Per OSHA MSDS

C Other

## Residuals/Impurities

Considered

C Partially Considered Not Considered

Explanation(s) provided

for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized

% weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE NXT VAPOR REDUCTION COATING [ BISPHENOL A DIGLYCIDYL ETHER (BADGE) LT-P1 | END FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-ALKANES, HYDROGENATED Not Screened | SKI | EYE | AQU | MAM ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL M-XYLENE-ALPHA, ALPHA'-DIAMINE LT-P1 | MUL | SKI BUTANEDIOLDIGLYCIDYL ETHER LT-UNK | SKI | EYE TRIMETHYLHEXAMETHYLENEDIAMINE LT-P1 | MUL BUTYLPHEN LT-P1 | END | SKI | EYE | REP | MUL UNDISCLOSED NoGS UNDISCLOSED LT-1 | MAM | GEN | CAN | MUL | END UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]- LT-P1 | MUL UNDISCLOSED LT-UNK BISPHENOL A DIGLYCIDYL ETHER (BADGE) LT-P1 | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 9.4 Regulatory (g/l): 9.4 Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (NXT VRC) VOC content: TDS 251 "Low VOC LATICRETE® Products"

**CONSISTENCY WITH OTHER PROGRAMS** 

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER:

SCREENING DATE: 2018-12-21 PUBLISHED DATE: 2018-12-21 VERIFICATION #: EXPIRY DATE: 2021-12-21



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

## LATICRETE NXT VAPOR REDUCTION COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

#### **BISPHENOL A DIGLYCIDYL ETHER (BADGE)**

ID: 25085-99-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-12-21		
%: <b>30.0000 - 50.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Resin	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	EU - Priority Endocrine Disruptors	0 ,	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND **PHENOL**

ID: 9003-36-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: 7.0000 - 12.0000	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: Hardener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard	to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## CARBOMONOCYCLIC ALKYLATED MIXTURES OF POLY-AZA-ALKANES, **HYDROGENATED**

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-12-21

%: 4.0000 - 10.0000	GS: Not Screened		RC: None	nano: <b>No</b>	ROLE: Resin
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	Hazard Screening not performed				

## ALKYL (C12, C14) GLYCIDYL ETHER

ID: 68609-97-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: 3.0000 - 10.0000	gs: LT-P1	RC: None	nano: <b>No</b>	ROLE: Hardener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Ha	zard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## M-XYLENE-ALPHA, ALPHA'-DIAMINE

ID: 1477-55-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: <b>2018-12-2</b>	21
%: <b>2.5000 - 15.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Resin
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haza	rd to Waters	
SKIN SENSITIZE	MAK	Sensitizing Sul	ostance Sh - Danger	of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## **BUTANEDIOLDIGLYCIDYL ETHER**

ID: **2425-79-8** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: <b>1.0000 - 5.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Curing Agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		

MAK

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

## TRIMETHYLHEXAMETHYLENEDIAMINE

ID: **25620-58-0** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: 1.0000 - 5.0000	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Resin
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2018-12-	21
%: 1.0000 - 4.0000	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Resin
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern		
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity relat to Endocrine Disruption		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage		
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility		
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haza	rd to Waters	
SKIN SENSITIZE	MAK	Sensitizing Sul	ostance Sh - Dange	r of skin sensitization

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: <b>2018-1</b>	2-21
%: <b>0.5000 - 1.0000</b>	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Curing Agent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

#### No hazards found

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **UNDISCLOSED**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: <b>0.1000 - 0.2000</b>	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Defoamer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways		
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects		
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man		
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B		
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects		
CANCER	Australia - GHS	H350 - May cause cancer		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]-

ID: **52338-87-1** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21		
%: <b>0.1000 - 0.8000</b>	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: Hardener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{The\ amount\ of\ this\ component\ may\ vary\ based\ on\ plant\ of\ manufacture.}$ 

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-12-21		
%: <b>0.0100 - 0.0200</b>	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: <b>Defoamer</b>	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## **BISPHENOL A DIGLYCIDYL ETHER (BADGE)**

ID: **25085-99-8** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-21			
%: Impurity/Residual	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
ENDOCRINE	EU - Priority Endocrine Disruptors	ū	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption		

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

## **UL GreenGuard Gold (NXT VRC)**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities.

07-07

07-09

Environment

CERTIFICATE URL:

http://certificates.ulenvironment.com/default.aspx?

id=57410&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2-2017 in an office and classroom environment.

#### **VOC CONTENT**

## TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2018-

12-18

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-

and-downloads/technicaldatasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Waterproofing Sealers).



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

LATICRETE® NXT™ Vapor Reduction Coating does not meet Living Building Challenge requirements because it does contain a component which is found on the Red Listed Materials or Chemicals v3.1. Specifically, LATICRETE NXT Vapor Reduction Coating contains Bisphenol A Diglycidyl Ether (BADGE) as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203.393.4619

EMAIL: wmhawkins@laticrete.com

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

## **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards **NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive) **REP** Reproductive toxicity

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

**Other Terms** 

**Inventory Methods:** 

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.