

CLASSIFICATION: 09 30 00

PRODUCT DESCRIPTION: High performance cement based grout which meets ANSI A118.7 and ISO CG2WA.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Per OSHA MSDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?
 Yes No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

LATICRETE PERMACOLOR GROUT [QUARTZ LT-1 | CAN HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK PORTLAND CEMENT LT-P1 | END | CAN PLASTER OF PARIS NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK LITHIUM CARBONATE LT-1 | DEL | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END FERRIC OXIDE BM-2 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | RES | CAN | GEN | REP ULTRAMARINE (PIGMENT) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00

Regulatory (g/l): N/A

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (PERMACOLOR)

VOC content: TDS 251 "Low VOC LATICRETE® Products"

LCA: LATICRETE Grout for Tile Installation Product Specific (Type III)

Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-11-14

PUBLISHED DATE: 2018-11-14

EXPIRY DATE: 2021-11-14



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LATICRETE PERMACOLOR GROUT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ

ID: 14808-60-7

%:	GS:	RC:	NANO:	ROLE:
55.0000 - 65.0000	LT-1	None	No	Aggregate
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

HIGH-ALUMINA CEMENT

ID: 65997-16-2

%:	GS:	RC:	NANO:	ROLE:
20.0000 - 30.0000	LT-UNK	None	No	Binder
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

#: **5.0000 - 8.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Filler**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **5.0000 - 7.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

PORTLAND CEMENT

ID: **65997-15-1**

#: **2.0000 - 4.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PLASTER OF PARIS

ID: **26499-65-0**

#: **1.0000 - 2.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Binder**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

#: **1.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Polymer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.2000 - 0.5000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Cure Accelerator**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

LITHIUM CARBONATE

ID: **554-13-2**

#: **0.1500 - 0.2500**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Cure Accelerator**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

DEVELOPMENTAL

CA EPA - Prop 65

Developmental toxicity

REPRODUCTIVE

New Zealand - GHS

6.8A - Known or presumed human reproductive or developmental toxicants

REPRODUCTIVE

Japan - GHS

Toxic to reproduction - Category 1A

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: **0.1000 - 0.2000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Working Time Adjuster**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.0500 - 0.1000**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Defoamer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.0500 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Set Time Adjuster**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.0500 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Rheology Modifier**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.0500 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Water Reducer**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.0500 - 0.1500** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Defoamer**

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

CALCIUM CARBONATE

ID: 471-34-1

#: **Impurity/Residual** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

#: **Impurity/Residual** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

TITANIUM DIOXIDE

ID: 13463-67-7

#: **0.0000 - 8.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

FERRIC OXIDE

ID: 1309-37-1

#: **0.0000 - 1.0000** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
CANCER	MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

UNDISCLOSED

#: 0.0000 - 2.0000 GS: LT-UNK RC: None NANO: No ROLE: Pigment

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

UNDISCLOSED

#: 0.0000 - 2.0000 GS: LT-UNK RC: None NANO: No ROLE: Pigment

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

UNDISCLOSED

#: 0.0000 - 2.0000 GS: LT-P1 RC: None NANO: No ROLE: Pigment

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

UNDISCLOSED

#: 0.0000 - 2.0000 GS: LT-1 RC: None NANO: No ROLE: Pigment

HAZARDS:	AGENCY(IES) WITH WARNINGS:
RESPIRATORY	AOEC - Asthmagens Asthmagen (G) - generally accepted
CANCER	MAK Carcinogen Group 2 - Considered to be carcinogenic for man
RESPIRATORY	MAK Sensitizing Substance Sah - Danger of airway & skin sensitization

GENE MUTATION	MAK	Germ Cell Mutagen 3a
REPRODUCTIVE	Australia - GHS	H360F - May damage fertility

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

ULTRAMARINE (PIGMENT)

ID: 57455-37-5

#: **0.0000 - 2.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard Gold (PERMACOLOR)

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2009-**

EXPIRY DATE: **2018-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **Applies to All Facilities.**

07-07

12-09

Environment

CERTIFICATE URL:

<http://certificates.ulenvironment.com/default.aspx?id=4870&t=cs>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2-2017 in an office and classroom environment.**

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2018-**

EXPIRY DATE:

CERTIFIER OR LAB: **LATICRETE**

APPLICABLE FACILITIES: **Applies to all facilities.**

10-19

CERTIFICATE URL:

<https://cdn.laticrete.com/~/.media/support-and-downloads/technical-datasheets/tds251.ashx>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements. LATICRETE PERMACOLOR Grout meets SCAQMD Rule 1168 requirements as a Tile Adhesive (threshold of 65 g/L).**

LCA

LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-**

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **Applies to All Facilities in North America**

11-29

11-28

Environment

CERTIFICATE URL:

<https://cdn.laticrete.com/~/.media/environmental-product-data-sheets/cement-grout-for-tile-and-stone-installation.ashx>

CERTIFICATION AND COMPLIANCE NOTES: **Meets LEED v4 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: **No HPD link provided**

LATICRETE PERMACOLOR Grout to be mixed with water only following mix ratio and directions as stated on product data sheet.

Section 5: General Notes

LATICRETE® PERMACOLOR® Grout meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE PERMACOLOR Grout does not contain the following: •Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)* •Perfluorinated Compounds (PFCs)* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)* •Short Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. LATICRETE PERMACOLOR Grout also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)



MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**

ADDRESS: **1 Laticrete Park North**

Bethany CT 06524, USA

WEBSITE: **www.laticrete.com**

CONTACT NAME: **Mitch Hawkins**

TITLE: **Technical Services Manager**

PHONE: **203-393-4619**

EMAIL: **wmhawkins@laticrete.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.