created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22374 CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATAPOXY® SP-100 is a stainless, color-fast epoxy grout specifically designed for use in floor and wall applications of ceramic tile, stone and structural glazed block. Ideal for residential kitchens, bathrooms, foyers, as well as cafeterias, swimming pools, spas, restrooms and schools.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory	Reporting	Format
III V CIII COI y	i iopoi tii ig	1 Ollinat

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized ○ Yes Ex/SC Yes No

% weight and role provided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATAPOXY® SP-100 [QUARTZ LT-1 | CAN BISPHENOL A

DIGLYCIDYL ETHER (BADGE) LT-P1 | END FATTY ACIDS, TALL-OIL,

REACTION PRODUCTS WITH TETRAETHYLENEPENTAMINE LT-P1

MUL FORMALDEHYDE, POLYMER WITH 2-

(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL ALKYL (C12,

C14) GLYCIDYL ETHER LT-P1 | SKI | MUL

TETRAETHYLENEPENTAMINE LT-P1 | AQU | SKI | MUL UNDISCLOSED

NoGS UNDISCLOSED LT-UNK 2,4,6-

TRI(DIMETHYLAMINOMETHYL)PHENOL LT-UNK | SKI | EYE

AMINOETHYLPIPERAZINE LT-P1 | SKI | MUL UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | MAM | GEN | CAN |

MUL UNDISCLOSED BM-1 | PBT | MUL UNDISCLOSED LT-1 | MAM |

GEN | CAN | MUL | END UNDISCLOSED BM-1 | SKI | END | MUL | REP

UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 |

MUL]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.8 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

listings. VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE® Products"

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

○ Yes

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-09 PUBLISHED DATE: 2020-10-09 EXPIRY DATE: 2023-10-09



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATAPOXY® SP-100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ				ID: 14808-60-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2020-10-09
%: 60.0000 - 75.0000	GS: LT-1	RC: Non	e NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	٧	VARNINGS	
CANCER	US CDC - Occupational Carcinogens	(Occupational Carcino	gen
CANCER	CA EPA - Prop 65	(Carcinogen - specific	to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens		Known to be Human Coccupational setting)	Carcinogen (respirable size -
CANCER	MAK		Carcinogen Group 1 - nan	Substances that cause cancer in
CANCER	IARC		Group 1 - Agent is car	cinogenic to humans - inhaled from
CANCER	IARC	(Group 1 - Agent is Car	cinogenic to humans
CANCER	GHS - New Zealand	6	6.7A - Known or presu	med human carcinogens
CANCER	GHS - Japan	(Carcinogenicity - Cate	gory 1A [H350]
CANCER	GHS - Australia	ŀ	1350i - May cause car	ncer by inhalation

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

BISPHENOL A DIGLYCIDYL ETH	IER (BADGE)			ID: 25085-99-8
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATI	E: 2020-10-09
%: 9.0000 - 12.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
ENDOCRINE	EU - Priority Endocrine Disruptors	s Category 2 - In vitro evidence of biological activito Endocrine Disruption		,

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

MULTIPLE	German FEA - Substances Hazardous Waters	to C	lass 2 - Hazard to W	aters
HAZARD TYPE	AGENCY AND LIST TITLES	W	/ARNINGS	
%: 5.0000 - 7.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2020-10-09

FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL

ID: 9003-36-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		2020-10-09
%: 2.0000 - 4.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	to Clas	ss 2 - Hazard to V	Vaters

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

ALKYL (C12, C14) GLYCIDYL ETHER

ID: 68609-97-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATI	E: 2020-10-09
%: 1.0000 - 3.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)	H3 ⁻	15 - Causes skin	irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H3	17 - May cause a	an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous Waters	to Cla	ass 2 - Hazard to	Waters

TETRAETHYLENEPENTAMINE						ID: 112-57-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAF	RD SCR	EENING DATE:	2020-10-09	
%: 0.5000 - 1.5000	GS: LT-P1	RC: No	ne	NANO: No	SUBSTANCE ROLE: A	Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS		
CHRON AQUATIC	EU - GHS (H-Statements)		H411 ·	- Toxic to aquat	ic life with long lasting e	ffects
SKIN IRRITATION	EU - GHS (H-Statements)		H314 -	- Causes severe	e skin burns and eye dan	nage
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 -	- May cause an	allergic skin reaction	
MULTIPLE	German FEA - Substances Hazardous Waters	to	Class	2 - Hazard to W	/aters	

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-09			
%: 0.5000 - 0.8000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
None found			No war	nings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-09			
	%: 0.2000 - 0.3500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
	HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
	None found			No war	nings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL

ID: 90-72-2

ID: 140-31-8

HAZARD SCREENING METH	OD: Pharos Chemical and Materials Library	rary HAZARD SCREENING DATE: 2020-10-09		
%: 0.1000 - 0.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WAR		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.				

MULTIPLE	German FEA - Substances Hazardous Waters	ous to Class 2 - Hazard to Waters		Waters
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		an allergic skin reaction
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye dama		ere skin burns and eye damage
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
%: 0.1000 - 0.2000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	E: 2020-10-09

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

AMINOETHYLPIPERAZINE

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-09			
%: 0.0700 - 0.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
MULTIPLE	German FEA - Substances Hazardous Waters	to Cla	ss 2 - Hazard	to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-09			
%: 0.0500 - 0.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
None found			No wa	arnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-09
%: 0.0500 - 0.1000	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	GHS - Malaysia	H340 - May cause genetic defects
CANCER	GHS - Malaysia	H350 - May cause cancer
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-09		
%: 0.0400 - 0.0600	GS: BM-1	RC: None NANO: No SUBSTANCE ROLE: Heat or U	V stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
РВТ	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic to the Environment (based on aquatic organisms	,	
MULTIPLE	German FEA - Substances Hazardous Waters	co Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-09
%: 0.0400 - 0.0500	GS: LT-1	RC: None NANO: No SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous Waters	to Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-09

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

RC: None

NANO: No

GS: BM-1

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0200 - 0.0300

None found			No warnings	found on HPD Priority Hazard Lists
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
%: 0.0200 - 0.0500	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-09		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-09		
%: 0.0100 - 0.0200	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
None found			No warnings	s found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-10-09				
	%: 0.0050 - 0.0100	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer		
	HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS			
	MULTIPLE	German FEA - Substances Hazardous Waters		to Class 2 - Hazard to Waters			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

SUBSTANCE ROLE: Solvent



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-10- EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

09

12

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: LATAPOXY® SP-100 has not been tested for VOC emissions.

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08- EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://www.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

LATAPOXY® SP-100 does not meet Living Building Challenge v4.0 requirements because it does contain a component which is found on the Red List of Materials or Chemicals. Specifically, LATAPOXY SP-100 contains Bisphenol A Diglycidyl Ether (BADGE) as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.