LATICRETE® SPECTRALOCK® PRO Grout by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22120 CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE® SPECTRALOCK® PRO Grout is a patented, high performance epoxy grout that offers color uniformity, durability and

stain resistance with extraordinary ease of use.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Rasic Method

Threshold Disclosed Per

C Material

Product

Threshold level

€ 100 ppm

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered C Not Considered

Explanation(s) provided

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized ○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened C Yes Ex/SC • Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE SPECTRALOCK PRO GROUT [QUARTZ LT-1 | CAN UNDISCLOSED BM-4 BISPHENOL A DIGLYCIDYL ETHER (BADGE) LT-P1 | END UNDISCLOSED BM-1 | MUL ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL LT-P1 | MUL DIAMINOPOLYPROPYLENE GLYCOL LT-P1 | MUL ETHYL 4-[[(METHYLPHENYLAMINO)METHYLENE]AMINO]BENZOATE LT-P1 | MUL ETHYLENE GLYCOL BM-1 | DEV | END PROPYLENE GLYCOL (PROPYLENE GLYCOL) BM-2 | END TETRAETHYLENEPENTAMINE LT-P1 | AQU | SKI | MUL DECANEDIOIC ACID, BIS(1,2,2 PENTAMETHYL-4-PIPERIDINYL) ESTER; BM-1 | PBT | MUL UNDISCLOSED | T-UNK UNDISCLOSED | LT-P1 | SKI UNDISCLOSED | LT-UNK UNDISCLOSED | BM-1 | REP | SKI | EYE | DEV | MUL | END UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 | MUL BISPHENOL A DIGLYCIDYL ETHER (BADGE) LT-P1 | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 0.031 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (SPECTRALOCK PRO) VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No
No
■
No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-05 PUBLISHED DATE: 2020-10-05 EXPIRY DATE: 2023-10-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE SPECTRALOCK PRO GROUT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ				ID: 14808-60-	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-10-05		
%: 65.0000 - 85.0000	gs: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	IARC		Group 1 - Agent is Card	cinogenic to humans	
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinog	gen	
CANCER	CA EPA - Prop 65		Carcinogen - specific to	to chemical form or exposure route	
CANCER	IARC		Group 1 - Agent is card sources	cinogenic to humans - inhaled from occupational	
CANCER	US NIH - Report on Carcinogens		Known to be Human Ca	arcinogen (respirable size - occupational setting)	
CANCER	MAK		Carcinogen Group 1 - 9	Substances that cause cancer in man	
CANCER	GHS - New Zealand		6.7A - Known or presur	med human carcinogens	
CANCER	GHS - Japan		Carcinogenicity - Cate	gory 1A [H350]	
CANCER	GHS - Australia		H350i - May cause cancer by inhalation		
SUBSTANCE NOTES: The amount of	this component may vary based on plant of man	ufacture.			

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DAT			
	%: 8.0000 - 15.0000	GS: BM-4 RC: None NANO: No		SUBSTANCE ROLE: Diluent	
	HAZARD TYPE	AGENCY AND LIST TITLES	WAR	RNINGS	
	None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

BISPHENOL A DIGLYCIDYL ETHER (BADGE)

ID: 25085-99-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 4.0000 - 6.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ENDOCRINE	EU - Priority Endocrine Disruptors		Category 2 - In vitro evidence of biological activity related to Endocrine Disruption	

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 2.0000 - 5.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

ALKYL (C12, C14) GLYCIDYL ETHER					ID: 68609-97-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING			ENING DATE: 2020-10-05		
%: 0.5000 - 1.5000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin	irritation	
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause a	n allergic skin reaction	
MULTIPLE	German FEA - Substances Hazardous to W	German FEA - Substances Hazardous to Waters		Waters	

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ The\ amount\ of\ this\ component\ may\ vary\ based\ on\ plant\ of\ manufacture.}$

FORMALDEHYDE, POLYMER WITH 2-(CHLOROMETHYL)OXIRANE AND PHENOL

ID: 9003-36-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SO	CREENING	DATE: 2020-10-05	
%: 0.5000 - 2.0000	GS: LT-P1	RC: None	•	nano: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

DIAMINOPOLYPROPYLENE GLYCOL	ID: 9046-10-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	à DATE: 2020-10-05		
%: 0.1000 - 0.5000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.					

${\bf ETHYL}~4\hbox{-}[[({\bf METHYLPHENYLAMINO}){\bf METHYLENE}]{\bf AMINO}]{\bf BENZOATE}$

ID: **57834-33-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.1000 - 0.5000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

ETHYLENE GLYCOL ID: 107-21-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 0.0800 - 0.1500	GS: BM-1 RC: None		nano: No	SUBSTANCE ROLE: Anti-freeze	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs		Clear Evidence of Adverse Effects - Developmental Toxicity		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
DEVELOPMENTAL	CA EPA - Prop 65		Developmental toxicity		
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.					

PROPYLENE GLYCOL (PROPYLENE GLYCOL)

ID: **57-55-6**

ID: 41556-26-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN			
%: 0.0500 - 0.1000	0 - 0.1000 gs: BM-2 RC: None		nano: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

TETRAETHYLENEPENTAMINE ID: 112-57-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 0.0500 - 0.3500	GS: LT-P1 RC: None		NANO:	lo	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CHRON AQUATIC	EU - GHS (H-Statements)		H411 - Toxic to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)		H314 - Causes severe skin burns and eye damage		
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{The\ amount\ of\ this\ component\ may\ vary\ based\ on\ plant\ of\ manufacture.}$

DECANEDIOIC ACID, BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER;

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 0.0500 - 0.2000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Heat or UV stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
РВТ	EC - CEPA DSL	EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES:}\ \textbf{The amount of this component may vary based on plant of manufacture.}$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0100 - 0.0200	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREE	ENING DATE: 2020-10-05	
%: 0.0100 - 0.0200	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Buffer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)		H314 - Causes severe sl	kin burns and eye damage

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENIN	G DATE: 2020-10-	05
%: 0.0100 - 0.0150	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	NG DATE: 2020-10-05	5
%: 0.0100 - 0.0200	gs: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
REPRODUCTIVE	EU - SVHC Authorisation List		Toxic to repr	oduction - Candidate list
REPRODUCTIVE	EU - SVHC Authorisation List		Toxic to repr	oduction - Prioritized for listing
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Cause	es skin irritation
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Cause	es serious eye irritation
DEVELOPMENTAL	EU - GHS (H-Statements)		H360D - May	damage the unborn child
REPRODUCTIVE	EU - REACH Annex XVII CMRs			roduction Category 2 - Substances which should be regarded as if ertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List		CMR - Carcir	nogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruj	ptors	Potential End	docrine Disruptor
RESTRICTED LIST	US EPA - PPT Chemical Action Pl	lans	TSCA Work F	Plan chemical - ongoing chemical (risk) assessment
REPRODUCTIVE	EU - Annex VI CMRs		Reproductive	e Toxicity - Category 1B
REPRODUCTIVE	GHS - Korea		Reproductive child]	e toxicity - Category 1 [H360 - May damage fertility or the unborn
REPRODUCTIVE	GHS - New Zealand		6.8A - Knowr	n or presumed human reproductive or developmental toxicants
REPRODUCTIVE	GHS - Japan		Toxic to repr	oduction - Category 1A [H360]
REPRODUCTIVE	GHS - Japan		Toxic to repr	oduction - Category 1B [H360]
DEVELOPMENTAL	GHS - Australia		H360D - May	damage the unborn child
DEVELOPMENTAL	CA EPA - Prop 65		Development	tal toxicity

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREEN	NG DATE: 2020-10-05	
%: 0.0050 - 0.0100	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-05		
%: 0.0005 - 0.0006	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES	WAI	RNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0005 - 0.0006	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENIN	NG DATE: 2020-10-05	
%: 0.0001 - 0.0002	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

BISPHENOL A DIGLYCIDYL ETHER (BADGE)

ID: **25085-99-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: Impurity/Residual	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ENDOCRINE	EU - Priority Endocrine Disruptors		Category 2 - I	n vitro evidence of biological activity related to Endocrine

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard Gold (SPECTRALOCK PRO)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-07-07

EXPIRY DATE: 2021-07-09

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: Applies to All Facilities.

http://certificates.ulenvironment.com/default.aspx?

id=2554&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL: https://www.laticrete.com/~/media/support-

and-downloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

LATICRETE® SPECTRALOCK® PRO Grout does not meet Living Building Challenge v4.0 requirements because it does contain a component which is found on the Red Listed Materials or Chemicals. Specifically, LATICRETE SPECTRALOCK PRO Grout contains Bisphenol A Diglycidyl Ether (BADGE) as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold..

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203.393.4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eve irritation/corrosivity **GEN** Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in

a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.