

# SAFETY DATA SHEET

### 1. Identification

**Product identifier LATICRETE Spectralock Part C Colored Powder** 

Other means of identification Not available.

Recommended use Grout.

Recommended restrictions Workers (and your customers or users in the case of resale) should be informed of the potential

> presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Manufacturer:	Importer/ Supplier/ Distributor information:	
LATICRETE	LATICRETE Middle East LLC	
International.	P.O. Box. 86028, Ras Al Khaimah,	
1 Laticrete Park N.	United Arab Emirates	
Bethany CT 06524	Phone: +971 7 244 6396	
PHONE:203-393-0010 Chemtrec 1.800.424.9300	Contact Person : Mohmed Rafiq. M	

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2 Carcinogenicity Category 1A Specific target organ toxicity, repeated Category 2 (lung)

exposure

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes skin irritation. Causes serious eye irritation. May cause cancer. May cause damage to

organs (lung) through prolonged or repeated exposure.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume. Wear protective gloves/protective clothing/eye

protection/face protection. Wash thoroughly after handling.

If exposed or concerned: Get medical advice/attention. If in eyes: Rinse cautiously with water for Response

> several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

**Storage** 

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Silica Sand	14808-60-7	95-99

SDS ME 917372 Version #: 01 Revision date: - US MSDSRV-110218 Issue date: 04-December-2013

Titanium dioxide	13463-67-7	0-7
Sodium silicate	1344-09-8	0.8-2

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

if symptoms develop or persist.

**Skin contact** Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash before reuse.

**Eye contact**Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

vision. Prolonged exposure may cause chronic effects.

contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute an

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated

clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Use fire-extinguishing media appropriate for surrounding materials.

None known.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.

Avoid discharge into drains, water courses or onto the ground.

Environmental precautions
7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight.

## 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Titanium dioxide (CAS	PEL	15 mg/m3	Total dust.	
13463-67-7)				

LATICRETE Spectralock Part C Colored Powder

917372 Version #: 01 Revision date: - US MSDSRV-110218 Issue date: 04-December-2013

2 / 7

#### US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
Silica Sand (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 millions of particle	Respirable.

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Silica Sand (CAS	TWA	0.025 mg/m3	Respirable fraction.
14808-60-7) Titanium dioxide (CAS	TWA	10 mg/m3	
13463-67-7)			

#### US NIOSH Pocket Guide to Chemical Hazards: Recommended exposure limit (REL)

Components	Туре	Value	Form	
Silica Sand (CAS	TWA	0.05 mg/m3	Respirable dust.	
14808-60-7)				

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear chemical-resistant, impervious gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection Wear a dust mask if dust is generated above exposure limits. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid. Form Powder. Color Colored Odor Not available. Not available. Odor threshold Not available. рΗ Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Not flammable or combustible. Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure Vapor density

Not available.

Relative density

Not available. Not available.

Solubility(ies)

Insoluble

Partition coefficient

Not available.

(n-octanol/water)

Not available.

**Auto-ignition temperature Decomposition temperature** 

Not available.

**Viscosity** 

Not available.

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

No dangerous reaction known under conditions of normal use.

**Chemical stability** 

Material is stable under normal conditions.

Possibility of hazardous

reactions

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

**Hazardous decomposition** products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Ingestion Swallowing may cause gastrointestinal irritation.

Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. Inhalation

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Prolonged exposure may cause chronic effects.

## Information on toxicological effects

May cause respiratory irritation. **Acute toxicity** 

Components **Species Test Results** 

Sodium silicate (CAS 1344-09-8)

Acute

Oral

LD50 Mouse 1100 mg/kg

Rat

1.1 g/kg

Skin corrosion/irritation

Causes skin irritation.

Causes serious eye irritation.

Serious eye damage/eye irritation

No data available.

Respiratory sensitization Skin sensitization

Not a skin sensitizer.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

SDS ME 917372 Version #: 01 Revision date: - US MSDSRV-110218 Issue date: 04-December-2013 4/7

### Carcinogenicity

May cause cancer. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

## IARC Monographs. Overall Evaluation of Carcinogenicity

Silica Sand (CAS 14808-60-7) 1 Carcinogenic to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

**NTP Report on Carcinogens** 

Silica Sand (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (lung) through prolonged or repeated exposure.

Due to the physical form of the product it is not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Prolonged or repeated exposure may cause lung injury, including silicosis.

## 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquaticorganisms.

Components **Species Test Results** 

Sodium silicate (CAS 1344-09-8)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 0.28 - 0.57 mg/l, 48 hours Fish LC50 Western mosquitofish (Gambusia affinis) 1800 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product. Mobility in soil The product is not mobile in soil.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

**IMDG** 

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

LATICRETE Spectralock Part C Colored Powder 917372 Version #: 01 Revision date: - US MSDSRV-110218 Issue date: 04-December-2013 5/7

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

**US state regulations** WARNING: This product contains chemical(s) known to the State of California to cause cancer.

#### **US. Massachusetts RTK - Substance List**

Silica Sand (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Silica Sand (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

**US. Rhode Island RTK** 

Not regulated.

### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

Inventory name

### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Silica Sand (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

#### **International Inventories**

Country(s) or region

Country(s) or region	inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

LATICRETE Spectralock Part C Colored Powder

SDS ME

On inventory (vec/ne)\*

917372 Version #: 01 Revision date: - US MSDSRV-110218 Issue date: 04-December-2013

On inventory (yes/no)\* Country(s) or region **Inventory name** 

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date 04-December-2013

**Revision date** Version # 01

**NFPA Ratings** 



References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be

beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

917372 Version #: 01 Revision date: - US MSDSRV-110218