


SPARTACOTE™ QUARTZ

Quartz Broadcast Systems




Limestone



Slate




Flint



Evening



Cobblestone



Mojave




Brick



Lemongrass



Blue Moon



SPARTACOTE™ QUARTZ

Quartz Broadcast Systems




Sandstone

SPARTACOTE™ QUARTZ

Quartz Broadcast Systems

A uniform quartz coating system that creates a highly durable floor ideal for heavy traffic applications. UV stable quartz granules provide a high traction, attractive finish.

- Rapid return to service
- Ease of maintenance and cleaning
- Customizable aesthetics to match any decor
- Excellent durability - stain, chemical and abrasion resistant
- Low VOC, low odor options
- Integrated anti-microbial technology



Recommended Industries

- Manufacturing
- Stadium & Event Spaces
- Food & Beverage Manufacturing
- Automotive
- Education

SYSTEM	SURFACE PREPARATION	NUMBER OF COATS	OVERALL THICKNESS (DFT)	SYSTEM BUILD	FEATURES
SPARTACOTE QUARTZ XPL	Mechanically profile to a CSP-2	4	1/8" - 3/16"	Base & Broadcast Coats: SPARTACOTE FLEX XPL Broadcasts: SPARTACOTE BLENDED QUARTZ Grout & Top Coats: SPARTACOTE FLEX XPL (Clear)	Easy application with reduced roller marks UV stable decorative finish Quick return to service Available with Clinical Plus anti-microbial
SPARTACOTE QUARTZ PURE	Mechanically profile to a CSP-2	4	1/8" - 3/16"	Base & Broadcast Coats: SPARTACOTE FLEX PURE™ Broadcasts: SPARTACOTE BLENDED QUARTZ Grout & Top Coats: SPARTACOTE FLEX PURE (Clear)	UV stable indoor & outdoor solution Durable high traction surface Quick return to service Available with Clinical Plus anti-microbial
SPARTACOTE QUARTZ SB	Mechanically profile to a CSP-2	4	1/8" - 3/16"	Base & Broadcast Coats: SPARTACOTE FLEX SB Broadcasts: SPARTACOTE BLENDED QUARTZ Grout & Top Coats: SPARTACOTE FLEX SB (Clear)	Durable high traction surface UV stable decorative finish Quick return to service Low temperature cure (-30°F/-34°C)
SPARTACOTE QUARTZ PTC	Mechanically profile to a CSP-3 to 5	5	3/16" - 1/4"	Base Coat: SPARTACOTE General Primer Broadcast Coats: SPARTACOTE Surface Build Clear Broadcasts: SPARTACOTE BLENDED QUARTZ Grout & Top Coat: SPARTACOTE FLEX PURE (Clear)	Durable polyaspartic top coat High traction, decorative finish High chemical, abrasion and stain resistance Available with Clinical Plus anti-microbial
SPARTACOTE QUARTZ UTC	Mechanically profile to a CSP-3 to 5	5	3/16" - 1/4"	Base Coat: SPARTACOTE General Primer Broadcast & Grout Coats: SPARTACOTE Surface Build Clear Broadcasts: SPARTACOTE BLENDED QUARTZ Top Coat: SPARTACOTE Urethane Floor Sealer WB	High chemical resistant urethane top coat High traction, decorative finish Matte and satin finish options
SPARTACOTE QUARTZ HB	Mechanically profile to a CSP-3 to 5	4	3/16" - 1/4"	Base Coat: SPARTACOTE General Primer Broadcast Coats: SPARTACOTE Surface Build Clear Broadcasts: SPARTACOTE BLENDED QUARTZ Grout & Top Coat: SPARTACOTE Surface Build Top Coat UV	High build epoxy system High traction, decorative finish UV resistant epoxy top coat

For protection against moisture vapor or when the relative humidity (RH) in the concrete measures 75% or greater use SPARTACOTE™ Moisture Vapor Barrier as your base coat and save a step by broadcasting directly into the wet resin.



LATICRETE International, Inc. ■ One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ www.laticrete.com

T-3252-0719 ©2019 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.