LATICRETE

SAFETY DATA SHEET

1. Identification

Address

Product identifier L&M™ DEBOND® GOLD™

Other means of identification None.

Recommended use Concrete form release.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name LATICRETE International

1 Laticrete Park, N Bethany, CT 06524

Telephone (203)-393-0010

Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Aspiration hazard Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause respiratory irritation. May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area.

Response If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed:

Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	93 - 98
Oleic acid	112-80-1	2 - 7

L&M™ DEBOND® GOLD™ SDS US

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops or persists.

Eye contact

Rinse with water. Remove contact lenses, if present and easy to do. Get medical attention if

irritation develops or persists.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. If swallowed: Immediately call a poison center/doctor.

Most important

symptoms/effects, acute and delayed

Exposure may cause temporary irritation, redness, or discomfort. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water spray, foam, dry powder or carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters By heating and fire, irritating vapors/gases may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire fighting

equipment/instructions General fire hazards

Move containers from fire area if you can do so without risk. Use water spray to cool unopened

containers.

Will burn if involved in a fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Environmental precautions

7. Handling and storage Precautions for safe handling

Avoid prolonged exposure. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (See Section 10).

L&M™ DEBOND® GOLD™ SDS US

Do not discharge into drains, water courses or onto the ground.

922420 Version #: 01 Revision date: -Issue date: 19-April-2017

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Petroleum distillates, hydrotreated light naphthenic (CAS	PEL	5 mg/m3	Mist.	
64742-53-6)				

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form	
Petroleum distillates,	TWA	5 mg/m3	Inhalable fraction.	_
hydrotreated light				
naphthenic (CAS				
64742-53-6)				

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Nitrile gloves are recommended.

Skin protection

Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Clear amber. Color Odor No data available. Not available. **Odor threshold** No data available. Melting point/freezing point Not applicable. Initial boiling point and boiling 550 °F (287.78 °C) range

280.0 °F (137.8 °C) Flash point **Evaporation rate** Not applicable. Flammability (solid, gas) Not applicable.

L&M™ DEBOND® GOLD™

922420 Version #: 01 Revision date: -Issue date: 19-April-2017 3/7

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Vapor pressureNot applicable.Vapor density9 (Air=1)Relative density0.89

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient No data available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity< 20.5 mm²/s</th>

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Strong oxidizing agents, such as liquid chlorine, concentrated oxygen, sodium hypochlorite,

calcium hypochlorite, etc.

Hazardous decomposition

products

Carbon oxides. Smoke.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause respiratory tract irritation.

Skin contact Prolonged exposure may cause skin irritation.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Exposure may cause temporary irritation, redness, or discomfort. Droplets of the product

aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation Prolonged or repeated contact may dry skin and cause dermatitis.

Serious eye damage/eye

irritation

May cause eye irritation.

Respiratory or skin sensitization

Respiratory sensitization No data available.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Petroleum distillates, hydrotreated light naphthenic (CAS 3 Not classifiable as to carcinogenicity to humans.

64742-53-6)

L&M™ DEBOND® GOLD™ SDS US

922420 Version #: 01 Revision date: - Issue date: 19-April-2017

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity No data available.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard May be fatal if swallowed and enters airways. **Chronic effects** Prolonged exposure may cause chronic effects.

Further information Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema/chapping

and oil acne.

12. Ecological information

Oil spills are generally hazardous to the environment. **Ecotoxicity**

Components **Species Test Results**

Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6)

Aquatic

Acute

Crustacea EC50 Daphnia magna > 1000 mg/l, 48 hours Fish LC50 Oncorhynchus mykiss > 5000 mg/l, 96 hours

Persistence and degradability

The product is not expected to be readily biodegradable.

Bioaccumulative potential

No data available.

Mobility in soil The product is insoluble in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

L&M™ DEBOND® GOLD™ SDS US

922420 Version #: 01 Revision date: -Issue date: 19-April-2017

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulationsThis product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6)

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsylvania Worker and Community Right-to-Know Law

Oleic acid (CAS 112-80-1)

US. Rhode Island RTK

Oleic acid (CAS 112-80-1)

Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6)

Inventory name

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 19-April-2017

Revision date - 01

L&M™ DEBOND® GOLD™ SDS US

922420 Version #: 01 Revision date: - Issue date: 19-April-2017

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NFPA ratings



References

HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.

L&M™ DEBOND® GOLD™ SDS US