

SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	L&M™ DURACRETE™		
Other means of identification	None.		
Recommended use	Patching.		
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/	Distributor information		
Company name	LATICRETE International		
Address	1 Laticrete Park, N		
	Bethany, CT 06524		
Telephone	(203)-393-0010		
Contact person	Steve Fine		
Website	www.laticrete.com		
Emergency phone number	Call CHEMTREC day or night		
	USA/Canada - 1.800.424.9300		
	Mexico - 1.800.681.9531		
	Outside USA/Canada		
	1.703.527.3887		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 1	
	Sensitization, skin	Category 1	
	Carcinogenicity	Category 1A	
	Specific target organ toxicity following single exposure	Category 3 respiratory tract irritation	
	Specific target organ toxicity following repeated exposure	Category 2 (lung)	

Environmental hazards

Label elements



Not classified.

Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. May cause damage to organs (lung) through prolonged or repeated exposure.
Precautionary statements	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace.
Response	IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
	SDS Canada

Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Other hazards	Not classified.	
Supplemental information	None.	

3. Composition/information on ingredients

Chemical name	CAS number %		
Silica Sand	14808-60-7 60-65		
Portland Cement	65997-15-1 32-38		
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are percent by volume.		
4. First-aid measures			
nhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physif symptoms develop or persist.		
Skin contact	Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.		
Ingestion	Rinse mouth. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, a blurred vision. Permanent eye damage including blindness could result. Prolonged exposure r cause chronic effects.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminat clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spille material unless wearing appropriate protective clothing. Ensure adequate ventilation.		
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clear labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Minimise dust generation and accumulation. Wear appropriate personal protective equipment. Do not breath dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.		

8. Exposure controls/personal protection

US. ACGIH Threshold Lim Components	it Values Type	Value	Form
Portland Cement (CAS	TWA		Respirable fraction.
65997-15-1)		1 mg/m3	·
Silica Sand (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Oc Components	cupational Health & Safety Code, Sch Type	edule 1, Table 2) Value	Form
Portland Cement (CAS 65997-15-1)	TWA	10 mg/m3	
Silica Sand (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Canada. British Columbia Safety Regulation 296/97,	OELs. (Occupational Exposure Limits as amended)	for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	3 mg/m3	Respirable fraction.
Silica Sand (CAS	TWA	10 mg/m3 0.025 mg/m3	Total dust. Respirable fraction.
14808-60-7)			
Canada. Manitoba OELs (F Components	Reg. 217/2006, The Workplace Safety A Type	And Health Act) Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Silica Sand (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Co Components	ontrol of Exposure to Biological or Ch Type	emical Agents) Value	Form
	TWA	1 mg/m3	Respirable fraction.
Portland Cement (CAS		5	
Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M	TWA linistry of Labor - Regulation respectir	0.1 mg/m3 ng occupational health and sat	fety)
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components	TWA linistry of Labor - Regulation respectir Type	0.1 mg/m3 ng occupational health and sat Value	ety) Form
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M	TWA linistry of Labor - Regulation respectir	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3	Form Respirable dust.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1)	TWA linistry of Labor - Regulation respectin Type TWA	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3 10 mg/m3	Form Respirable dust. Total dust.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS	TWA linistry of Labor - Regulation respectir Type	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3	Form Respirable dust.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1) Silica Sand (CAS	TWA linistry of Labor - Regulation respectin Type TWA	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3 10 mg/m3 0.1 mg/m3	Form Respirable dust. Total dust.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7)	TWA linistry of Labor - Regulation respectin Type TWA TWA	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3 10 mg/m3 0.1 mg/m3 or the ingredient(s).	Form Respirable dust. Total dust. Respirable dust.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) logical limit values posure guidelines	TWA Iinistry of Labor - Regulation respectin Type TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3 10 mg/m3 0.1 mg/m3 or the ingredient(s). lust (total and respirable) and re air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom	Form Respirable dust. Total dust. Respirable dust. spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) logical limit values posure guidelines	TWA Inistry of Labor - Regulation respectin Type TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ	0.1 mg/m3 ag occupational health and sat Value 5 mg/m3 10 mg/m3 0.1 mg/m3 or the ingredient(s). dust (total and respirable) and re pair changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to	Form Respirable dust. Total dust. Respirable dust. spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) logical limit values posure guidelines	TWA Inistry of Labor - Regulation respecting Type TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station.	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3 10 mg/m3 0.1 mg/m3 or the ingredient(s). tust (total and respirable) and re pair changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to nent	Form Respirable dust. Total dust. Respirable dust. spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) logical limit values posure guidelines propriate engineering ntrols ividual protection measures Eye/face protection Skin protection	TWA Inistry of Labor - Regulation respecting Type TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estable eyewash station. s, such as personal protective equipm Wear safety glasses with side shields	0.1 mg/m3 ag occupational health and sat Value 5 mg/m3 10 mg/m3 0.1 mg/m3 or the ingredient(s). Just (total and respirable) and re air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to the ingredient. s (or goggles).	Form Respirable dust. Total dust. Respirable dust. spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
65997-15-1) Silica Sand (CAS 14808-60-7) Canada. Quebec OELs. (M Components Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7) logical limit values posure guidelines posure guidelines	TWA Inistry of Labor - Regulation respecting Type TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station. s, such as personal protective equipment	0.1 mg/m3 ng occupational health and sat Value 5 mg/m3 10 mg/m3 0.1 mg/m3 or the ingredient(s). Just (total and respirable) and re air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to nent s (or goggles). gloves.	Form Respirable dust. Total dust. Respirable dust. spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.

L&M™ DURACRETE™

Thermal hazards General hygiene considerations Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

•	•
Appearance	
Physical state	Solid.
Form	Powder.
Colour	Grey.
Odour	Not available.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	2.65
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.
Eye contact	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.
Ingestion	Swallowing may cause gastrointestinal irritation.

Symptoms related to the physical, chemical and toxicological characteristics	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.		
Information on toxicological effe	ects		
Acute toxicity	May cause respiratory irritation.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitisation			
Respiratory sensitisation	No data available.		
Skin sensitisation	May cause an allergic skin rea		
Germ cell mutagenicity	mutagenic or genotoxic.	product or any components present at greater than 0.1% are	
Carcinogenicity	May cause cancer. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) Cancer hazard - can cause cancer.		
ACGIH Carcinogens			
Portland Cement (CAS 6 Silica Sand (CAS 14808-	60-7)	A4 Not classifiable as a human carcinogen. A2 Suspected human carcinogen.	
Canada - Alberta OELs: Car	• • • •	Supported human careinagon	
Silica Sand (CAS 14808- Canada - Manitoba OELs: ca		Suspected human carcinogen.	
Portland Cement (CAS 6 Silica Sand (CAS 14808-	Portland Cement (CAS 65997-15-1)Not classifiable as a human carcinogen.Silica Sand (CAS 14808-60-7)Suspected human carcinogen.		
Canada - Quebec OELs: Ca	• • •	Currented equations are affect in humans	
Silica Sand (CAS 14808- IARC Monographs, Overall	Evaluation of Carcinogenicity	Suspected carcinogenic effect in humans.	
Silica Sand (CAS 14808-		1 Carcinogenic to humans.	
	ogram (NTP) Report on Carcin	-	
Silica Sand (CAS 14808-	60-7)	Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	May cause damage to organs (lung) through prolonged or repeated exposure.		
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.		
Chronic effects	Prolonged or repeated exposure may cause lung injury, including silicosis.		
12. Ecological information	1		
Ecotoxicity	Not expected to be harmful to aquatic organisms.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available for this product.		
Mobility in soil	The product is not mobile in soil.		
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to This substance/mixture is not intended to be transported in bulk. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act Not regulated. Export Control List (CEPA 1999, Schedule 3)

Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Rec	gulations	
Not regulated.		
International regulations		
Stockholm Convention	n	
Not applicable.		
Rotterdam Convention	n	
Not applicable.		
Kyoto protocol		
Not applicable.		
Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
International Inventories		
		.
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	21-June-2017
Revision date	-
Version No.	01
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)
Disclaimer	The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.