# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** L&M E-Z Strip Other means of identification Not available.

Concrete form release. Recommended use

**Recommended restrictions** None known

Manufacturer/Importer/Supplier/Distributor information LATICRETE International **Company Name Address** 1 Laticrete Park, N

Bethany, CT 06524

(203)-393-0010 **Telephone** Contact person Steve Fine

Website www.laticrete.com

**Emergency phone number** Call CHEMTREC day or night

> USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

## 2. Hazard(s) identification

Not classified. Physical hazards

**Health Hazards** Acute toxicity, inhalation Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Aspiration hazard Category 1

**Environmental hazards** Hazardous to the aquatic environment.

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word

**Hazard statement** Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed

and enters airways. Toxic to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area. Wash thoroughly

after handling. Wear protective gloves/eye protection/face protection. Avoid release to the

environment.

Response If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison

> center/doctor if you feel unwell. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Collect spillage.

Category 2

Store locked up. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

SDS US L&M E-Z Strip

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Distillates (petroleum), Hydrotreated Middle	64742-46-7	90 - 100

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

Skin contact Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Get

medical attention immediately.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content Ingestion

doesn't get into the lungs. Get medical attention if any discomfort continues.

Most important symptoms/effects, acute and delayed

Irritation of eyes and mucous membranes. Irritating to mouth, throat, and stomach.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters By heating and fire, irritating vapors/gases may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Move containers from fire area if you can do so without risk. Use water spray to cool unopened

Fire fighting equipment/instructions

containers. General fire hazards

Will burn if involved in a fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

# 7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

L&M E-Z Strip SDS US Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (See Section 10).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Middle (CAS	PEL	5 mg/m3	Mist.
64742-46-7)			

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Components	Туре	Value	Form	
Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)	STEL	10 mg/m3	Mist.	
•	TWA	5 mg/m3	Mist.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Face-shield.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Liquid. Clear amber. Color No data available. Odor Not available. **Odor threshold** Ha No data available. Melting point/freezing point Not applicable. 550 °F (287.78 °C) Initial boiling point and boiling range

Flash point 280.0 °F (137.8 °C)
Evaporation rate Not applicable.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

\_\_\_

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable.

L&M E-Z Strip

Vapor density 9 ( Air=1) 0.93 Relative density

Solubility(ies)

Solubility (water) Insoluble in water. Partition coefficient No data available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** 

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides. Sulfur oxides. Unidentified organic compounds.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled. Skin contact Causes skin irritation.

Eve contact Causes serious eye irritation.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes and mucous membranes. Irritating to mouth, throat, and stomach.

Information on toxicological effects

Harmful if inhaled. **Acute toxicity** 

**Species** Test Results Components

Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)

Acute Inhalation

1.72 mg/l, 4 Hours LC50 Rat

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization No data available. Skin sensitization Not a skin sensitizer.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Not classified. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity No data available. Specific target organ toxicity -No data available.

single exposure

Specific target organ toxicity -No data available.

repeated exposure

L&M E-Z Strip

922474 Version #: 01 Issue date: 16-October-2014 Revision date: -

4/7

May be fatal if swallowed and enters airways. Be aware that symptoms of lung edema (shortness **Aspiration hazard** 

of breath) may develop up to 24 hours after exposure.

**Chronic effects** May cause kidney damage based on animal data.

**Further information** No data available.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Expected to be inherently biodegradable. Persistence and degradability

**Bioaccumulative potential** Has the potential to bioaccumulate.

Mobility in soil The product is insoluble in water.

Other adverse effects Not available.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

> and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

**UN** number UN3082

**UN proper shipping name** Environmentally hazardous substances, liquid, n.o.s. (Distillates (petroleum), Hydrotreated

Middle)

Transport hazard class(es)

**Class** 9 Subsidiary risk 9 Label(s) Ш **Packing group** 

**Environmental hazards** 

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

8, 146, 335, IB3, T4, TP1, TP29 Special provisions

Packaging exceptions 155 Packaging non bulk 203 Packaging bulk 241

**IATA** 

**UN** number UN3082

**UN proper shipping name** 

Transport hazard class(es)

Environmentally hazardous substance, liquid, n.o.s. (Distillates (petroleum), Hydrotreated Middle)

9 **Class** Subsidiary risk Ш Packing group Yes **Environmental hazards** 9L **ERG Code** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN3082 **UN number** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates (petroleum), **UN proper shipping name** 

Hydrotreated Middle)

Transport hazard class(es)

9 Class

L&M E-Z Strip SDS US 922474 Version #: 01 Issue date: 16-October-2014 Revision date: -

Subsidiary risk Label(s) 9
Packing group III

**Environmental hazards** 

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

This substance/mixture is not intended to be transported in bulk.

the IBC Code

**General information** IATA classification is not relevant as the material is not transported by air.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

## SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

#### US. Massachusetts RTK - Substance List

Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)

# US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), Hydrotreated Middle (CAS 64742-46-7)

#### **US. Rhode Island RTK**

Not regulated.

## **US. California Proposition 65**

## US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

L&M E-Z Strip SDS US

#### **International Inventories**

Inventory name	On inventory (yes/no)*
Australian Inventory of Chemical Substances (AICS)	Yes
Domestic Substances List (DSL)	Yes
Non-Domestic Substances List (NDSL)	No
Inventory of Existing Chemical Substances in China (IECSC)	Yes
European Inventory of Existing Commercial Chemical Substances (EINECS)	No
European List of Notified Chemical Substances (ELINCS)	Yes
Inventory of Existing and New Chemical Substances (ENCS)	No
Existing Chemicals List (ECL)	Yes
New Zealand Inventory	Yes
Philippine Inventory of Chemicals and Chemical Substances	Yes
	Australian Inventory of Chemical Substances (AICS) Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) New Zealand Inventory

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

Issue date 16-October-2014

Revision date - 01

NFPA ratings



References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

**Disclaimer** The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

L&M E-Z Strip SDS US

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).