

SAFETY DATA SHEET

1. Identification

Product identifier	LATICRETE® 1600 Unsanded Grout
Other means of identification	None.
Recommended use	Grout.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Company Name	LATICRETE International
Address	1 Laticrete Park, N
	Bethany, CT 06524
Telephone	(203)-393-0010
Contact person	Steve Fine
Website	www.laticrete.com
Emergency phone number	Call CHEMTREC day or night
	USA/Canada - 1.800.424.9300
	Mexico - 1.800.681.9531
	Outside USA/Canada
	1.703.527.3887

2. Hazard(s) identification

Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 1	
	Sensitization, skin	Category 1	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
Environmental hazards	Not classified.		
Label elements			



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause respiratory irritation.
Precautionary statement	
Prevention	Do not breathe dust/fume. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace.
Response	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	Not classified.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name		CAS number	%
Portland Cement		65997-15-1	28 - 38
Calcium hydroxide		1305-62-0	2 - 3
Magnesium hydroxide		1309-42-8	2 - 2.25
Composition comments	All concentrations are in percent by weigh percent by volume.	ht unless ingredient is a gas. Gas	s concentrations are ir
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at re if symptoms develop or persist.	est in a position comfortable for b	reathing. Call a physic
Skin contact	Wash off with soap and plenty of water. If advice/attention. Take off contaminated c		et medical
Eye contact	Do not rub eyes. Immediately flush eyes contact lenses, if present and easy to do. center immediately.		
Ingestion	Rinse mouth. Get medical attention if syn	nptoms occur.	
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Sympton blurred vision. Permanent eye damage in cause chronic effects.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and	d treat symptomatically. Symptor	ns may be delayed.
General information	Ensure that medical personnel are aware protect themselves. Wash contaminated of		take precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder.	Carbon dioxide (CO2).	

Suitable extinguishing media	water tog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	sures

5. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool, dry place out of direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Canada. Alberta OELs (Oc	ccupational Health & Safety Code, Sche	edule 1, Table 2)	
Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Portland Cement (CAS 65997-15-1)	TWA	10 mg/m3	
Canada. British Columbia Safety Regulation 296/97,	OELs. (Occupational Exposure Limits as amended)	for Chemical Substances, C	ccupational Health and
Components	Туре	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Portland Cement (CAS 65997-15-1)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (I	Reg. 217/2006, The Workplace Safety A	and Health Act)	
Components	Туре	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Canada. Ontario OELs. (C	ontrol of Exposure to Biological or Che	emical Agents)	
Components	Туре	Value	Form
Calcium hydroxide (CAS	TWA	5 mg/m3	
1305-62-0) Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
,			
	linistry of Labor - Regulation Respectir	ng the Quality of the Work E	nvironment)
Components			Form
Components Calcium hydroxide (CAS	linistry of Labor - Regulation Respectir Type TWA	ng the Quality of the Work E Value 5 mg/m3	
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	Type TWA	Value 5 mg/m3	Form
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS	Type TWA	Value 5 mg/m3 5 mg/m3 10 mg/m3	Form Respirable dust.
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS 65997-15-1)	Type TWA TWA No biological exposure limits noted fo Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to maint exposure limits have not been establi	Value 5 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). air changes per hour) should oplicable, use process enclosu tain airborne levels below recommended	Form Respirable dust. Total dust. be used. Ventilation rates ures, local exhaust ventilatior mmended exposure limits. It
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS 65997-15-1) logical limit values propriate engineering trols	Type TWA TWA No biological exposure limits noted fo Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to maint	Value 5 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). air changes per hour) should pplicable, use process enclosu tain airborne levels below recordshed, maintain airborne levels	Form Respirable dust. Total dust. be used. Ventilation rates irres, local exhaust ventilation mmended exposure limits. I
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS 65997-15-1) logical limit values propriate engineering trols	Type TWA TWA No biological exposure limits noted fo Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to maint exposure limits have not been establi eyewash station.	Value 5 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). air changes per hour) should oplicable, use process enclosu tain airborne levels below reco shed, maintain airborne levels	Form Respirable dust. Total dust. be used. Ventilation rates irres, local exhaust ventilation mmended exposure limits. I
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS 65997-15-1) logical limit values propriate engineering trols vidual protection measure Eye/face protection Skin protection	Type TWA TWA No biological exposure limits noted fo Good general ventilation (typically 10 should be matched to conditions. If an or other engineering controls to maint exposure limits have not been establi eyewash station. s, such as personal protective equipment	Value 5 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). air changes per hour) should oplicable, use process enclosu tain airborne levels below reco shed, maintain airborne levels	Form Respirable dust. Total dust. be used. Ventilation rates irres, local exhaust ventilation mmended exposure limits. I
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS 65997-15-1) logical limit values propriate engineering trols vidual protection measure Eye/face protection	Type TWA TWA TWA No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to maint exposure limits have not been establi eyewash station. Is, such as personal protective equipme Wear safety glasses with side shields Wear chemical-resistant, impervious of	Value 5 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). air changes per hour) should oplicable, use process enclosu tain airborne levels below reco shed, maintain airborne levels ent s (or goggles). gloves.	Form Respirable dust. Total dust. be used. Ventilation rates irres, local exhaust ventilation mmended exposure limits. I
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS 65997-15-1) logical limit values propriate engineering trols vidual protection measure Eye/face protection Skin protection Hand protection Other	Type TWA TWA TWA No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to maint exposure limits have not been establi eyewash station. Is, such as personal protective equipme Wear safety glasses with side shields Wear chemical-resistant, impervious of Wear appropriate chemical resistant of	Value 5 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). air changes per hour) should pplicable, use process enclosutain airborne levels below recordshed, maintain airborne levels ent s (or goggles). gloves. clothing.	Form Respirable dust. Total dust. be used. Ventilation rates irres, local exhaust ventilatior mmended exposure limits. If
Calcium hydroxide (CAS 1305-62-0) Portland Cement (CAS 65997-15-1) logical limit values propriate engineering trols vidual protection measure Eye/face protection Skin protection Hand protection	Type TWA TWA TWA No biological exposure limits noted for Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to maint exposure limits have not been establi eyewash station. Is, such as personal protective equipme Wear safety glasses with side shields Wear chemical-resistant, impervious of	Value 5 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). air changes per hour) should pplicable, use process enclosultain airborne levels below recordshed, maintain airborne levels ent a (or goggles). gloves. clothing. d above exposure limits.	Form Respirable dust. Total dust. be used. Ventilation rates irres, local exhaust ventilatior mmended exposure limits. If

LATICRETE® 1600 Unsanded Grout

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	Colored.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	Not flammable or combustible.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
(II-OCIAIIOI/Waler)	
Auto-ignition temperature	Not available.
. ,	Not available. Not available.
Auto-ignition temperature	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.	
Eye contact	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.	
Ingestion	Swallowing may cause gastrointestinal irritation.	
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.	

Acute toxicity	May cause respiratory irr		
Components	Species	Test Results	
Calcium hydroxide (CAS 1305-62	2-0)		
<u>Acute</u>			
Oral			
LD50	Rat	7340 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye dam	age.	
Respiratory or skin sensitization	on		
Canada - Alberta OELs: Irr	itant		
Calcium hydroxide (CAS	S 1305-62-0)	Irritant	
Respiratory sensitization	No data available.		
Skin sensitization	May cause an allergic sk	in reaction.	
Germ cell mutagenicity	No data available to indio mutagenic or genotoxic.	cate product or any components present at greater than 0.1% are	
Carcinogenicity	Not classified.		
ACGIH Carcinogens			
Portland Cement (CAS Canada - Manitoba OELs:	,	A4 Not classifiable as a human carcinogen.	
Portland Cement (CAS	65997-15-1)	Not classifiable as a human carcinogen.	
Reproductive toxicity	This product is not expect	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	May cause respiratory irr	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Due to the physical form	of the product it is not an aspiration hazard.	
Chronic effects	Frequent inhalation of du diseases.	Frequent inhalation of dust over a long period of time increases the risk of developing lung	
Further information	No other specific acute o	r chronic health impact noted.	
12. Ecological informatio	n		
Ecotoxicity	Not expected to be harm	ful to aquatic organisms.	
Persistence and degradability	No data is available on th	ne degradability of this product.	
Bioaccumulative potential	No data available for this	product.	
Mobility in soil	The product is not mobile	e in soil.	
Other adverse effects		nmental effects (e.g. ozone depletion, photochemical ozone creation uption, global warming potential) are expected from this component.	
13. Disposal consideration	ons		
Disposal instructions		ainer in accordance with local/regional/national/international regulations ds, waterways or ditches with chemical or used container.	
Hazardous waste code	The waste code should b disposal company.	e assigned in discussion between the user, the producer and the waste	
Waste from residues / unused products		e with local regulations. Empty containers or liners may retain some aterial and its container must be disposed of in a safe manner (see:	
Contaminated packaging		be taken to an approved waste handling site for recycling or disposal. s may retain product residue, follow label warnings even after container i	

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Canadian regulations

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

- Kyoto protocol
- Not applicable.
- Montreal Protocol
 - Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	02-May-2017
Revision date	-
Version #	01
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.