

# SAFETY DATA SHEET

### 1. Identification

1. Identification	
Product identifier	LATICRETE 254 Platinum
Other means of identification	None.
Recommended use	Tile adhesive.
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
Manufacturer/Importer/Supplier/	Distributor information
Company Name	LATICRETE International
Address	1 Laticrete Park, N
	Bethany, CT 06524
Telephone	(203)-393-0010
Contact person	Steve Fine
Website	www.laticrete.com
Emergency phone number	Call CHEMTREC day or night
	USA/Canada - 1.800.424.9300
	Mexico - 1.800.681.9531
	Outside USA/Canada
	1.703.527.3887
2. Hazard(s) identification	
Physical hazards	Not classified.

Physical nazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Carcinogenicity	Category 1A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 2 (lung)
Environmental hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Causes skin irritation. Causes serious eye dar cause cancer. May cause respiratory irritation. prolonged or repeated exposure.	nage. May cause an allergic skin reaction. May May cause damage to organs (lung) through
Precautionary statement		
Prevention	and understood. Do not breathe dust/fume. Wa	handle until all safety precautions have been read ash thoroughly after handling. Use only outdoors or es/protective clothing/eye protection/face protection. ed out of the workplace.
Response	and keep at rest in a position comfortable for b skin irritation or rash occurs: Get medical advic wash before reuse. IF IN EYES: Rinse cautiou	attention. IF INHALED: Remove victim to fresh air preathing. IF ON SKIN: Wash with plenty of water. If ce/attention. Take off contaminated clothing and usly with water for several minutes. Remove contact sing. Immediately call a POISON CENTER/doctor.
LATICRETE 254 Platinum		ebeneD 202

Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.
Supplemental information	None.

### 3. Composition/information on ingredients

Mixtures

Chemical name		CAS number	%
Silica Sand		14808-60-7	45 - 55
Portland Cement		65997-15-1	40 - 45
Calcium formate		544-17-2	0.7 - 1
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.		
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at res if symptoms develop or persist.	st in a position comfortable for b	reathing. Call a phys
Skin contact	Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
Ingestion	Rinse mouth. Get medical attention if sym	ptoms occur.	
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Symptom blurred vision. Permanent eye damage ind cause chronic effects.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and	treat symptomatically. Symptor	ns may be delayed.
General information	Ensure that medical personnel are aware protect themselves. IF exposed or concern clothing before reuse.		

## 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.

Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Conditions for safe storage, including any incompatibilities

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Silica Sand (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	10 mg/m3	
Silica Sand (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Silica Sand (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Silica Sand (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Silica Sand (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.

#### Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Silica Sand (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
posure guidelines	Occupational exposure to nuisance du should be monitored and controlled.	st (total and respirable) and r	espirable crystalline silica

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures,	, such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear chemical-resistant, impervious gloves.
Other	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Wear a dust mask if dust is generated above exposure limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	Gray or off-white.
Odor	Odorless.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not flammable or combustible.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.2 - 1.5
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information VOC	0 %
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.

### 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.
Eye contact	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.
Ingestion	Swallowing may cause gastrointestinal irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

#### Information on toxicological effects

Acute toxicity	May cause respiratory irritatio	n.
Components	Species	Test Results
Calcium formate (CAS 544-17-2)		
Acute		
Oral		
LD50	Rat	2650 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization	n	
<b>Respiratory sensitization</b>	No data available.	
Skin sensitization	May cause an allergic skin rea	action.
Germ cell mutagenicity	No data available to indicate province to indicate province or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	that crystalline silica inhaled fi However in making the overal industrial circumstances studi the crystalline silica or on exter polymorphs." (IARC Monogra humans, Silica, silicates dust 2003, SCOEL (the EU Scienti main effect in humans of the i sufficient information to conclu- silicosis (and, apparently, not	ARC (the International Agency for Research on Cancer) concluded rom occupational sources can cause lung cancer in humans. I evaluation, IARC noted that "carcinogenicity was not detected in all ed. Carcinogenicity may be dependent on inherent characteristics of ernal factors affecting its biological activity or distribution of its uphs on the evaluation of the carcinogenic risks of chemicals to and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June fic Committee on Occupational Exposure Limits) concluded that the nhalation of respirable crystalline silica dust is silicosis. "There is ude that the relative risk of lung cancer is increased in persons with in employees without silicosis exposed to silica dust in quarries and refore, preventing the onset of silicosis will also reduce the cancer final, June 2003)
ACGIH Carcinogens		
Portland Cement (CAS 6		A4 Not classifiable as a human carcinogen.
Silica Sand (CAS 14808-		A2 Suspected human carcinogen.
Canada - Alberta OELs: Car		
Silica Sand (CAS 14808- Canada - Manitoba OELs: c		Suspected human carcinogen.
		Not classifiable as a human carcinogen.
Portland Cement (CAS 65997-15-1) Silica Sand (CAS 14808-60-7)		Suspected human carcinogen.
Canada - Quebec OELs: Carcinogen category		
Silica Sand (CAS 14808-	• • •	Suspected carcinogenic effect in humans.
	Evaluation of Carcinogenicity	
Silica Sand (CAS 14808-		1 Carcinogenic to humans.
US. National Toxicology Pro	ogram (NTP) Report on Carcin	ogens
Silica Sand (CAS 14808-	60-7)	Known To Be Human Carcinogen.
Reproductive toxicity	This product is not expected t	o cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	May cause damage to organs (lung) through prolonged or repeated exposure.
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.
Chronic effects	Prolonged or repeated exposure may cause lung injury, including silicosis.
12. Ecological information	
Ecotoxicity	Not expected to be harmful to aquatic organisms

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available for this product.
Mobility in soil	The product is not mobile in soil.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

### TDG

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

Transport in bulk according to This substance/mixture is not intended to be transported in bulk. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

**Precursor Control Regulations** 

Not regulated.

### International regulations

Stockholm Convention Not applicable. Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

#### **Montreal Protocol** Not applicable. **Basel Convention** Not applicable. International Inventories Country(s) or region Inventory name On inventory (yes/no)\* Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of Existing Commercial Chemical Yes Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) No Existing Chemicals List (ECL) Korea Yes New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances No (PICCS) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

Issue date	21-March-2017
Revision date	-
Version #	01
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)
Disclaimer	The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.