

SAFETY DATA SHEET

1. Identification

Product identifier	LATICRETE 255 MULTIMAX
Other means of identification	Not available.
Recommended use	Tile adhesive.
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
Manufacturer / Importer / Supplier / Distributor information	
Company Name	LATICRETE International

Company Name	LATICRETE International
Address	1 Laticrete Park, N
	Bethany, CT 06524
Telephone	(203)-393-0010
Contact person	Steve Fine
Website	www.laticrete.com
Emergency phone number	Call CHEMTREC day or night
	USA/Canada - 1.800.424.9300
	Mexico - 1.800.681.9531
	Outside USA/Canada

1.703.527.3887

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Carcinogenicity	Category 1A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 2 (lung)
OSHA defined hazards	Not classified.	

OSHA defined hazards

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. May cause damage to organs (lung) through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace.
Response	If exposed or concerned: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Not classified.

3. Composition/information on ingredients

Mixtures

Chemical name		CAS number	%
Portland Cement		65997-15-1	65-70
Silica Sand		14808-60-7	14-18
Composition comments	All concentrations are in percent by weight percent by volume.	unless ingredient is a gas. Gas	concentrations are ir
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest if symptoms develop or persist.	t in a position comfortable for b	eathing. Call a physic
Skin contact	Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
Eye contact	Do not rub eyes. Immediately flush eyes w contact lenses, if present and easy to do. C center immediately.		
Ingestion	Rinse mouth. Get medical attention if symp	otoms occur.	
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Symptoms blurred vision. Permanent eye damage incl cause chronic effects.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and	treat symptomatically. Sympton	ns may be delayed.
General information	Ensure that medical personnel are aware on protect themselves. IF exposed or concern clothing before reuse.		

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.
Conditions for safe storage,	Keep container tightly closed. Store in a cool, dry place out of direct sunlight.

including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	PEL	5 mg/m3	Respirable fraction.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
US. OSHA Table Z-3 (29 C	ER 1910 1000)	15 mg/m3	Total dust.
-	-	Walter	Form
Components Portland Cement (CAS	Туре ТWA	50 millions of	TOTIN
65997-15-1)	TWA	particle	
Silica Sand (CAS	TWA	0.3 mg/m3	Total dust.
14808-60-7)		0.1 mg/m3	Respirable.
		2.4 millions of	Respirable.
		particle	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Silica Sand (CAS	TWA	0.025 mg/m3	Respirable fraction.
14808-60-7)		-	
US NIOSH Pocket Guide t	o Chemical Hazards: Recommended e	exposure limit (REL)	
Components	Туре	Value	Form
Portland Cement (CAS	TWA	5 mg/m3	Respirable.
65997-15-1)		10 mg/m3	Total
Silica Sand (CAS	TWA	0.05 mg/m3	Respirable dust.
14808-60-7)		C C	·
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
oosure guidelines	Occupational exposure to nuisance of should be monitored and controlled.	dust (total and respirable) and re	spirable crystalline silica
propriate engineering htrols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ eyewash station.	applicable, use process enclosur tain airborne levels below recon	es, local exhaust ventilation, nmended exposure limits. If
ividual protection measure	s, such as personal protective equipm	nent	
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection			
Hand protection	Wear chemical-resistant, impervious	gloves.	
Other	Wear appropriate chemical resistant	clothing.	
Respiratory protection	Wear a dust mask if dust is generate	ed above exposure limits.	
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene nsiderations	Always observe good personal hygie and before eating, drinking, and/or si equipment to remove contaminants. workplace.	moking. Routinely wash work cl	othing and protective
Physical and chemica	l properties		
pearance			
Physical state	Solid.		
Form	Powder.		
Color	Gray or off-white.		
or	Not available.		
or threshold	Not available.		
	Not available.		

Not available.

Not available.

Melting point/freezing point

range

Initial boiling point and boiling

Flash point	Not flammable or combustible.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.3
Solubility(ies)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

······································	- fr
Ingestion Swallowing may cause gastrointestinal irritation.	
Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.
Eye contact	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.
Information on toxicological effects	
Acute toxicity	May cause respiratory irritation.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory sensitization	No data available.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity	May cause cancer. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003)				
IARC Monographs. Overall Evaluation of Carcinogenicity					
Silica Sand (CAS 14808-60-7) 1 Carcinogenic to humans. NTP Report on Carcinogens					
Silica Sand (CAS 14808-60-7)		Known To Be Human Carcinogen.			
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	May cause respiratory irritation.				
Specific target organ toxicity - repeated exposure	May cause damage to organs (lung) through prolonged or repeated exposure.				
Aspiration hazard	Due to the physical form of the	product it is not an aspiration hazard.			
Chronic effects	Prolonged or repeated exposure may cause lung injury, including silicosis.				
12. Ecological information					
Ecotoxicity	Not expected to be harmful to aquatic organisms.				
Persistence and degradability	No data is available on the degradability of this product.				
Bioaccumulative potential	No data available for this product.				
Mobility in soil	The product is not mobile in soil.				
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.			

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to This substance/mixture is not intended to be transported in bulk. **Annex II of MARPOL 73/78 and**

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

+ - F 4000 (0 A D A) -.

Superfund Amendments and Re	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
US state regulations	WARNING: This product contains a chemical known to the State of California	ornia to cause cancer.
US. Massachusetts RTK	K - Substance List	
Portland Cement (CA Silica Sand (CAS 14) US. New Jersey Worker		
Not regulated.		
•	Hazardous Substances	
Portland Cement (CA Silica Sand (CAS 14		
US. Rhode Island RTK Not regulated.		
US. California Proposition 6	5	
	ains a chemical known to the State of California to cause cancer.	
US - California Proposit Silica Sand (CAS 14	ion 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substanc 808-60-7)	e
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. Other information, including date of preparation or last revision

Issue date 22-November-2013	3
-----------------------------	---

Version # NFPA Ratings

01



References

Disclaimer

HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.