LATICRETE

SAFETY DATA SHEET

1. Identification

Address

Product identifier LATICRETE® 9235 Waterproofing Membrane

Other means of identification None.

Recommended use Waterproofing Membrane.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name LATICRETE International

1 Laticrete Park, N Bethany, CT 06524

Telephone (203)-393-0010

Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada

1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity following Category 2 (Kidney)

repeated exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Label elements



Signal word Warning

Hazard statement May cause damage to organs (Kidney) through prolonged or repeated exposure. Harmful to

aquatic life with long lasting effects.

Precautionary statements

Prevention Do not breathe mist or vapour. Avoid release to the environment.

Response Get medical advice/attention if you feel unwell.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards Not classified.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Carbon black	1333-86-4	1 - 3
Ethylene glycol	107-21-1	1 - 2

LATICRETE® 9235 Waterproofing Membrane
916954 Version #: 01 Revision date: - Issue date: 20-June-2017

Zinc oxide 1314-13-2 0.15 - 0.25

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in **Composition comments**

percent by volume.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

Wash skin with soap and water. Get medical attention if symptoms occur. Skin contact

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if symptoms

persist.

Rinse mouth. Do not induce vomiting. Get medical attention if any discomfort continues. Ingestion

Symptoms include redness, itching and pain.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Environmental precautions

Environmental manager must be informed of all major releases.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapour. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

916954

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.

Version #: 01 Revision date: - Issue date: 20-June-2017

SDS Canada

US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
	TWA	2 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupationa			_
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable.
	TWA	2 mg/m3	Respirable.
Canada. British Columbia OELs. (O Safety Regulation 296/97, as amend		for Chemical Substances, O	ccupational Health and
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable
Ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol
		50 ppm	Vapour.
	STEL	20 mg/m3	Particulate.
	TWA	10 mg/m3	Particulate.
7:: (0 4 0 4 0 4 0 4 0 0)		40 / 0	Danis Inchis
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable.
zinc oxide (CAS 1314-13-2)	STEL TWA	10 mg/m3 2 mg/m3	Respirable. Respirable.
	TWA	2 mg/m3	
Canada. Manitoba OELs (Reg. 217/2	TWA	2 mg/m3	
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS	TWA 2006, The Workplace Safety A	2 mg/m3 And Health Act)	Respirable.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS	TWA 2006, The Workplace Safety A Type	2 mg/m3 And Health Act) Value	Respirable.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 333-86-4) Ethylene glycol (CAS 07-21-1)	TWA 2006, The Workplace Safety A Type TWA	2 mg/m3 And Health Act) Value 3 mg/m3	Respirable. Form Inhalable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 333-86-4) Ethylene glycol (CAS 07-21-1)	TWA 2006, The Workplace Safety A Type TWA Ceiling	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3	Form Inhalable fraction. Aerosol
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 333-86-4) Ethylene glycol (CAS 07-21-1) Zinc oxide (CAS 1314-13-2)	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents)	Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 333-86-4) Ethylene glycol (CAS 07-21-1) Cinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3	Form Inhalable fraction. Aerosol Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents)	Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents) Value	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 333-86-4) Ethylene glycol (CAS 07-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 333-86-4) Ethylene glycol (CAS 07-21-1)	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1)	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2)	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling STEL TWA Ceiling STEL TWA	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3 100 mg/m3 100 mg/m3 2 mg/m3	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of EComponents Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Quebec OELs. (Ministry of	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling STEL TWA Ceiling STEL TWA	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3 100 mg/m3 100 mg/m3 2 mg/m3	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction.
Zinc oxide (CAS 1314-13-2) Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Quebec OELs. (Ministry of Components Carbon black (CAS 1333-86-4)	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling STEL TWA Ceiling STEL TWA Ceiling	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3 100 mg/m3 2 mg/m3 10 mg/m3 2 mg/m3 ng occupational health and sa	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 1314-13-2) Canada. Quebec OELs. (Ministry of Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 1333-86-4) Ethylene glycol (CAS 1333-86-4) Ethylene glycol (CAS	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling STEL TWA Ceiling STEL TWA Labor - Regulation respectin Type	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 ng occupational health and sa Value	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Quebec OELs. (Ministry of Components	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling STEL TWA Ceiling STEL TWA Labor - Regulation respectin Type TWA	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3 100 mg/m3 2 mg/m3 ng occupational health and sa Value 3.5 mg/m3	Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Respirable fraction. Respirable fraction. Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Quebec OELs. (Ministry of Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 1333-86-4) Ethylene glycol (CAS	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling STEL TWA Ceiling STEL TWA Labor - Regulation respectin Type TWA	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3 100 mg/m3 2 mg/m3 10 mg/m3 2 mg/m3 10 mg/m3 2 mg/m3 12 mg/m3 127 mg/m3	Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Respirable fraction. Respirable fraction. Nespirable fraction.
Canada. Manitoba OELs (Reg. 217/2 Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2) Canada. Ontario OELs. (Control of E Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 1314-13-2) Canada. Quebec OELs. (Ministry of Components Carbon black (CAS 1314-13-2) Canada. Quebec OELs. (Ministry of Components Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1)	TWA 2006, The Workplace Safety A Type TWA Ceiling STEL TWA Exposure to Biological or Ch Type TWA Ceiling STEL TWA Ceiling	2 mg/m3 And Health Act) Value 3 mg/m3 100 mg/m3 10 mg/m3 2 mg/m3 emical Agents) Value 3 mg/m3 100 mg/m3 100 mg/m3 2 mg/m3 10 mg/m3 2 mg/m3 127 mg/m3 50 ppm	Respirable. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Form Inhalable fraction. Aerosol Respirable fraction. Respirable fraction. Respirable fraction. Respirable fraction. Vapor and mist. Vapor and mist.

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) Components Value

Type Ethylene glycol (CAS Ceiling 100 mg/m3 Aerosol

107-21-1)

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Provide adequate ventilation and minimise the risk of inhalation of vapours. Appropriate engineering

controls

Form

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear protective gloves and goggles/face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Liquid. **Physical state** Liquid. **Form** Colour Dark blue.

Odour Styrene butadiene rubber.

Odour threshold Not available.

8 - 9 pН

Melting point/freezing point 0 °C (32 °F) Initial boiling point and boiling 100 °C (212 °F)

range

Flash point Not available. **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Vapour pressure Not available. Vapour density

Relative density 1.18

Solubility(ies)

Soluble in water. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

SDS Canada

Incompatible materials Oxidizing agents.

Hazardous decomposition

products

Carbon dioxide (CO2). Carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

In high concentrations, vapours may be irritating to the respiratory system.

Skin contactMay cause skin irritation.Eye contactMay cause eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include redness, itching and pain.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test results

Carbon black (CAS 1333-86-4)

<u>Acute</u>

Dermal

LD50 Rabbit > 3000 mg/kg

Oral

LD50 Rat > 8000 mg/kg

Ethylene glycol (CAS 107-21-1)

Acute

Dermal

LD50 Rabbit 9530 mg/kg

Oral

LD50 Rat 4700 mg/kg

Skin corrosion/irritation May cause skin irritation on prolonged or repeated contact.

Serious eye damage/eye

irritation

May cause eye irritation on direct contact.

Respiratory or skin sensitisation

Respiratory sensitisation

Canada - Alberta OELs: Irritant

Ethylene glycol (CAS 107-21-1)

No data available.

Skin sensitisation Not a skin sensitiser.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Inhalation of carbon black dust may cause cancer, however due to the physical form of the

product, inhalation of dust is not likely.

ACGIH Carcinogens

Carbon black (CAS 1333-86-4)

A3 Confirmed animal carcinogen with unknown relevance to

humans.

Irritant

Ethylene glycol (CAS 107-21-1)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Carbon black (CAS 1333-86-4) Confirmed animal carcinogen with unknown relevance to humans.

Ethylene glycol (CAS 107-21-1)

Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity

No data available.

Specific target organ toxicity
No data available.

single exposure

NO data avallable.

Specific target organ toxicity - May cause damage to organs (Kidney) through prolonged or repeated exposure by ingestion. **repeated exposure**

LATICRETE® 9235 Waterproofing Membrane
916954 Version #: 01 Revision date: - Issue date: 20-June-2017

Not classified. **Aspiration hazard Chronic effects** No data available.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Test results Components Species

Carbon black (CAS 1333-86-4)

Aquatic Acute

LC50 Fish Leuciscus idus >= 1000 mg/l, 96 Hours

Ethylene glycol (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Zinc oxide (CAS 1314-13-2)

Aquatic

Crustacea LC50 Water flea (Daphnia magna) 0.098 mg/l, 48 Hours

Persistence and degradability No data is available on the degradability of this product.

No data available for this product. Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ethylene glycol (CAS 107-21-1) -1.36

The product is soluble in water. Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and This substance/mixture is not intended to be transported in bulk.

the IBC Code

15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS Canadian regulations

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

LATICRETE® 9235 Waterproofing Membrane SDS Canada

Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Inventory name

Zinc oxide (CAS 1314-13-2)

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

16. Other information

20-June-2017 Issue date

Revision date Version No. 01

HSDB® - Hazardous Substances Data Bank References

(PICCS)

Registry of Toxic Effects of Chemical Substances (RTECS)

The information in this (M)SDS was obtained from sources which we believe are reliable but Disclaimer

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

Version #: 01 Revision date: - Issue date: 20-June-2017

916954

LATICRETE® 9235 Waterproofing Membrane

On inventory (yes/no)*

Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).