

SAFETY DATA SHEET

1. Identification

Product identifier LATICRETE 9235 Waterproofing Membrane

Other means of identification Not available.

Recommended use Waterproofing Membrane.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Company Name
 LATICRETE International
 1 Laticrete Park, N
 Bethany, CT 06524

Telephone (203)-393-0010
Contact person Steve Fine
Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity, repeated Category 2 (Kidney)

exposure

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause damage to organs (Kidney) through prolonged or repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor.

Response Get medical advice/attention if you feel unwell. **Storage** Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Supplemental information

Hazard statement Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid release to the environment.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Carbon black	1333-86-4	1 - 3
Ethylene glycol	107-21-1	1 - 2
Zinc oxide	1314-13-2	0.15 - 0.25

LATICRETE 9235 Waterproofing Membrane
916954 Version #: 01 Revision date: - Issue date: 24-November-2013

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

Skin contact Wash skin with soap and water. Get medical attention if symptoms occur.

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if symptoms

persist.

Ingestion Rinse mouth. Do not induce vomiting. Get medical attention if any discomfort continues.

Most important

symptoms/effects, acute and

delayed

Symptoms include redness, itching and pain.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Environmental precautions

Environmental manager must be informed of all major releases.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Zinc oxide (CAS 1314-13-2)	PEL	5 mg/m3 5 mg/m3 15 mg/m3	Respirable fraction. Fume. Total dust.

LATICRETE 9235 Waterproofing Membrane

916954 Version #: 01 Revision date: - Issue date: 24-November-2013

SDS US

US. ACGIH Threshold Limit Values

Туре	Value	Form
TWA	3 mg/m3	Inhalable fraction.
Ceiling	100 mg/m3	Aerosol.
STEL TWA	10 mg/m3	Respirable fraction. Respirable fraction.
	TWA Ceiling	TWA 3 mg/m3 Ceiling 100 mg/m3 STEL 10 mg/m3

US NIOSH Pocket Guide to Chemical Hazards: Ceiling Limit Value and Time Period (if specified)

Components	Туре	Value	Form
Zinc oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.

US NIOSH Pocket Guide to Chemical Hazards: Recommended exposure limit (REL)

Components	Туре	Value	Form	
Carbon black (CAS 1333-86-4)	TWA	0.1 mg/m3		
Zinc oxide (CAS 1314-13-2)	TWA	5 mg/m3 5 mg/m3	Dust. Fume.	

US NIOSH Pocket Guide to Chemical Hazards: Short Term Exposure Limit (STEL)

Components	Туре	Value	Form
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m3	Fume.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Provide adequate ventilation and minimize the risk of inhalation of vapors.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear protective gloves and goggles/face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneConsiderations
Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Dark blue liquid.

Physical stateLiquid.FormLiquid.ColorDark blue.

Odor Styrene butadiene rubber.

Odor threshold Not available.

pH 8 - 9

Melting point/freezing point $32 \, ^{\circ}\text{F} \, (0 \, ^{\circ}\text{C})$ Initial boiling point and boiling $212 \, ^{\circ}\text{F} \, (100 \, ^{\circ}\text{C})$

range

Flash point

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.
Vapor density Not available.

Relative density 1.18

Solubility(ies) Soluble in water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

ReactivityThe product is stable and non reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents.

Hazardous decomposition

products

Carbon dioxide (CO2). Carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

Ingestion May cause discomfort if swallowed

Inhalation In high concentrations, vapors may be irritating to the respiratory system.

Skin contact May cause skin irritation.

Eye contact May cause eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include redness, itching and pain.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

Ethylene glycol (CAS 107-21-1)

Acute

Dermal

LD50 Rabbit 9530 mg/kg

Oral

LD50 Rat 4700 mg/kg

Skin corrosion/irritation May cause skin irritation on prolonged or repeated contact.

Serious eye damage/eye

May cause eye irritation on direct contact.

irritation

Respiratory sensitization No data available.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Inhalation of carbon black dust may cause cancer, however due to the physical form of the

product, inhalation of dust is not likely.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity No data available.

Specific target organ toxicity - No data available.

single exposure

Specific target organ toxicity -

May cause damage to organs (Kidney) through prolonged or repeated exposure by ingestion.

repeated exposure

Aspiration hazard Not classified.

Chronic effects No data available.

LATICRETE 9235 Waterproofing Membrane
916954 Version #: 01 Revision date: - Issue date: 24-November-2013

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components Species **Test Results**

Ethylene glycol (CAS 107-21-1)

Aquatic

LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Zinc oxide (CAS 1314-13-2)

Aquatic

LC50 Crustacea Water flea (Daphnia magna) 0.098 mg/l, 48 Hours

Persistence and degradability No data is available on the degradability of this product.

No data available for this product. **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)

Ethylene glycol (CAS 107-21-1) -1.36

Mobility in soil The product is soluble in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

This substance/mixture is not intended to be transported in bulk.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethylene glycol (CAS 107-21-1) LISTED Zinc oxide (CAS 1314-13-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous Yes

chemical

LATICRETE 9235 Waterproofing Membrane

916954 Version # 01 Revision date: - Issue date: 24-November-2013 5/7

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Ethylene glycol	107-21-1	1 - 2

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Ethylene glycol (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

Ethylene glycol (CAS 107-21-1) 500 lbs Zinc oxide (CAS 1314-13-2) 500 lbs

Inventory name

US. Pennsylvania RTK - Hazardous Substances

Carbon black (CAS 1333-86-4) Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2)

US. Rhode Island RTK

Ethylene glycol (CAS 107-21-1) Zinc oxide (CAS 1314-13-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon black (CAS 1333-86-4)

International Inventories

Country(s) or region

	mventery name	• · · · · · · · · · · · · · · · · · · ·
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 24-November-2013

Revision date - Version # 01

916954 Version #: 01 Revision date: - Issue date: 24-November-2013

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NFPA Ratings



References

HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.