



SAFETY DATA SHEET

1. Identification

Product identifier LATICRETE® SPECTRALOCK® 2000 IG Part A
Other means of identification None.
Recommended use Tile grout
Recommended restrictions None known.
Manufacturer/Importer/Supplier/Distributor information
Company Name LATICRETE International
Address 1 Laticrete Park, N
Bethany, CT 06524
Telephone (203)-393-0010
Contact person Steve Fine
Website www.laticrete.com
Emergency phone number Call ChemTel day or night
USA/Canada - 1.800.255.3924
Mexico - 1.800.099.0731
Outside USA/Canada
1.813.248.0585

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Acute toxicity, dermal Category 4
Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1
Reproductive toxicity Category 2
Specific target organ toxicity, single exposure Category 3 respiratory tract irritation
Environmental hazards Hazardous to the aquatic environment, acute hazard Category 2
Hazardous to the aquatic environment, long-term hazard Category 2
OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Do not breathe mist or vapor. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment.

Response	If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Fatty acids, tall-oil, reaction products with tetraethylenepentamine	68953-36-6	70-80
Tetraethylene pentamine	112-57-2	5-15
2-Piperazin-1-ylethylamine	140-31-8	0-10
Benzyl alcohol	100-51-6	1-5
Isophorone diamine	2855-13-2	1-5
Solvent naphtha (petroleum), light aromatic	64742-95-6	0.1-1
Stoddard solvent	8052-41-3	0.1-1
4-Nonylphenol, branched	84852-15-3	0.01-1

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or poison control center immediately.
Most important symptoms/effects, acute and delayed	Corrosive effects. Irritation of eyes and mucous membranes. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Sensitization.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical	Heating may cause the release of ammonia vapors.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

7. Handling and storage

Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Do not taste or swallow. Avoid contact during pregnancy/while nursing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)	PEL	400 mg/m3
Stoddard solvent (CAS 8052-41-3)	PEL	100 ppm 2900 mg/m3 500 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Stoddard solvent (CAS 8052-41-3)	TWA	100 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)	TWA	400 mg/m3
Stoddard solvent (CAS 8052-41-3)	Ceiling	100 ppm 1800 mg/m3
	TWA	350 mg/m3

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Tetraethylene pentamine (CAS 112-57-2)	TWA	5 mg/m ³	Aerosol.
		1 ppm	Aerosol.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**US WEEL Guides: Skin designation**

Tetraethylene pentamine (CAS 112-57-2)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles). Face-shield. Wear a full-face respirator, if needed.

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves.

Skin protection**Other**

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties**Appearance****Physical state**

Liquid.

Form

Liquid.

Color

Amber.

Odor

Ammoniacal.

Odor threshold

Not available.

pH

Alkaline.

Melting point/freezing point

Not available.

Initial boiling point and boiling range

419 °F (215 °C)

Flash point

> 219.2 °F (> 104.0 °C)

Evaporation rate

Not applicable.

Flammability (solid, gas)

Not available.

Vapor pressure

20 mm Hg

Vapor density

Not applicable.

Relative density

0.97

Solubility(ies)**Solubility (water)**

Soluble

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

1250 cP at 21°C (70°F)

Other information**Bulk density**

0.95

VOC < 45 g/l

10. Stability and reactivity

Reactivity	Corrosive to certain metals. Copper Aluminum. Zinc.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Alkaline metals. Oxidizing agents. Strong acids. Peroxides. Phenols. Strong mineral acids. Organic acids. Sodium hypochlorite. Calcium hypochlorite. Reaction with peroxides may result in violent decomposition of peroxide, possibly creating an explosion. A reaction accompanied by large heat release occurs when the product is mixed with acids. Heat generated may be sufficient to cause vigorous boiling creating splash hazard.
Hazardous decomposition products	Nitric acid. Carbon dioxide (CO ₂). Carbon monoxide. Ammonia. Nitrogen oxides. By heating and fire, irritating vapors/gases may be formed.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Irritating to respiratory system. Vapors may cause headache, fatigue, dizziness and nausea.
Skin contact	Harmful in contact with skin. Causes skin burns. May cause an allergic skin reaction.
Eye contact	Causes eye burns.
Ingestion	May cause burns of the gastrointestinal tract if swallowed. May cause nausea, headache, dizziness and intoxication.

Symptoms related to the physical, chemical and toxicological characteristics Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Vapors may irritate throat and respiratory system and cause coughing.

Information on toxicological effects

Acute toxicity Harmful in contact with skin.

Product	Species	Test Results
LATICRETE® SPECTRALOCK® 2000 IG Part A (CAS Mixture)		
Acute		
Dermal		
LD50	Rabbit	> 660 mg/kg
Oral		
LD50	Rat	> 2000 mg/kg
Components	Species	Test Results
2-Piperazin-1-ylethylamine (CAS 140-31-8)		
Acute		
Dermal		
LD50	Rabbit	880 mg/kg
Fatty acids, tall-oil, reaction products with tetraethylenepentamine (CAS 68953-36-6)		
Acute		
Oral		
LD50	Rat	> 2000 mg/kg
Isophorone diamine (CAS 2855-13-2)		
Acute		
Oral		
LD50	Rat	1030 mg/kg

Skin corrosion/irritation Causes skin burns.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization	No data available.
Skin sensitization	May cause an allergic skin reaction.

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Stoddard solvent (CAS 8052-41-3)	3 Not classifiable as to carcinogenicity to humans.
NTP Report on Carcinogens	
Not listed.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not regulated.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	No data available.
Aspiration hazard	Not classified, however droplets of the product may be aspirated into the lungs through ingestion or vomiting and may cause a serious chemical pneumonia.
Chronic effects	Prolonged exposure may cause chronic effects.
Further information	No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components	Species	Test Results
2-Piperazin-1-ylethylamine (CAS 140-31-8)		
Aquatic		
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>) 1950 - 2460 mg/l, 96 hours
4-Nonylphenol, branched (CAS 84852-15-3)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Crustacea 0.0379 mg/l, 48 hours
Fish	LC50	Fish 0.017 mg/l, 96 hours
Benzyl alcohol (CAS 100-51-6)		
Aquatic		
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>) 460 mg/l, 96 hours
Isophorone diamine (CAS 2855-13-2)		
Aquatic		
Crustacea	EC50	Water flea (<i>Daphnia magna</i>) 14.6 - 21.5 mg/l, 48 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Partition coefficient n-octanol / water (log Kow)

Benzyl alcohol (CAS 100-51-6)	1.1
Tetraethylene pentamine (CAS 112-57-2)	1.503

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number UN2735
UN proper shipping name Amines, liquid, corrosive, n.o.s. (Tetraethylene pentamine, Nonylphenol)
Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
Packing group III
Environmental hazards
Marine pollutant Yes
Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Special provisions IB3, T7, TP1, TP28
Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN2735
UN proper shipping name Amines, liquid, corrosive, n.o.s. (Tetraethylene pentamine, Nonylphenol)
Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
Packing group III
Environmental hazards Yes
ERG Code 8L
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN2735
UN proper shipping name Amines, liquid, corrosive, n.o.s. (Tetraethylene pentamine, Nonylphenol)
Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
Packing group III
Environmental hazards
Marine pollutant Yes
EmS F-A, S-B
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This substance/mixture is not intended to be transported in bulk.

General information IATA classification is not relevant as the material is not transported by air.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

4-Nonylphenol, branched (CAS 84852-15-3) 1.0 % One-Time Export Notification only.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
4-Nonylphenol, branched	84852-15-3	0.01-1

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

This product does not contain a chemical known to the State of California to cause cancer birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

2-Piperazin-1-ylethylamine (CAS 140-31-8)
 4-Nonylphenol, branched (CAS 84852-15-3)
 Benzyl alcohol (CAS 100-51-6)
 Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)
 Stoddard solvent (CAS 8052-41-3)
 Tetraethylene pentamine (CAS 112-57-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Piperazin-1-ylethylamine (CAS 140-31-8)
 Isophorone diamine (CAS 2855-13-2)
 Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)
 Stoddard solvent (CAS 8052-41-3)
 Tetraethylene pentamine (CAS 112-57-2)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Piperazin-1-ylethylamine (CAS 140-31-8)
 4-Nonylphenol, branched (CAS 84852-15-3)
 Benzyl alcohol (CAS 100-51-6)
 Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)
 Stoddard solvent (CAS 8052-41-3)
 Tetraethylene pentamine (CAS 112-57-2)

US. Rhode Island RTK

Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)
 Stoddard solvent (CAS 8052-41-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 21-June-2017

Revision date -

Version # 01

NFPA ratings



List of abbreviations

References

HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.