

SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	LATICRETE TRI-LITE		
Other means of identification	None.		
Recommended use	Adhesive.		
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/	Distributor information		
Company Name	LATICRETE International		
Address	1 Laticrete Park, N		
	Bethany, CT 06524		
Telephone	(203)-393-0010		
Contact person	Steve Fine		
Website	www.laticrete.com		
Emergency phone number	Call CHEMTREC day or night		
	USA/Canada - 1.800.424.9300		
	Mexico - 1.800.681.9531		
	Outside USA/Canada		
	1.703.527.3887		
2. Hazard(s) identification			
Physical hazards	Not classified.		

Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 1	
	Sensitization, skin	Category 1	
	Carcinogenicity	Category 1A	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
	Specific target organ toxicity, repeated exposure	Category 2 (lung)	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. May cause damage to organs (lung) through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace.		
Response	keep comfortable for breathing. If on skin: Was occurs: Get medical advice/attention. Take off	contaminated clothing and wash before reuse. If in ninutes. Remove contact lenses, if present and easy	

Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

WIXtures			
Chemical name		CAS number	%
Portland Cement		65997-15-1	60 - 65
Silica Sand		14808-60-7	20 - 25
Composition comments	All concentrations are in percent by weig percent by volume.	ht unless ingredient is a gas. Gas	concentrations are ir
4. First-aid measures			
nhalation	Remove victim to fresh air and keep at re if symptoms develop or persist.	est in a position comfortable for b	reathing. Call a physic
Skin contact	Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
Ingestion	Rinse mouth. Get medical attention if syn	mptoms occur.	
Most important symptoms/effects, acute and delayed	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures an	d treat symptomatically. Sympton	ns may be delayed.
General information	Ensure that medical personnel are aware protect themselves. IF exposed or conce		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder.	Carbon dioxide (CO2).	
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	During fire, gases hazardous to health m	nay be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and	full protective clothing must be wo	orn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not br	eathe fumes.	
General fire hazards	No unusual fire or explosion hazards not	ed.	
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Kee protective equipment and clothing during material unless wearing appropriate prot	clean-up. Do not touch damaged	containers or spilled

Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.

Environmental precautions

Methods and materials for

containment and cleaning up

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 C	FR 1910.1000)		
Components	Туре	Value	Form
Portland Cement (CAS 65997-15-1)	TWA	50 mppcf	
Silica Sand (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Portland Cement (CAS	TWA	1 mg/m3	Respirable fraction.
65997-15-1)	TWA	0.025 mg/m2	Despirable fraction
Silica Sand (CAS 14808-60-7)	ΤΨΑ	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Portland Cement (CAS	TWA	5 mg/m3	Respirable.
65997-15-1)		5 mg/m5	Respirable.
		10 mg/m3	Total
Silica Sand (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted fo	r the ingredient(s)	
osure guidelines	Occupational exposure to nuisance d	• • • •	spirable crystalline silica
Source guidelines	should be monitored and controlled.		
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provid eyewash station.		
	s, such as personal protective equipme		
Eye/face protection	Wear safety glasses with side shields	(or goggies).	
Skin protection	· · · · · · · · · · · ·		
Hand protection	Wear chemical-resistant, impervious	•	
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	Wear a dust mask if dust is generated above exposure limits.		
Thermal hazards	Wear appropriate thermal protective of		
eral hygiene siderations	Always observe good personal hygier and before eating, drinking, and/or sn equipment to remove contaminants. (workplace.	noking. Routinely wash work clo	othing and protective

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	Not available.

Not availa	able.
Not availat	ıble.
Not availat	ıble.
Not availat	ıble.
ng Not availal	ble.
Not availat	ble.
Not availat	ble.
Not availa	able.
Not availat	ble.
Not availat	ıble.
Not availat	ble.
Insoluble.	
Not availa	ıble.
Not availat	ble.
Not availat	ble.
Not availat	ıble.
Not explos	sive.
Not oxidizi	ing.
/14\/	-

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

information on likely routes of e	xposule
Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns.
Eye contact	Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns.
Ingestion	Swallowing may cause gastrointestinal irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.
Information on toxicological effe	ects
Acute toxicity	May cause respiratory irritation.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	
Respiratory sensitization	No data available.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity	May cause cancer. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003)	
IARC Monographs. Overall I	Evaluation of Carcinogenicity	
Silica Sand (CAS 14808-6 NTP Report on Carcinogens		
Silica Sand (CAS 14808-6 OSHA Specifically Regulate	60-7) Known To Be Human Carcinogen. d Substances (29 CFR 1910.1001-1050)	
Not regulated.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	May cause damage to organs (lung) through prolonged or repeated exposure.	
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.	
Chronic effects	Prolonged or repeated exposure may cause lung injury, including silicosis.	
12. Ecological information		
Ecotoxicity	Not expected to be harmful to aquatic organisms.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available for this product.	
Mobility in soil	The product is not mobile in soil.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory informatio	n	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazar Standard, 29 CFR 1910.1200.	d Communication
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
Not regulated.		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1050)	
Not regulated.		
CERCLA Hazardous Substa Not listed.	ance List (40 GFR 302.4)	
	and a station Act of 4000 (CADA)	
Hazard categories	eauthorization Act of 1986 (SARA) Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazar	dous substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	WARNING: This product contains a chemical known to the State of Cali	fornia to cause cancer.
US. Massachusetts RTI		
Portland Cement (C.		
Silica Sand (CAS 14 US, New Jersey Worke	r and Community Right-to-Know Act	
Portland Cement (C		
Silica Sand (CAS 14	808-60-7)	
•	ter and Community Right-to-Know Law	
Portland Cement (C Silica Sand (CAS 14		
US. Rhode Island RTK	808-00-7)	
Not regulated.		
US. California Proposition 6	55	
•	tion 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substan	ce
Silica Sand (CAS 14		
International Inventories	,	
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	25-April-2016
Revision date	-
Version #	01
NFPA ratings	200
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)
Disclaimer	The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.