LATICRETE

SAFETY DATA SHEET

1. Identification

Product identifier LATAPOXY® 310 Stone Adhesive Part A Pail

Other means of identification None.

Recommended use Adhesive.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name

LATICRETE International

Address 1 Laticrete Park, N

Bethany, CT 06524

Telephone (203)-393-0010
Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1B

Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1
Reproductive toxicity Category 2

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic

skin reaction. Suspected of damaging fertility or the unborn child. Toxic to aquatic life with long

lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not

be allowed out of the workplace. Avoid release to the environment.

Response If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT

induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Collect

spillage.

LATAPOXY® 310 Stone Adhesive Part A Pail
917126 Version #: 02 Revision date: 25-July-2017 Issue date: 22-March-2017

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	% 7 - 10	
Fatty acids, tall-oil, reaction products with tetraethylenepentamine	68953-36-6		
4-Nonylphenol, branched	84852-15-3	1 - 3	
Benzyl alcohol	100-51-6	1 - 3	
m-Phenylenebis(methylamine)	1477-55-0	1 - 3	
2-Piperazin-1-ylethylamine	140-31-8	1.5 - 2.5	
Isophorone diamine	2855-13-2	0.4 - 2	
Tetraethylene pentamine	112-57-2	0.5 - 1.5	

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if any discomfort continues.

Take off immediately all contaminated clothing. Chemical burns must be treated by a physician. Skin contact

Wash contaminated clothing before reuse. Get medical attention immediately.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content Ingestion

doesn't get into the lungs. Get medical attention if any discomfort continues.

Most important

symptoms/effects, acute and

delayed

Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special

treatment needed **General information** Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

media Specific hazards arising from

Unsuitable extinguishing

the chemical

Heating may cause the release of ammonia vapors.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

General fire hazards No unusual fire or explosion hazards noted.

SDS US 2/9 917126 Version #: 02 Revision date: 25-July-2017 Issue date: 22-March-2017

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. Avoid release to the environment. Do not discharge into drains, water courses or onto the ground.

Environmental manager must be informed of all major releases.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Persons susceptible to allergic reactions should not handle this product. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	
m-Phenylenebis(methylami ne) (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
m-Phenylenebis(methylami ne) (CAS 1477-55-0)	Ceiling	0.1 mg/m3	

Components	Туре	Value	Form	
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m3		
		10 ppm		
Tetraethylene pentamine (CAS 112-57-2)	TWA	5 mg/m3	Aerosol.	
,		1 ppm	Aerosol.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Can be absorbed through the skin.

US WEEL Guides: Skin designation

917126 Version #: 02 Revision date: 25-July-2017

Tetraethylene pentamine (CAS 112-57-2)

Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

LATAPOXY® 310 Stone Adhesive Part A Pail

Issue date: 22-March-2017

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Face-shield. Wear a full-face respirator, if Eye/face protection

needed.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Wear appropriate chemical resistant clothing. Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. **Physical state** Paste. **Form** Light red. Color Odor Ammonia. **Odor threshold** Not available. pН Not applicable. Melting point/freezing point Not applicable. Not available. Initial boiling point and boiling

range

Non flammable. Flash point **Evaporation rate** Not applicable. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressure Not applicable. Not applicable. Vapor density Relative density 1.5 g/cm3

Solubility(ies)

Solubility (water) Insoluble. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

10. Stability and reactivity

Reactivity Corrosive to certain metals. Copper Aluminum. Zinc.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Alkaline metals. Oxidizing agents. Strong acids.

Hazardous decomposition

Conditions to avoid

Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides.

products

11. Toxicological information

Information on likely routes of exposure

May cause respiratory irritation. Inhalation

Causes skin burns. May cause an allergic skin reaction. Skin contact

Causes serious eye damage. Eye contact

May cause burns of the gastrointestinal tract if swallowed. Ingestion

Symptoms related to the physical, chemical and

Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

toxicological characteristics

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components **Species Test Results**

2-Piperazin-1-ylethylamine (CAS 140-31-8)

Acute

Dermal

LD50 Rabbit 880 mg/kg

4-Nonylphenol, branched (CAS 84852-15-3)

Acute

Dermal

LD50 Rabbit 3160 mg/kg

Oral

LD50 Rat 1300 mg/kg

Benzyl alcohol (CAS 100-51-6)

Acute

Dermal

LD50 Rabbit 2000 mg/kg

Inhalation

Rat LC50 > 4178 mg/m³, 4 hours

Oral

LD50 Rat 1230 - 3100 mg/kg

Fatty acids, tall-oil, reaction products with tetraethylenepentamine (CAS 68953-36-6)

Acute

Oral

LD50 Rat

> 2000 mg/kg

Isophorone diamine (CAS 2855-13-2)

Acute

Oral

LD50 Rat 1030 mg/kg

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Acute

Dermal

LD50 Rabbit 2000 mg/kg

Inhalation

Aerosol

LC50 Rat 3.75 mg/l, 1 Hours

Oral

LD50 Rat 930 mg/kg

Tetraethylene pentamine (CAS 112-57-2)

Acute

Dermal

LD50 Rabbit 0.66 g/kg

LATAPOXY® 310 Stone Adhesive Part A Pail 5/9

Issue date: 22-March-2017 917126 Version #: 02 Revision date: 25-July-2017

Components **Species Test Results**

Oral

LD50 Rat 2.1 g/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization No data available.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Not classified. **Aspiration hazard Chronic effects** No data available.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components **Species Test Results**

2-Piperazin-1-ylethylamine (CAS 140-31-8)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 1950 - 2460 mg/l, 96 hours

4-Nonylphenol, branched (CAS 84852-15-3)

Aquatic

Acute

EC50 Crustacea Crustacea 0.0379 mg/l, 48 hours Fish LC50 Fish 0.017 mg/l, 96 hours

Benzyl alcohol (CAS 100-51-6)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 460 mg/l, 96 hours

Isophorone diamine (CAS 2855-13-2)

Aquatic

Crustacea 14.6 - 21.5 mg/l, 48 hours FC50 Water flea (Daphnia magna)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Benzyl alcohol (CAS 100-51-6) 1.1 Tetraethylene pentamine (CAS 112-57-2) 1.503

Mobility in soil Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

SDS US 917126 Version #: 02 Revision date: 25-July-2017 6/9 Issue date: 22-March-2017

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN3263 **UN** number

UN proper shipping name Transport hazard class(es) Corrosive solid, basic, organic, n.o.s. (4-Nonylphenol, branched, Tetraethylene pentamine)

8 **Class** Subsidiary risk Label(s) 8 Ш Packing group **Environmental hazards**

Marine pollutant

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB8, IP3, T1, TP33 Special provisions

154 Packaging exceptions 213 Packaging non bulk Packaging bulk 240

IATA

UN number UN3263

UN proper shipping name Transport hazard class(es) Corrosive solid, basic, organic, n.o.s. (4-Nonylphenol, branched, Tetraethylene pentamine)

8 Class Subsidiary risk 8 Label(s) Packing group Ш **Environmental hazards** Yes **ERG Code** 81

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3263

CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (4-Nonylphenol, branched, Tetraethylene UN proper shipping name

pentamine)

Transport hazard class(es)

8 Class Subsidiary risk Label(s) 8 Packing group Ш **Environmental hazards**

Marine pollutant Yes F-A. S-B **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and This substance/mixture is not intended to be transported in bulk.

the IBC Code

General information IATA classification is not relevant as the material is not transported by air.

Issue date: 22-March-2017 917126 Version #: 02 Revision date: 25-July-2017

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

4-Nonylphenol, branched (CAS 84852-15-3)

1.0 % One-Time Export Notification only.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
4-Nonylphenol, branched	84852-15-3	1 - 3	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulationsCalifornia Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

2-Piperazin-1-ylethylamine (CAS 140-31-8)

4-Nonylphenol, branched (CAS 84852-15-3)

Benzyl alcohol (CAS 100-51-6)

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Tetraethylene pentamine (CAS 112-57-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Piperazin-1-ylethylamine (CAS 140-31-8)

Isophorone diamine (CAS 2855-13-2)

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Tetraethylene pentamine (CAS 112-57-2)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Piperazin-1-ylethylamine (CAS 140-31-8)

4-Nonylphenol, branched (CAS 84852-15-3)

Benzyl alcohol (CAS 100-51-6)

m-Phenylenebis(methylamine) (CAS 1477-55-0)

Tetraethylene pentamine (CAS 112-57-2)

US. Rhode Island RTK

m-Phenylenebis(methylamine) (CAS 1477-55-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

LATAPOXY® 310 Stone Adhesive Part A Pail
917126 Version #: 02 Revision date: 25-July-2017 Issue date: 22-March-2017

On inventory (yes/no)* Country(s) or region Inventory name Europe European Inventory of Existing Commercial Chemical

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) Yes

Existing Chemicals List (ECL) Korea Yes New Zealand New Zealand Inventory Yes

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico Yes

16. Other information, including date of preparation or last revision

Issue date 22-March-2017 25-July-2017 **Revision date**

Version # 02

NFPA ratings

Philippines



HSDB® - Hazardous Substances Data Bank References

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

> cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

Yes

warranty express or implied.

SDS US Issue date: 22-March-2017 9/9 917126 Version #: 02 Revision date: 25-July-2017

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).