



SAFETY DATA SHEET

1. Identification

Product identifier L&M™ EZ™ Strip
Other means of identification None.
Recommended use Concrete form release.
Recommended restrictions None known.
Manufacturer/Importer/Supplier/Distributor information
Company Name LATICRETE International
Address 1 Laticrete Park, N
Bethany, CT 06524
Telephone (203)-393-0010
Contact person Steve Fine
Website www.laticrete.com
Emergency phone number Call CHEMTREC day or night
USA/Canada - 1.800.424.9300
Mexico - 1.800.681.9531
Outside USA/Canada
1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Specific target organ toxicity, single exposure Category 3 respiratory tract irritation
Aspiration hazard Category 1
Environmental hazards Not classified.
Label elements



Signal word Danger
Hazard statement May cause respiratory irritation. May be fatal if swallowed and enters airways.
Precautionary statement
Prevention Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area.
Response IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards None known.
Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % |
|---|------------|-----|
| Petroleum distillates, hydrotreated light naphthenic | 64742-53-6 | 100 |

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

| | |
|---|---|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. |
| Skin contact | Wash off with soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Rinse with water. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops or persists. |
| Ingestion | Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. If swallowed: Immediately call a poison center/doctor. |
| Most important symptoms/effects, acute and delayed | Exposure may cause temporary irritation, redness, or discomfort. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Water spray, foam, dry powder or carbon dioxide. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | By heating and fire, irritating vapors/gases may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. |
| General fire hazards | Will burn if involved in a fire. |

6. Accidental release measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. |
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. |
| Environmental precautions | Do not discharge into drains, water courses or onto the ground. |

7. Handling and storage

| | |
|---|---|
| Precautions for safe handling | Avoid prolonged exposure. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (See Section 10). |

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|---|------|---------------------|---------------------|
| Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6) | TWA | 5 mg/m ³ | Inhalable fraction. |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value | Form |
|---|------|----------|-------|
| Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value | Form |
|---|------|---------|---------------------|
| Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6) | TWA | 5 mg/m3 | Inhalable fraction. |

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components | Type | Value | Form |
|---|------|----------|-------|
| Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles).

Skin protection**Hand protection**

Wear appropriate chemical resistant gloves. Nitrile gloves are recommended.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance****Physical state**

Liquid.

Form

Liquid.

Color

Clear amber.

Odor

No data available.

Odor threshold

Not available.

pH

No data available.

Melting point/freezing point

Not applicable.

Initial boiling point and boiling range

550 °F (287.78 °C)

Flash point

280.0 °F (137.8 °C)

Evaporation rate

Not applicable.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits**Flammability limit - lower (%)**

Not available.

| | |
|--|-------------------------|
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | Not applicable. |
| Vapor density | 9 (Air=1) |
| Relative density | 0.89 |
| Solubility(ies) | |
| Solubility (water) | Insoluble in water. |
| Partition coefficient (n-octanol/water) | No data available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | 9.29 mm ² /s |
| Other information | |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Heat, flames and sparks. Contact with incompatible materials. |
| Incompatible materials | Acids. Strong oxidizing agents, such as liquid chlorine, concentrated oxygen, sodium hypochlorite, calcium hypochlorite, etc. |
| Hazardous decomposition products | Carbon oxides. Smoke. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|--|
| Inhalation | May cause respiratory tract irritation. |
| Skin contact | Prolonged exposure may cause skin irritation. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | May cause discomfort if swallowed. |

Symptoms related to the physical, chemical and toxicological characteristics Exposure may cause temporary irritation, redness, or discomfort. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Information on toxicological effects

| | |
|--|--|
| Acute toxicity | May cause discomfort if swallowed. |
| Skin corrosion/irritation | Prolonged or repeated contact may dry skin and cause dermatitis. |
| Serious eye damage/eye irritation | May cause eye irritation. |

Respiratory or skin sensitization

| | |
|----------------------------------|------------------------|
| Respiratory sensitization | No data available. |
| Skin sensitization | Not a skin sensitizer. |

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not classified.

ACGIH Carcinogens

Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6) A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Petroleum distillates, hydrotreated light naphthenic (CAS 3 Not classifiable as to carcinogenicity to humans. 64742-53-6)

| | |
|---|---|
| Reproductive toxicity | No data available. |
| Specific target organ toxicity - single exposure | May cause respiratory irritation. |
| Specific target organ toxicity - repeated exposure | No data available. |
| Aspiration hazard | May be fatal if swallowed and enters airways. |
| Chronic effects | Prolonged exposure may cause chronic effects. |
| Further information | Prolonged or repeated contact with skin may cause redness, itching, irritation, eczema/chapping and oil acne. |

12. Ecological information

Ecotoxicity Oil spills are generally hazardous to the environment.

| Components | Species | Test Results |
|---|--------------------------|-----------------------|
| Petroleum distillates, hydrotreated light naphthenic (CAS 64742-53-6) | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | EC50 Daphnia magna | > 1000 mg/l, 48 hours |
| Fish | LC50 Oncorhynchus mykiss | > 5000 mg/l, 96 hours |

Persistence and degradability The product is not expected to be readily biodegradable.

Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose in accordance with all applicable regulations.

Local disposal regulations Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers retain product residue, follow label warnings even after container is emptied. Dispose of in accordance with local regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|-------------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | Yes |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information**Issue date** 19-April-2017**Revision date** -**Version #** 01**References** HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)**Disclaimer** The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.