

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Date of Issue: 01/08/2020

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture Product Name: PERMAGUARD[™] Decorative Chip

1.2. Intended Use of the Product

Use of the Substance/Mixture: Decorative Chip.

1.3. Name, Address, and Telephone of the Responsible Party

Company

LATICRETE International 1 Laticrete Park, N Bethany, CT 06524 T (203)-393-0010 www.laticrete.com

1.4. Emergency Telephone Number

Emergency Number

 For Chemical Emergency call ChemTel Inc. day or night: (800)255-3924 (North America) (800)-099-0731 (Mexico)
 +1 (813)248-0585 (International - collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

SECTION Z: HAZARD	S IDENTIFICAT	
2.1. Classification	of the Substand	ce or Mixture
Aquatic Acute 3	H402	
Aquatic Chronic 3	H412	
Full text of hazard class	es and H-stateme	nts : see section 16
2.2. Label Elemen	ts	
GHS-US Labeling		
Hazard Statements (GHS-US)		: H402 - Harmful to aquatic life.
		H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statements (GHS-US)		: P273 - Avoid release to the environment.
		P501 - Dispose of contents/container in accordance with local, regional, national,
		and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	GHS US classification
Barium sulfate	(CAS-No.) 7727-43-7	35 - 45	Aquatic Acute 3, H402
			Aquatic Chronic 3, H412
Carbonic acid, calcium salt (1:1)	(CAS-No.) 471-34-1	35 - 45	Not classified
Titanium dioxide	(CAS-No.) 13463-67-7	<= 10	Not classified

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use. Titanium dioxide is bound and is not able to become airborne. Thus, the hazards usually associated with titanium dioxide are not applicable to this product. Repeated or prolonged exposure to titanium dioxide dust via inhalation is suspected of causing cancer of the respiratory tract.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO₂). Sulfur oxides. Metal oxide fumes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Oxidizing agent.

7.3. Specific End Use(s)

Decorative Chip.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Barium sulfat	e (7727-43-7)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m ³ (inhalable particulate matter, particulate matter	
		containing no asbestos and <1% crystalline silica)	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m ³ (total dust)	
		5 mg/m ³ (respirable dust)	
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m ³ (total dust)	
		5 mg/m ³ (respirable fraction)	
Carbonic acid	Carbonic acid, calcium salt (1:1) (471-34-1)		
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust)	
		5 mg/m ³ (respirable dust)	
Titanium diox	kide (13463-67-7)		
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³	
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	2.4 mg/m ³ (CIB 63-fine)	
		0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale)	
USA IDLH	US IDLH (mg/m ³)	5000 mg/m ³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m ³ (total dust)	

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Materials for Protective Clothing

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

: Gloves. Protective clothing. Protective goggles.



: Chemically resistant materials and fabrics.

: When using, do not eat, drink or smoke.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

Hand Protection

Eye and Face Protection

Skin and Body Protection

Respiratory Protection

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
9.1. Information on Basic Physic	al and Chemical Properties		
Physical State	: Solid		
Appearance	: No data available		
Odor	: Odorless		
Odor Threshold	: No data available		
рН	: No data available		
Evaporation Rate	: No data available		
Melting Point	: No data available		
Freezing Point	: No data available		

01/08/2020

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: 1.6 - 3.1
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
0.2 Other Information No additional infor	mation available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Oxidizing agent.

10.6. Hazardous Decomposition Products: Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

Barium sulfate (7727-43-7)		
LD50 Oral Rat	> 5000 mg/kg	
Carbonic acid, calcium salt (1:1) (471-34-1)		
LD50 Oral Rat	6450 mg/kg	
Titanium dioxide (13463-67-7)		
LD50 Oral Rat	> 10000 mg/kg	
Skin Corrosion/Irritation: Not classified		
Serious Eye Damage/Irritation: Not classified		

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Titanium dioxide (13463-67-7)

IARC group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use. Titanium dioxide is bound and is not able to become

airborne. Thus, the hazards usually associated with titanium dioxide are not applicable to this product. Repeated or prolonged exposure to titanium dioxide dust via inhalation is suspected of causing cancer of the respiratory tract.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General	: Harmful to aquatic life with long lasting effects.		
Barium sulfate (7727-43-7)			
EC50 Daphnia 1	32 mg/l		
12.2. Persistence and Degradability			
PERMAGUARD™ Decorative Chip			
rsistence and Degradability May cause long-term adverse effects in the environment.			
12.3. Bioaccumulative Potential			
PERMAGUARD [™] Decorative Chip			
Bioaccumulative Potential Not established.			
Carbonic acid, calcium salt (1:1) (471-34-1)			

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information

BCF Fish 1

: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

(no bioaccumulation)

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Barium sulfate (7727-43-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Carbonic acid, calcium salt (1:1) (471-34-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State Regulations

Barium sulfate (7727-43-7)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Titanium dioxide (13463-67-7)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

California Proposition 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental	Female Reproductive	Male Reproductive
		Toxicity	Toxicity	Toxicity

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7) X			
SECTION 16: OTHER INFORMATION, INCLUDING	DATE OF PREPARATION OR LAST REVISION		
Date of Preparation or Latest Revision Other Information	 01/08/2020 This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 		
GHS Full Text Phrases:			
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3		
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3		
H402	Harmful to aquatic life		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Harmful to aquatic life with long lasting effects

SDS US (GHS HazCom)

H412