



Globally Proven  
Construction Solutions

# Safety Data Sheet

## 1. PRODUCT IDENTIFICATION

TRADE NAME (as labeled): LATICRETE® Spartacote® Blended Quartz

MANUFACTURER'S/ DISTRIBUTOR'S NAME: LATICRETE South East Asia Pte Ltd  
38 Sungei Kadut,  
Street 2 (Level2 A3),  
Singapore 729245.

Phone number for additional information: (65) 6515 3028

Date prepared or revised: 21/08/2016

## 2. COMPOSITION INGREDIENTS

Chemical Names	CAS NUMBERS	Percent
Crystalline Silica (Quartz)	14808-60-7	95 - 97

## 3. HEALTH HAZARD INFORMATION

SYMPTOMS OF OVEREXPOSURE for each potential route of exposure. (Possible Longer Term Effects) : N/A

SIGNS AND SYMPTOMS OF EXPOSURE (Acute effects)

Inhaled : Dust may irritate respiratory system.

Contact with skin or eyes : May cause skin irritation through mechanical abrasion. Dust may irritate the eyes.

Absorbed through skin : N/A

Swallowed : May cause discomfort if swallowed.

SUSPECTED CANCER AGENT?

☒ NO: This product's ingredients are not found in the lists.



**Globally Proven  
Construction Solutions**

Form

Rev: **A**

Page: 2 of 5

Date: 21/08/2016

# Safety Data Sheet

## **4. FIRST AID: EMERGENCY PROCEDURES**

Eye Contact : Do not rub eyes. Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if irritation develops or persists.

Skin Contact : Wash area with soap and water. Get medical attention if irritation develops or persists.

Inhaled : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Swallowed : Rinse mouth and drink plenty of water. Only induce vomiting at the instruction of medical personnel. Get medical attention if any discomfort occurs.

## **5. FIRE FIGHTING MEASURES**

Flash Point method : N/A

Auto ignition temperature (°C) : N/A

Flammable limits in air, volume % : N/A

Fire extinguishing materials : Water fog, foam, dry chemical powder or carbon dioxide.

Special fire fighting procedures : In case of fire and/or explosion do not breathe fumes.

Unusual fire and explosion hazards : During fire, gases hazardous to health may be formed.

## **6. ACCIDENTAL RELEASE MEASURES**

Spill response procedures (include employee protection measures) :

Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water.

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.



Globally Proven  
Construction Solutions

Form

Rev: A

Page: 3 of 5

Date: 21/08/2016

# Safety Data Sheet

## 7. HANDLING AND STORAGE

Precautions for safe handling: Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage: Keep container tightly closed. Store in a cool, dry place out of direct sunlight.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Respiratory protection (type) : In case of insufficient ventilation, wear suitable respiratory equipment.

Eye protection (type) : Chemical goggles or safety glasses with side shields.

Gloves (specify material) : Use impervious gloves, vinyl or rubber.

Other clothing and equipment : Wear clean, long-sleeved, body-covering clothing.

Work practices, hygienic practices : Maintain good housekeeping standards.

Other handling and storage requirements : N/A

Protective measures during maintenance of contaminated equipment: See above.

## 9. PHYSICAL AND CHEMICAL PROPERTIES



Globally Proven  
Construction Solutions

Form

Rev: A

Page: 4 of 5

Date: 21/08/2016

# Safety Data Sheet

Relative density	: 2.65g/cc
Melting point or range, °C	: N/A
Boiling point or range, °C	: N/A
pH	: N/A
Specific gravity	: N/A
Flash point	: N/A
Solubility in water	: Insoluble
Vapor density	: Not volatile
Vapor pressure	: N/A
Appearance and odor	: Miscellaneous colors, odorless solid.

HOW TO DETECT THIS SUBSTANCE (warning properties of substance as a gas, vapor, dust, or mist)

## 10. STABILITY AND REACTIVITY

Stability	: Stable
Conditions to avoid	: Contact with incompatible materials.
Incompatibility (materials to avoid)	: Strong oxidizing agents. Hydrofluoric acid.
Hazardous decomposition products	: None known.
Hazardous polymerization	: Will not occur


## 11. TOXICOLOGY INFORMATION

N/A

## 12. ECOLOGICAL INFORMATION

N/A

## 13. DISPOSAL CONSIDERATIONS

 <p><b>Globally Proven Construction Solutions</b></p>	<div>Form</div> <div>Safety Data Sheet</div>	<div>Rev: <b>A</b></div> <div>Page: 5 of 5</div> <div>Date: 21/08/2016</div>
--	--	--

Dispose in compliance with local, state, and federal regulations.

**14. TRANSPORT INFORMATION**

No special labeling or transportation placarding is required.

**15. REGULATORY INFORMATION**

Not classified as dangerous under current regulation.

**16. OTHER INFORMATION**

*This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.*