# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** Spartacote Fast Fix Part A

Other means of identification None.

Repair product. Recommended use **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information Company name LATICRETE International **Address** 1 Laticrete Park, N

Bethany, CT 06524

(203)-393-0010 **Telephone** Steve Fine **Contact person** 

Website www.laticrete.com

Call CHEMTREC day or night **Emergency phone number** 

> USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

# 2. Hazard(s) identification

**Physical hazards** Not classified.

Health hazards Acute toxicity, inhalation Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Sensitization, respiratory Category 1 Sensitization, skin Category 1 Carcinogenicity Category 2

Specific target organ toxicity following single

exposure

Category 3 respiratory tract irritation

Category 2 (Respiratory tract, Lung)

1/8

Specific target organ toxicity following repeated exposure

**OSHA** defined hazards Not classified.

Label elements

930228



Signal word Danger

**Hazard statement** Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or

asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs

(Respiratory tract, Lung) through prolonged or repeated exposure.

**Precautionary statements** Prevention

Version #: 01

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapour. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Use only outdoors or in a well-ventilated area.

Spartacote Fast Fix Part A SDS US

Issue date: 12-October-2015

Revision date: -

Response If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If

skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%	
Polymethylene polyphenyl isocyanate	9016-87-9	100	
Constituents Chemical name	CAS number	%	
Solvent Naptha (petroleum), Heavy Aromatic	64742-94-5	1 - 20	
Methylene diphenyl diisocyanate	101-68-8	40 - 70	

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

Note: CAS 101-68-8 is an MDI isomer that is part of CAS 9016-87-9.

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Get medical attention immediately.

**Skin contact** Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse.

In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these

instructions.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention.

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person

becomes uncomfortable take to hospital along with these instructions.

Most important

symptoms/effects, acute and

delayed

Irritating to eyes, respiratory system and skin. Sensitisation. Be aware that symptoms of lung

oedema (shortness of breath) may develop up to 24 hours after exposure.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically. Symptoms may be delayed.

**General information**Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters
Fire fighting

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

equipment/instructions so without risk.

General fire hazards No unusual fire or explosion hazards noted.

Spartacote Fast Fix Part A SDS US

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Environmental manager must be informed of all releases.

### 7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing mist or vapour. Persons susceptible for allergic reactions should not handle this product. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials.

# 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	Ceiling	0.2 mg/m3	
,		0.02 ppm	
Constituents	Туре	Value	
Methylene diphenyl diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3	
•		0.02 ppm	
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)	PEL	400 mg/m3	
		100 ppm	

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	TWA	0.005 ppm	
Constituents	Туре	Value	Form
Methylene diphenyl diisocyanate (CAS 101-68-8)	TWA	0.005 ppm	
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)	TWA	200 mg/m3	Non-aerosol.

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	
Polymethylene polyphenyl isocyanate (CAS 9016-87-9)	Ceiling	0.2 mg/m3	
·	TWA	0.02 ppm 0.05 mg/m3 0.005 ppm	

Spartacote Fast Fix Part A SDS US

930228 Version #: 01 Revision date: - Issue date: 12-October-2015

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Constituents	Туре	Value	
Methylene diphenyl diisocyanate (CAS 101-68-8)	Ceiling	0.2 mg/m3	
		0.02 ppm	
	TWA	0.05 mg/m3	
		0.005 ppm	
Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)	TWA	100 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

**US ACGIH Threshold Limit Values: Skin designation** 

Solvent Naptha (petroleum), Heavy Aromatic (CAS Can be absorbed through the skin.

64742-94-5)

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Skin protection

Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing

should not be allowed out of the workplace.

#### 9. Physical and chemical properties

Appearance Brown liquid.
Physical state Liquid.
Form Liquid.
Colour Brown.

Odour Hydrocarbon-like.

Odour threshold Not available.

pH Not available.

Melting point/freezing point Forms crystals below 10°C.

Initial boiling point and boiling Decomposes prior to boiling.

range

Flash point > 204.0 °C (> 399.2 °F) Closed cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Vapour pressure < 0.00001 mm Hg (25 °C)

Vapour density 8.5

Spartacote Fast Fix Part A SDS US

Relative density 1.24 (20° C)

Solubility(ies)

Solubility (water) Reacts with water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Dynamic viscosity 100 - 150 cPs @ 25 °C

**Explosivity** Not explosive.

# 10. Stability and reactivity

**Reactivity** Diisocyanates react with many materials and the rate of reaction increases with temperature as

well as increased contact; these reactions can become violent. Contact is increased with stirring or if the other material mixes with the diisocyanate. Diisocyanates are not soluble in water and sink to the bottom, but react slowly at the interface. The reaction forms carbon dioxide gas and a layer of

solid polyurea. Reaction with water will generate carbon dioxide and heat.

Chemical stability The product is stable under normal conditions of use, storage and transport.

Possibility of hazardous

reactions

Hazardous polymerisation can occur.

Conditions to avoid High temperatures.

Incompatible materials Strong bases. Alcohols. Oxidizing agents. Amines. Metal compounds. Water.

**Hazardous decomposition** 

products

Carbon oxides. Nitrogen oxides. Cyanides.

### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system. Harmful if inhaled.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation.

**Ingestion** Ingestion may cause irritation and malaise.

Rabbit

Symptoms related to the physical, chemical and toxicological characteristics

Irritating to eyes, respiratory system and skin. Sensitisation. Be aware that symptoms of lung

> 10000 mg/kg

oedema (shortness of breath) may develop up to 24 hours after exposure.

# Information on toxicological effects

Acute toxicity Harmful if inhaled.

Components Species Test results

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

Acute

Dermal

Inhalation LC50

Rat > 490 mg/m³, 4 Hours

Oral

LD50

LD50 Rat > 10000 mg/kg

Constituents Species Test results

Methylene diphenyl diisocyanate (CAS 101-68-8)

Acute

Inhalation

LC50 Rat > 2.24 mg/l, 1 Hours

Spartacote Fast Fix Part A SDS US

Constituents Test results **Species** 

Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)

Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat > 5.28 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity No data available.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Methylene diphenyl diisocyanate (CAS 101-68-8) 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans.

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

**NTP Report on Carcinogens** 

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity No data available.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (Respiratory tract, Lung) through prolonged or repeated exposure

by inhalation.

**Aspiration hazard** No data available.

Prolonged exposure may cause chronic effects. **Chronic effects** 

**Further information** No other specific acute or chronic health impact noted.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability In the atmospheric environment, material is expected to have a short tropospheric half-life, based

on calculations and by analogy with related diisocyanates.

Bioconcentration potential is low (BCF < 100 or Log Pow < 3). Bioaccumulative potential

No data available. Mobility in soil

Mobility in general The product is insoluble in water.

Other adverse effects Material reacts with water.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow **Disposal instructions** 

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

SDS US Spartacote Fast Fix Part A

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Methylene diphenyl diisocyanate (CAS 101-68-8) Listed Polymethylene polyphenyl isocyanate (CAS 9016-87-9) Listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - Yes Fire hazard - No Pressure Hazard - No Reactivity hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

**Chemical name** CAS number % by wt. Polymethylene polyphenyl isocyanate 9016-87-9 100

# Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methylene diphenyl diisocyanate (CAS 101-68-8)

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

This product does not contain a chemical known to the State of California to cause cancer birth **US** state regulations

defects or other reproductive harm.

#### **US. Massachusetts RTK - Substance List**

Methylene diphenyl diisocyanate (CAS 101-68-8)

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)

# US. New Jersey Worker and Community Right-to-Know Act

Methylene diphenyl diisocyanate (CAS 101-68-8)

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Methylene diphenyl diisocyanate (CAS 101-68-8)

Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

Solvent Naptha (petroleum), Heavy Aromatic (CAS 64742-94-5)

Spartacote Fast Fix Part A SDS US

#### **US. Rhode Island RTK**

Methylene diphenyl diisocyanate (CAS 101-68-8) Polymethylene polyphenyl isocyanate (CAS 9016-87-9)

### **US. California Proposition 65**

Not listed.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date 12-October-2015

**Revision date** Version No. 01

United States & Puerto Rico

**NFPA** ratings



HSDB® - Hazardous Substances Data Bank References

> Registry of Toxic Effects of Chemical Substances (RTECS) IARC Monographs. Overall Evaluation of Carcinogenicity

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

Spartacote Fast Fix Part A SDS US

Yes