SAFETY DATA SHEET

1. Identification

Product identifier SPARTACOTE™ Metallic Pigment

Other means of identification None. Recommended use Pigment. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information LATICRETE International **Company Name Address**

1 Laticrete Park, N Bethany, CT 06524

(203)-393-0010 **Telephone**

Steve Fine **Contact person**

Website www.laticrete.com

Call ChemTel day or night **Emergency phone number**

> USA/Canada - 1.800.255.3924 Mexico - 1.800.099.0731 Outside USA/Canada 1.813.248.0585

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of causing cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention. Response

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Mica	12001-26-2	60 - 65
Iron oxide	1309-37-1	20 - 35
Titanium dioxide	1317-80-2	0 - 3
Chromium oxide	1308-14-1	0 - 1

SPARTACOTE™ Metallic Pigment SDS US

Graphite	7782-42-5	0 - 1
Tin dioxide	18282-10-5	0 - 1

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move injured person into fresh air and keep person calm under observation. Get medical attention

Coughing. Dust may irritate the eyes and the respiratory system.

if any discomfort occurs.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

ane Chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

General fire hazards

Use fire-extinguishing media appropriate for surrounding materials.

None known.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS.

Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not vacuum clean unless vacuum cleaners are equipped with HEPA filter. For waste disposal, see Section 13 of the SDS.

Environmental precautions Prevent fu

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide appropriate exhaust ventilation at places where dust is formed. Keep formation of airborne dusts to a minimum. Do not breathe dust. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Chromium oxide (CAS 1308-14-1)	PEL	0.5 mg/m3	_

SPARTACOTE[™] Metallic Pigment

928846 Version #: 02 Revision date: 3-February-2020 Issue date: 10-July-2015

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Graphite (CAS 7782-42-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Iron oxide (CAS 1309-37-1)	PEL	10 mg/m3	Fume.
Titanium dioxide (CAS 1317-80-2) US. OSHA Table Z-3 (29 CFR 1910 .	PEL 1000)	15 mg/m3	Total dust.
00. 00HA Tubic 2 0 (23 0H 1310)	1000)		
Components	Туре	Value	

Components	Туре	Value	
Graphite (CAS 7782-42-5)	TWA	15 mppcf	
Mica (CAS 12001-26-2)	TWA	20 mppcf	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Chromium oxide (CAS 1308-14-1)	TWA	0.5 mg/m3	
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Iron oxide (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
Mica (CAS 12001-26-2)	TWA	3 mg/m3	Respirable fraction.
Tin dioxide (CAS 18282-10-5)	TWA	2 mg/m3	
Titanium dioxide (CAS 1317-80-2)	TWA	10 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Chromium oxide (CAS	TWA	0.5 mg/m3	
1308-14-1)			
Graphite (CAS 7782-42-5)	TWA	2.5 mg/m3	Respirable.
Iron oxide (CAS 1309-37-1)	TWA	5 mg/m3	Dust and fume.
Mica (CAS 12001-26-2)	TWA	3 mg/m3	Respirable.
Tin dioxide (CAS	TWA	2 mg/m3	
18282-10-5)		-	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Use personal protective equipment as required. Use personal protective equipment as required. Other

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment

with particle filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material **General hygiene** considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

9. Physical and chemical properties

Appearance Solid, various colors.

Solid. Physical state **Form** Powder. Color Various colors.

928846 Version #: 02 Revision date: 3-February-2020 Issue date: 10-July-20155 Odor None.

Odor thresholdNot applicable.pHNot applicable.Melting point/freezing pointNot available.Initial boiling point and boilingNot applicable.

range

Flash point Not applicable.

Evaporation rate Not available.

Flammability (solid, gas) Non flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not applicable.

Flammability limit - upper

(%)

Not applicable.

Vapor pressureNot applicable.Vapor densityNot applicable.

Relative density 3.1

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not applicable.

(n-octanol/water)

Auto-ignition temperature Not applicable.

Decomposition temperature Not available.

Viscosity Not applicable.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidNone under normal conditions.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.

Skin contact May cause irritation through mechanical abrasion.

Eye contact Dust may irritate the eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Coughing. Dust may irritate the eyes and the respiratory system.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

Iron oxide (CAS 1309-37-1)

Acute

Oral

LD50 Rat > 10 mg/kg

Skin corrosion/irritation May cause irritation through mechanical abrasion.

SPARTACOTE[™] Metallic Pigment

928846 Version #: 02 Revision date: 3-February-2020 Issue date: 10-July-2015

Serious eye damage/eye

irritation

Dust may irritate the eyes.

Respiratory or skin sensitization

Not classified. Respiratory sensitization

Not a skin sensitizer. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Suspected of causing cancer. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Chromium oxide (CAS 1308-14-1) 3 Not classifiable as to carcinogenicity to humans. Iron oxide (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 1317-80-2) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard Due to the physical form of the product it is not an aspiration hazard.

Chronic effects Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability The product contains inorganic compounds which are not biodegradable.

Bioaccumulative potential The product is not expected to bioaccumulate.

Mobility in soil The product is insoluble in water and will sediment in water systems.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

928846 Version #: 02 Revision date: 3-February-2020 Issue date: 10-July-2015

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Chromium oxide (CAS 1308-14-1) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Chromium oxide1308-14-10 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Chromium oxide (CAS 1308-14-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations WARNING: This product contains chemicals known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

Chromium oxide (CAS 1308-14-1)

Graphite (CAS 7782-42-5)

Iron oxide (CAS 1309-37-1)

Mica (CAS 12001-26-2)

Tin dioxide (CAS 18282-10-5)

Titanium dioxide (CAS 1317-80-2)

US. New Jersey Worker and Community Right-to-Know Act

Chromium oxide (CAS 1308-14-1)

Graphite (CAS 7782-42-5)

Iron oxide (CAS 1309-37-1)

Mica (CAS 12001-26-2) Tin dioxide (CAS 18282-10-5)

Titanium dioxide (CAS 1317-80-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Chromium oxide (CAS 1308-14-1)

Graphite (CAS 7782-42-5)

Iron oxide (CAS 1309-37-1)

Mica (CAS 12001-26-2)

Titanium dioxide (CAS 1317-80-2)

US. Rhode Island RTK

Chromium oxide (CAS 1308-14-1)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Titanium dioxide (CAS 1317-80-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

SPARTACOTE™ Metallic Pigment

SDS US

On inventory (yes/no)* Country(s) or region Inventory name China Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Europe No Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 10-July-2015
Revision date 3-February-2020

Version # 02

NFPA ratings



References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

928846 Version #: 02 Revision date: 3-February-2020 Issue date: 10-July-2015 7 / 7

No