

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Spartacote Surfacebuild 150 Part A	
Other means of identification	None.	
Recommended use	Epoxy primer.	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company Name	LATICRETE International	
Address	1 Laticrete Park, N	
	Bethany, CT 06524	
Telephone	(203)-393-0010	
Contact person	Steve Fine	
Website	www.laticrete.com	
Emergency phone number	Call CHEMTREC day or night	
	USA/Canada - 1.800.424.9300	
	Mexico - 1.800.681.9531	
	Outside USA/Canada	

### 2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 4
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		
		>
Signal word	Danger	

1.703.527.3887

#### Signal word Hazard statement

Combustible liquid. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Toxic to aquatic life with long lasting effects.

#### Precautionary statement Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or vapor. Avoid release to the environment.

Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If exposed or concerned: Get medical advice/attention. Collect spillage.	
Storage	Store in a well-ventilated place. Keep cool. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name		CAS number	%
Reaction product: bisphenol-A-(epichlorohydrin)		25068-38-6	70 - 75
Benzyl alcohol		100-51-6	18 - 24
4-Nonylphenol, branched		84852-15-3	4 - 7
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.		
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.		
Skin contact	Take off immediately all contaminated clothing. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. Get medical attention immediately.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.		
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if any discomfort continues.		
Most important symptoms/effects, acute and delayed	Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Indication of immediate medical attention and special treatment needed	Chemical burns: Flush with water immediate adhere to affected area. Call an ambulance. general supportive measures and treat symp	Continue flushing during tran	sport to hospital. Provi
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If exposed or concerned: get medical attention/advice.		
5. Fire-fighting measures			
Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).		
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	protective clothing must be wo	orn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.		
General fire hazards	Combustible liquid.		

#### 6. Accidental release measures

Personal precautions,<br/>protective equipment and<br/>emergency proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear<br/>appropriate protective equipment and clothing during clean-up. Do not touch damaged containers<br/>or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.<br/>Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.	
Environmental precautions	Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.	
7. Handling and storage		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Persons susceptible for allergic reactions should not handle this product. The product is a combustible liquid. Take the necessary precautionary measures. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (See Section 10).	

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	
Biological limit values	No biological exposure limits noted fo	r the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.		
Individual protection measures	s, such as personal protective equipme	ent	
Eye/face protection	Wear safety glasses with side shields (or goggles). Face-shield. Wear a full-face respirator, if needed.		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

### 9. Physical and chemical properties

#### Appearance

Physical state	Liquid.
Form	Liquid.
Color	No data available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not applicable .
Initial boiling point and boiling range	401 - 545 °F (205 - 285 °C)
Flash point	199.0 °F (92.8 °C)
Evaporation rate	Not available.

Spartacote Surfacebuild 150 Part A

Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	3.72 (Air=1)	
Relative density	1.121	
Solubility(ies)		
Solubility (water)	Insoluble in water.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	Masses of more than 1 pound of product plus an aliphatic amine will cause irreversible polymerization with considerable heat build up.		
Conditions to avoid	Excessive heat. Contact with incompatible materials.		
Incompatible materials	Strong oxidizing agents.		
Hazardous decomposition products	At thermal decomposition temperatures, carbon monoxide and carbon dioxide. Aldehydes.		

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	May cause respiratory irritation.	
Skin contact	Causes skin burns. May cause an allergic skin reaction.	
Eye contact	Causes serious eye damage.	
Ingestion	May cause burns of the gastrointestinal tract if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	

# Information on toxicological effects

Acute toxicity	Ingestion may cause irritation and malaise.				
Components	Species	Test Results			
4-Nonylphenol, branched (	4-Nonylphenol, branched (CAS 84852-15-3)				
Acute					
Dermal					
LD50	Rabbit	3160 mg/kg			
Oral					
LD50	Rat	1300 mg/kg			
Benzyl alcohol (CAS 100-5	51-6)				
Acute					
Dermal					
LD50	Rabbit	2000 mg/kg			
Inhalation					
LC50	Rat	> 4178 mg/m³, 4 hours			
Oral					
LD50	Rat	1230 - 3100 mg/kg			

Components	Species	Test Results	
Reaction product: bisphenol-A-(ep	ichlorohydrin) (CAS 25068-38-6)		
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Causes severe skin burns.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitization	า		
<b>Respiratory sensitization</b>	No data available.		
Skin sensitization	May cause an allergic skin reaction.	May cause an allergic skin reaction.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			
Not listed.			
Reproductive toxicity	Suspected of damaging fertility or the unborn child.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not classified.		
Chronic effects	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.		
Further information	No other specific acute or chronic health impact noted.		

# 12. Ecological information

cotoxicity	Toxic to aqu	uatic life with long lasting effects.	
Components		Species	Test Results
4-Nonylphenol, branched (	CAS 84852-15-3	3)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.1351 mg/l, 96 hours
		Fathead minnow (Pimephales promelas)	0.1383 mg/l, 96 hours
		Sheepshead minnow (Cyprinodon variegatus)	0.142 mg/l, 96 hours
Benzyl alcohol (CAS 100-5	1-6)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	460 mg/l, 96 hours
Reaction product: bisphence	l-A-(epichlorohy	drin) (CAS 25068-38-6)	
Fish	LC50	Salmo gairdneri	1.5 mg/l, 96 hours
Aquatic			
Crustacea	EC50	Daphnia magna	2.7 mg/l, 48 hours
ersistence and degradability	No data is a	available on the degradability of this product.	
ioaccumulative potential	No data ava	ailable for this product.	
Partition coefficient n-oct 4-Nonylphenol, branched ( Benzyl alcohol (CAS 100-5	CAS 84852-15-3		
lobility in soil	Not availabl	le.	
Other adverse effects	Not availabl	le.	

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

DOT	
UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (Nonylphenol mixture)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241
IATA	
UN number	UN1760
UN proper shipping name	Corrosive liquid, n.o.s. (Nonylphenol mixture)
Transport hazard class(es)	
Class	8
Subsidiary risk	
Label(s)	8
Packing group	III
Environmental hazards	Yes
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Nonylphenol mixture)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
<b>Environmental hazards</b>	
Marine pollutant	Yes
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	This substance/mixture is not intended to be transported in bulk.
Annex II of MARPOL 73/78 and	
the IBC Code	

15. Regulatory informatio	n	
• •		rd Communication
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
.,	Notification (40 CFR 707, Subpt. D)	
Not regulated. OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1050)	
Not listed.		
CERCLA Hazardous Substa	ance List (40 CFR 302.4)	
Not listed.		
•	eauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazar	-	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
Clean Air Act (CAA) Section Not regulated.	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	This product does not contain a chemical known to the State of Californ defects or other reproductive harm.	nia to cause cancer, birth
US. Massachusetts RT	K - Substance List	
Benzyl alcohol (CAS	ched (CAS 84852-15-3) 5 100-51-6) r and Community Right-to-Know Act	
Not listed.		
	er and Community Right-to-Know Law	
	ched (CAS 84852-15-3)	
Benzyl alcohol (CAS US. Rhode Island RTK	\$ 100-51-6)	
Not regulated.		
US. California Proposition	65	
•	tion 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substan sphenol-A-(epichlorohydrin) (CAS 25068-38-6)	ice
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
	In the set of Evistian and New Observiced Outstands (ENOO)	X

Inventory of Existing and New Chemical Substances (ENCS)

Existing Chemicals List (ECL)

Japan

Korea

Yes

Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	29-May-2015
Revision date	-
Version #	01
NFPA ratings	3 0
List of abbreviations	

 

 References
 HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)

 Disclaimer
 The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.